

TEST REPORT

APPLICANT : Fujian Zhangping D-road Forestry Co.,Ltd

ADDRESS : Fushan Industry District, Zhangping City, Fujian, China,
364400

SAMPLE DESCRIPTION : Golden red color

ITEM NO. : 2076

MANUFACTURER : Fujian Zhangping D-road Forestry Co.,Ltd

COUNTRY OF ORIGIN : China

AGE REQUESTED ON APPLICATION FORM : 3-7years

SAMPLE RECEIVED DATE : 13-Sep-2023

FURTHER INFORMATION DATE : 30-Oct-2023

TURN AROUND TIME : 13-Sep-2023 to 30-Oct-2023

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	TEST METHOD/REGULATION	RESULT
Heavy Metals in Plastic Materials	SOR/2011-17 and its amendments	Not Applicable
Heavy Metals in Surface Coating	SOR/2011-17 and its amendments	Pass
Lead Content	SOR/2018-83, Consumer Products Containing Lead Regulations	Pass
Phthalate Regulations	SOR/2016-188, Phthalate Regulations	Pass
Total Lead and Mercury in Surface Coating	SOR/2016-193, Surface Coating Materials Regulations	Pass
Heavy Metals	ASTM F963-17	Pass
Total Lead Content in Substrate	US CPSIA, Section 101	Pass
Total Lead Content in Paint / Surface Coating	US CPSIA, Section 101	Pass
Phthalates Content	CPSC 16 CFR part 1307	Pass


Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer, regulation or the standard specification, Eurofins will consider the measurement uncertainty as calculated by our laboratory and apply according to ILAC G8:09/2019-(binary acceptance base on guard band). If you happen to have any comments, please do it by sending email to info.hz@eurofins.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to chinacomplaint@eurofins.com and referring to this report number.

Eurofins (Hangzhou) contact information**Customer service:** Joy.Lai@cpt.eurofinscn.com / +86 571 87203730**Sales specialist:** Sophia.Ma@cpt.eurofinscn.com/

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of

Eurofins Product Testing Service (Shanghai) Co., Ltd. Hangzhou Branch




Sara Liu

Lab Manager



SAMPLE PHOTO(S)



A

EFHZ23090751-CG-01

TO BE CONTINUED

COMPONENT LIST

Component No.	Component	Quote From	Sample No.
1	Grey brown coating with wood	EFHZ23090736-CG-01	A
2	Natural color wood excluding coating	EFHZ23090742-CG-01	A

TO BE CONTINUED

TEST RESULT

Heavy Metals in Surface Coating

Test Request: Heavy Metals Content In Surface Coating as specified in Canada Consumer Product Safety Act - Toys Regulations, SOR/2011-17 and its amendments, Section 23.

Test Method: With reference to Canada Health Product Safety Laboratory, Reference Manual Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C02.2.2-2020, Method C07-2019(modified), Method C03-2022.

Test Item(s)	Unit	Limit	MDL	Result
				1
Total Lead	mg/kg	90	10	ND
Total Mercury	mg/kg	See Note	1	ND
Soluble Arsenic	mg/kg	1000	2.5	ND
Soluble Barium	mg/kg	1000	10	ND
Soluble Antimony	mg/kg	1000	5	ND
Soluble Cadmium	mg/kg	1000	5	ND
Soluble Selenium	mg/kg	1000	10	ND

Remark:

Note: The substance limited mercury compound, and the test is determined in terms of Mercury. In accordance with industry guide, Health Canada policy to employ 10 mg/kg as an enforcement limit for materials on toys.

1 mg/kg = 1 ppm = 0.0001%

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Lead Content

Test Request: Lead content as specified in Canada Consumer Product Safety Act - Consumer Products Containing Lead Regulations, SOR/2018-83.

Test Method: With reference to Product Safety Laboratory, Reference Manual, Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C02.2.2-2020, Method C02.3.2-2021, Method C02.4.1-2019, Method C08-2014

Test Item(s)	Unit	Limit	MDL	Result	
				1	2
Total Lead Content	mg/kg	90	10	ND	ND
Released Lead	mg/kg	90	5	NA	NA

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

NA = Not Applicable

Exception:

Each accessible part may contain more than 90 mg/kg of lead if

- a) lead is necessary to produce an essential characteristic of the part;
- b) no alternative part containing less lead is available; and
- c) the part, when tested in accordance with good laboratory practices, does not release more than 90 mg/kg of lead.

TO BE CONTINUED

TEST RESULT

Phthalate Regulations

Test Request: Phthalates Content as specified in Canada Consumer Product Safety Act - Phthalate Regulations, SOR/2016-188.

Test Method: With reference to Product Safety Laboratory, Reference Manual, Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C34.2-2018, analysis is performed by GC-MS.

Test Item(s)	CAS No.	Unit	Limit	MDL	Result
					1
Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	0.1	0.005	ND
Di-n-butyl phthalate (DBP)	84-74-2	%	0.1	0.005	ND
Benzyl butyl phthalate (BBP)	85-68-7	%	0.1	0.005	ND
Diisononyl phthalate (DINP)	28553-12-0	%	0.1	0.005	ND
Diisodecyl phthalate (DIDP)	26761-40-0	%	0.1	0.005	ND
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.1	0.005	ND

Remarks:

MDL = method detection limit

ND = Not detected, less than MDL

DEHP, DBP and BBP are restricted for the vinyl in a toy or child care article.

DINP, DIDP and DNOP are restricted for the vinyl in any part of a toy or child care article that can, in a reasonably foreseeable manner, be placed in the mouth of a child under four years of age.

TO BE CONTINUED

TEST RESULT

Total Lead and Mercury in Surface Coating

Test Request: Total lead and mercury in surface coatings as specified in Canada Consumer Product Safety Act, Surface Coating Materials Regulations, SOR/2016-193

Test Method: With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C02.2.1-2021, Method C07-2019(modified)

Test Item(s)	Unit	Limit	MDL	Result
				1
Total Mercury	mg/kg	10	1	ND
Total Lead	mg/kg	90	10	ND

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Heavy Metals

1) ASTM F963-17- Heavy Elements – Total Lead in Paint and Similar Surface-Coating Material (Clause 4.3.5.1(1))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result	
				1	2
Total Lead in Paint	mg/kg	90	10	ND	

2) ASTM F963-17- Heavy Elements – Total Lead in Substrate Material (Clause 4.3.5.2(2) (a))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result	
				1	2
Total Lead in Substrate	mg/kg	100	10	ND	

3) ASTM F963-17- Heavy Elements – Total Elements Content, Initial Screening for Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay(Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result	
				1	2
Total Antimony	mg/kg	60	5	ND	ND
Total Arsenic	mg/kg	25	5	ND	ND
Total Barium	mg/kg	1000	10	295	ND
Total Cadmium	mg/kg	75	5	ND	ND
Total Chromium	mg/kg	60	5	ND	ND
Total Lead	mg/kg	90	10	ND	ND
Total Mercury	mg/kg	60	5	ND	ND
Total Selenium	mg/kg	500	10	ND	ND

4) ASTM F963-17- Heavy Elements – Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay (Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.2 to 8.3.5 (excluding 8.3.5.5(3))

TO BE CONTINUED

TEST RESULT

Tested Item(s)	Unit	Limit	MDL	Result	
				1	2
Soluble Antimony	mg/kg	60	5	NA	NA
Soluble Arsenic	mg/kg	25	5	NA	NA
Soluble Barium	mg/kg	1000	10	NA	NA
Soluble Cadmium	mg/kg	75	5	NA	NA
Soluble Chromium	mg/kg	60	5	NA	NA
Soluble Lead	mg/kg	90	10	NA	NA
Soluble Mercury	mg/kg	60	5	NA	NA
Soluble Selenium	mg/kg	500	10	NA	NA

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

NA = Not Applicable

The analytical results were adjusted by subtracting analytical correction factor.

* On the initial analysis for soluble heavy metals content, any tested component of greater than the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis of ASTM F963-17, Sections 8.3.2 to 8.3.5 as specified in Section 8.3.1.3. The result herein is for reference only (show data), please refer to soluble heavy metals content analysis for the corresponding conclusive results.

According to Section 8.3.1.3, if results of total eight elements are below soluble limits for each element as prescribed in the table, the material can be considered to conform to requirements of 4.3.5.1(2) or 4.3.5.2(2)(b), or both, without further testing.

TO BE CONTINUED

TEST RESULT

Total Lead Content in Substrate

Test Request: Total lead in substrate as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3
The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result
				2
Total Lead(Pb)	mg/kg	100	10	ND

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Total Lead Content in Paint / Surface Coating

Test Request: Total lead in paint/ similar surface coatings as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1003-09.1

The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result
				1
Total Lead (Pb)	mg/kg	90	10	ND

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Phthalates Content

Test Request: Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates as specified in CPSC 16 CFR part 1307.

Test Method: CPSC-CH-C1001-09.4

Test Item(s)	CAS No.	Unit	Limit	MDL	Result
					1
Diisononyl phthalate (DINP)	28553-12-0	%	0.1	0.005	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	%	0.1	0.005	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND

Remarks:

MDL = method detection limit

ND = Not detected, less than MDL

END OF THE REPORT