

TEST REPORT

APPLICANT : Jinyun Cang lang Outdoor Goods Co.,Ltd
ADDRESS : Shilong, Huzhen Town ,Jinyun country,Zhejiang,China
SAMPLE DESCRIPTION : FOLDING SUNBED
ITEM NUMBER : OP0369/OP0379
COUNTRY TO ORIGIN : China
SAMPLE RECEIVED DATE : 10-Aug-2020
SAMPLE RESUBMISSION DATE : 31-Aug-2020
TURN AROUND TIME : 10-Aug-2020 to 04-Sep-2020

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	TEST METHOD/REGULATION	Result
Outdoor furniture -- Seating and tables for camping, domestic and contract use -- Part 1. General safety requirements	EN 581-1:2017	Pass
Outdoor furniture -- Seating and tables for camping, domestic and contract use -- Part2: Mechanical safety requirements and test methods for seating	EN 581-2:2015+AC : 2016	Pass

Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to info.hz@eurofins.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to china.complaint@eurofins.com and referring to this report number.

Eurofins (Hangzhou) contact information**Customer service:** StaceyZhang@eurofins.com / +86 571 87566238**Sales specialist:** SophiaMa@eurofins.com / +86 13336882996

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of


Eurofins Product Testing Service (Shanghai) Co., Ltd Hangzhou Branch



Jack Ma

Lab Manager of HZ Hardline Laboratory

SAMPLE PHOTOS



EFHZ20080376-CG-01

TO BE CONTINUED

TEST RESULT

Test Conducted: For sample A


Outdoor furniture -- Seating and tables for camping, domestic and contract use -- Part2: Mechanical safety requirements and test methods for seating (EN 581-2:2015+AC: 2016)

- 1) Test level: Camping use
- 2) Height of the seating: 190 mm
- 3) Number of tested sample: 1 Piece
- 4) Test result: details as following tables

Clause	Test Items / Requirement	Result
6	Safety, strength and durability requirements for loungers	
6.1	General Before and after the strength, durability and stability tests are carried out, the EN 581-1 requirements shall be fulfilled.	Pass (see Appendix 1)
6.2	Stability, strength and durability	
6.2.1	Test sequence and parameters The lounge shall be tested following the order listed in Table 1.	see Appendix 2
6.2.2	Requirements The safety, strength and durability requirements are fulfilled after testing in accordance with Table 1 when: a) there are no fractures of any joint, member or component, b) there is no loosening of joints intended to be rigid, c) the lounge fulfils its function after removal of the test loads, d) the product shall not overturn when subjected to the stability tests.	Pass (see Appendix 2)
7	Safety, strength and durability requirements for other seating	
7.1	General Before and after the strength, durability and stability tests are carried out, the requirements of EN 581-1 shall be fulfilled.	N/A
7.2	Stability, strength and durability	
7.2.1	Test sequence and parameters The seating shall be tested for strength, durability and stability following the order listed in Table 2.	N/A
7.2.2	Requirements The safety, strength and durability requirements are fulfilled after testing in accordance with Table 2 when: a) there are no fractures of any joint, member or component, b) there is no loosening of joints intended to be rigid, c) the seating fulfils its function after removal of the test loads, d) the seating fulfils the safety requirements, e) the product shall not overturn when subjected to the stability tests.	N/A
8	Information for use	

TO BE CONTINUED

TEST RESULT

Clause	Test Items / Requirement	Result
8.1	General Instruction for use shall be provided in the language(s) of the country where the seating are sold. These instructions shall be headed "IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY" in letters no less than 5 mm high, unless if the following information are permanently marked on the product. It shall contain at least the following details: a) name and address of the manufacturer/supplier/retailer; b) conditions for use of the product (domestic, camping or contract). If applicable: c) assembly instructions; d) instructions for the care and maintenance of the seating; e) if the seating is fitted with seat height adjustments with energy accumulators, an additional note is required pointing out that only trained personnel may replace or repair seat height adjustment components with energy accumulators.	Pass*
8.2	Marking for loungers Loungers equipped with wheels, but not intended to be lifted and moved with a person in it shall be permanently marked with the pictogram as shown in Figure 2. The smallest dimension of the pictogram shall not be less than 25 mm.  Figure 2 — Pictogram	N/A

Appendix 1: Outdoor furniture -- Seating and tables for camping, domestic and contract use -- Part 1.

General safety requirements (EN 581-1:2017):

Clause	Test Method/Requirement	Result
5	Safety requirements	
5.1	General	Pass
5.2	Tubular components.	Pass
5.3	Shear and squeeze points	
5.3.1	Shear and squeeze points when erecting, adjusting and folding away	Pass
5.3.2	Shear and squeeze points under the influence of powered mechanisms	N/A
5.3.3	Shear and squeeze points during use	Pass

TO BE CONTINUED

TEST RESULT

Appendix 2 Test results of loungers (according to EN 581-2:2015+AC : 2016, EN 1022:2005 determination of stability and EN1728:2012 Furniture –seating-test methods for the determination of strength and durability)

Clause	Test Items/ Requirement	Result
Table 1 — Test sequence and test parameters for loungers		
1	EN 1728:2012, 8.2 Seat and back static load test	Pass
2	EN 1728:2012, 8.3 Additional seat and leg rest static load test	Pass
3	EN 1728:2012, 8.4.1 Seat and back durability test	Pass
4	EN 1728:2012, 8.4.2 Additional seat durability test	Pass
5	EN 1728:2012, 8.5 Durability test on back rest mechanism	Pass
6	EN 1728:2012, 8.6 Arm rest static load test	N/A
7	EN 1728:2012, 8.7 Arm rest durability test	N/A
8	EN 1728:2012, 8.8 Impact test	Pass
9	EN 1728:2012, 8.9 Lifting test for mobile loungers	N/A
10	A.1.2 Forward stability	N/A
11	EN 1022:2005, Rearward stability 6.6 for upright position and 7.5 for most reclined position	Pass
12	A.1.1 Sideways stability	N/A

Appendix 3 Test results of seating (according to EN1728:2012 Domestic furniture –seating-test methods for the determination of strength and durability and EN 1022:2005 determination of stability)

Clause	Test Items/ Requirement	Result
Table 2 — Test sequence and test parameters for other seating		
1	EN 1728:2012, 6.4 Seat static load and back static load test	N/A
2	EN 1728:2012, 6.5 Seat front edge static load	N/A
3	EN 1728:2012, 6.17 combined Seat and back durability test	N/A
4	EN 1728:2012, 6.19 Durability test on seating with a multi-position back rest	N/A
5	EN 1728:2012, 6.11 Arm rest static load test	N/A
6	EN 1728:2012, 6.20 Arm rest durability test	N/A
7	EN 1728:2012, 6.15 Leg forward static load test	N/A
8	EN 1728:2012, 6.16 Leg sideways static load test	N/A
9	EN 1728:2012, 6.24 Seat impact test	N/A
10	EN 1728:2012, 6.8 Foot rest static test	N/A
11	EN 1022:2005, Forward stability	N/A
12	EN 1022:2005, Rearward stability	N/A
13	EN 1022:2005, Sideways stability	N/A

Note:

N/A =Not applicable;

“*”Means only artwork with required information was provided

TO BE CONTINUED

Test Conducted: For sample B

TEST RESULT


Outdoor furniture -- Seating and tables for camping, domestic and contract use -- Part2: Mechanical safety requirements and test methods for seating (EN 581-2:2015+AC: 2016)

- 4) Test level: Camping use
 5) Height of the seating: 260 mm
 6) Number of tested sample: 1 Piece
 4) Test result: details as following tables

Clause	Test Items / Requirement	Result
6	Safety, strength and durability requirements for loungers	
6.1	General Before and after the strength, durability and stability tests are carried out, the EN 581-1 requirements shall be fulfilled.	Pass (see Appendix 1)
6.2	Stability, strength and durability	
6.2.1	Test sequence and parameters The lounge shall be tested following the order listed in Table 1.	see Appendix 2
6.2.2	Requirements The safety, strength and durability requirements are fulfilled after testing in accordance with Table 1 when: a) there are no fractures of any joint, member or component, b) there is no loosening of joints intended to be rigid, c) the lounge fulfils its function after removal of the test loads, d) the product shall not overturn when subjected to the stability tests.	Pass (see Appendix 2)
7	Safety, strength and durability requirements for other seating	
7.1	General Before and after the strength, durability and stability tests are carried out, the requirements of EN 581-1 shall be fulfilled.	N/A
7.2	Stability, strength and durability	
7.2.1	Test sequence and parameters The seating shall be tested for strength, durability and stability following the order listed in Table 2.	N/A
7.2.2	Requirements The safety, strength and durability requirements are fulfilled after testing in accordance with Table 2 when: a) there are no fractures of any joint, member or component, b) there is no loosening of joints intended to be rigid, c) the seating fulfils its function after removal of the test loads, d) the seating fulfils the safety requirements, e) the product shall not overturn when subjected to the stability tests.	N/A
8	Information for use	

TO BE CONTINUED

TEST RESULT

Clause	Test Items / Requirement	Result
8.1	General Instruction for use shall be provided in the language(s) of the country where the seating are sold. These instructions shall be headed "IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY" in letters no less than 5 mm high, unless if the following information are permanently marked on the product. It shall contain at least the following details: a) name and address of the manufacturer/supplier/retailer; b) conditions for use of the product (domestic, camping or contract). If applicable: c) assembly instructions; d) instructions for the care and maintenance of the seating; e) if the seating is fitted with seat height adjustments with energy accumulators, an additional note is required pointing out that only trained personnel may replace or repair seat height adjustment components with energy accumulators.	Pass*
8.2	Marking for loungers Loungers equipped with wheels, but not intended to be lifted and moved with a person in it shall be permanently marked with the pictogram as shown in Figure 2. The smallest dimension of the pictogram shall not be less than 25 mm.  Figure 2 — Pictogram	N/A

Appendix 1: Outdoor furniture -- Seating and tables for camping, domestic and contract use -- Part 1.

General safety requirements (EN 581-1:2017):

Clause	Test Method/Requirement	Result
5	Safety requirements	
5.1	General	Pass
5.2	Tubular components.	Pass
5.3	Shear and squeeze points	
5.3.1	Shear and squeeze points when erecting, adjusting and folding away	Pass
5.3.2	Shear and squeeze points under the influence of powered mechanisms	N/A
5.3.3	Shear and squeeze points during use	Pass

TO BE CONTINUED

TEST RESULT

Appendix 2 Test results of loungers (according to EN 581-2:2015+AC : 2016, EN 1022:2005 determination of stability and EN1728:2012 Furniture –seating-test methods for the determination of strength and durability)

Clause	Test Items/ Requirement	Result
Table 1 — Test sequence and test parameters for loungers		
1	EN 1728:2012, 8.2 Seat and back static load test	Pass
2	EN 1728:2012, 8.3 Additional seat and leg rest static load test	Pass
3	EN 1728:2012, 8.4.1 Seat and back durability test	Pass
4	EN 1728:2012, 8.4.2 Additional seat durability test	Pass
5	EN 1728:2012, 8.5 Durability test on back rest mechanism	Pass
6	EN 1728:2012, 8.6 Arm rest static load test	N/A
7	EN 1728:2012, 8.7 Arm rest durability test	N/A
8	EN 1728:2012, 8.8 Impact test	Pass
9	EN 1728:2012, 8.9 Lifting test for mobile loungers	N/A
10	A.1.2 Forward stability	Pass
11	EN 1022:2005, Rearward stability 6.6 for upright position and 7.5 for most reclined position	Pass
12	A.1.1 Sideways stability	Pass

Appendix 3 Test results of seating (according to EN1728:2012 Domestic furniture –seating-test methods for the determination of strength and durability and EN 1022:2005 determination of stability)

Clause	Test Items/ Requirement	Result
Table 2 — Test sequence and test parameters for other seating		
1	EN 1728:2012, 6.4 Seat static load and back static load test	N/A
2	EN 1728:2012, 6.5 Seat front edge static load	N/A
3	EN 1728:2012, 6.17 combined Seat and back durability test	N/A
4	EN 1728:2012, 6.19 Durability test on seating with a multi-position back rest	N/A
5	EN 1728:2012, 6.11 Arm rest static load test	N/A
6	EN 1728:2012, 6.20 Arm rest durability test	N/A
7	EN 1728:2012, 6.15 Leg forward static load test	N/A
8	EN 1728:2012, 6.16 Leg sideways static load test	N/A
9	EN 1728:2012, 6.24 Seat impact test	N/A
10	EN 1728:2012, 6.8 Foot rest static test	N/A
11	EN 1022:2005, Forward stability	N/A
12	EN 1022:2005, Rearward stability	N/A
13	EN 1022:2005, Sideways stability	N/A

Note:

N/A =Not applicable

“*”Means only artwork with required information was provided

END OF THE REPORT