



深检集团(浙江)质量技术服务有限公司
SMQ Group (Zhejiang) Quality Technology Service Co.,Ltd.



中国认可
国际互认
检测
TESTING
CNAS L16024

TEST REPORT



No.:ZJWT252800106

Page 1 of 10 Pages

Sample Description: Desk

Model/Specification/Grade: 836-608

Applicant: FUJIAN CHANGTAI XINZHONGHAO FURNITURE CO., LTD.

Applicant Address: XINJIROAD,XINGTAI DEVELOPMENT ZONE
CHANGTAI,FUJIAN,CHINA

Date of Receipt: 2025-02-20

Test Period: 2025-02-20 to 2025-03-03

Test Location: Science and Innovation Park, 398 Mahuan Road, Binhai New District, Shaoxing City, Zhejiang

SMQ Group (ZheJiang) Quality
Technology Service Co., Ltd
(Stamp)

Issue Date: 2025-03-04

Approved by:

Peng Shangwu

Signature:

Peng Shangwu

重 要 声 明

Importants statement

1. 本公司保证检验检测的科学性、公正性和准确性，对检验检测的数据负责，并对委托单位所提供的样品和技术资料保密。

The company is committed to assuring the scientificness, impartiality and accuracy of all tests carried out, responsibility for test data gained, and keeping confidential of all test samples and technical documents provided.

2. 抽样按照本公司程序文件《抽样程序》和相应产品的检验检测细则的规定执行。

The sampling should be carried out according to the "sampling procedure" defined in the Procedure Document and relevant testing specifications.

3. 报告无主检、审核、批准人签字，或涂改，或未盖本公司报告专用章及骑缝章无效。未经本公司许可，不得部分复印、摘用或篡改本报告内容。复印报告未重新加盖本公司报告专用章无效。

Any report/certificate having not been signed by relevant responsible engineer, reviewer or authorized approver, or having been altered without authorization, or without both the Dedicated Report/Certificate Seal and its across-page seal is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report/certificate is not permitted without the written authorization of the company. Any copy of certificates/reports without the Dedicated Report/Certificate Seal is deemed to be invalid.

4. 送样委托检验检测结果仅对来样有效：委托检验检测的样品信息及委托方信息均由委托方提供，本公司不对其真实性及准确性负责。

The test results presented in the report apply only to the tested sample. The product information and the applicant information are provided by the customer and the company assumes no responsibility for their validity and accuracy.

5. 未经公司同意，样品委托人请勿使用检验检测结果进行不当宣传。

Any use of the company test result for advertisement of the tested material or product must be approved in writing by the company.

6. 无认可认定标志的报告，仅作科研、教学或内部质量控制等用途之用。

Reports without accreditation marks are only used for scientific research, teaching or internal quality control purposes.

7. 委托方对报告有异议的，应于报告发出之日起十五日内向本公司提出。政府行政管理部门下达的监督检验任务，受检方对报告有异议的，应按政府行政管理部门文件规定及国家相关法律、法规处理。

objection to report/certificate issued by the company should be submitted to the company within 15 days after the issuance of the test. The mandatory inspection assigned by government administrative departments shall be carried out in accordance with the documents and regulations of the government administrative department and relevant national laws and regulations if inspected parties raise any objection to the inspection.

8. 报告更改后，发出的电子版报告、报告的扫描件及传真件若无法追回，则委托方有义务将更改后的报告提供给使用原报告的相关方。

The company is not responsible for recalling the electronic version of the original report/certificate when any revision is made to them. The applicant assumes the responsibility of providing the revised version to any interested party who uses them.

9. 只申领电子报告时，相关内容和效力以电子报告为准；电子报告和纸质报告同时申领时，电子报告仅作为纸质报告的副本，相关内容和效力以同编号纸质报告为准。

The relevant content and effectiveness is subject to the electronic version of the original report which was only applied for. When an electronic report and a paper report are applied for at the same time, the electronic report is only a copy of the paper report, and the relevant content and effectiveness is subject to the paper report.

投诉及报告/证书真伪查询电话

Complaint hotline: 0575-81279666

TEST REPORT

No.: ZJWT252800106

Page 2 of 10 Pages

Sample Information:

Sample Description: Desk
Trade Mark: -----
Model/Specification/Grade: 836-608
Serial/Batch No. of Sample: -----
Manufactured Date: -----
Manufacturer: -----
Manufacturer Address: -----
Sample Quantity: 1pc
Sample Description before Testing: Normal

Client Information:

Applicant: FUJIAN CHANGTAI XINZHONGHAO FURNITURE CO., LTD.
Applicant Address: XINJIROAD,XINGTAI DEVELOPMENT ZONE CHANGTAI,FUJIAN,CHINA
Applicant Telephone: -----
Applicant Post Code: -----

Test Information:

Date of Receipt: 2025-02-20
Applicant No.: 7001490
Environment Condition: (15~25) °C (50~70) %RH
Sampling Method: Delivered by Applicant
Judgment Basis: EN 527-2:2016+A1:2019 Office furniture - Work tables Part 2: Safety, strength and durability requirements
Test Standard: EN 1730:2012 Furniture - Tables - Test methods for the determination of stability, strength and durability

Test Conclusion:

The tested sample COMPLIED with the above standard: EN 527-2:2016+A1:2019.

Tested by: Xu Hanzhang *Xu Hanzhang*

Checked by: Li Li *Li Li*

TEST REPORT

No.: ZJWT252800106

Page 3 of 10 Pages

Test Result:

1. EN 527-2:2016+A1:2019 Office furniture - Work tables Part 2: Safety, strength and durability requirements

Clause 4: Safety requirements

Test Code/ Tested Property	Requirement	Test Results	Comments
4.1 General	The table shall be designed so as to minimize the risk of injury to the user.	P	/
	All parts of the table with which the user comes into contact during intended use, shall be designed so that physical injury and damage are avoided.	P	/
	all accessible edges and corners are free from burrs and rounded or chamfered	P	/
	the edges and corners of the top surfaces are chamfered not less than 1 mm by 1 mm or rounded with a radius of not less than 2 mm	P	/
	the ends of feet and tubular components are closed or capped	N/A	/
	Movable and adjustable parts shall be designed so that injuries and inadvertent operation are avoided.	N/A	/
	It shall not be possible for any load bearing part of the table to come loose unintentionally.	P	/
	All parts which are lubricated to assist sliding shall be designed to protect users from lubricant stains when in normal use.	N/A	/

TEST REPORT

No.: ZJWT252800106

Page 4 of 10 Pages

Test Code/ Tested Property	Requirement	Test Results	Comments
4.2 Shear and squeeze points	4.2.1 Shear and squeeze points when setting up and folding Unless 4.2.2 or 4.2.3 are applicable, shear and squeeze points that are created only during setting up and folding are acceptable, because the user can be assumed to be in control of his/her movements and to be able to cease applying the force immediately upon experiencing pain. The edges of parts moving relative to each other and creating shear and squeeze points shall be as specified in 4.1.	P	/
	4.2.2 Shear and squeeze points under influence of powered mechanisms There shall be no shear and squeeze points which close to less than 25 mm unless they are always less than 7 mm created by parts of the table operated by powered mechanisms, i.e. springs, gas lifts and motorized systems.	N/A	/
	4.2.3 Shear and squeeze points during use There shall be no shear and squeeze points which close to less than 25 mm unless they are always less than 7 mm created by forces applied during normal use or created by the user during normal movements and actions, e.g. attempting to move the table.	P	/
4.3 Stability requirements	The table shall not overturn when tested according to tests 10 and 11 of Table 1.	P	/
4.4 Structural safety requirements	The structural safety requirements are fulfilled when the requirements according to 5.2 are fulfilled.	P	/

***** End of Page *****

TEST REPORT

No.: ZJWT252800106

Page 5 of 10 Pages

2. EN 527-2:2016+A1:2019 Office furniture - Work tables Part 2: Safety, strength and durability requirements

Clause 5: Strength and durability

Test Code	Tested Property	Requirement	Test Results	Comments
1	Durability of height Adjustment mechanisms	The strength and durability requirements are fulfilled when after testing in accordance with Table 1: a) there are no fractures of any member, joint or component; b) there are no loosening of joints intended to be rigid; c) the work table fulfils its functions after removal of the test loads; d) when tested according to Table 1, test number 5, the stiffness of the structure, both D 1 and D 2 divided by the height to the top of the table top shall be ≤ 17 mm/m.	N/A	/
2	Horizontal static load test		P	Force:450N Cycles: 10
3	Additional horizontal static load test for adjustable tables with a height more than 950 mm		N/A	/
4	Vertical static load tests		P	Force:1,000N Cycles: 10
5	Additional vertical static load test for adjustable tables with a height more than 950 mm		N/A	/
6	Horizontal durability test		P	Force:300N Cycles: 10,000
7	Stiffness of the structure		P	Force:200N
8	Vertical durability test		P	Force:400N Cycles: 10,000

TEST REPORT

No.: ZJWT252800106

Page 6 of 10 Pages

Test Code	Tested Property	Requirement	Test Results	Comments
9	Durability of tables with castors	The strength and durability requirements are fulfilled when after testing in accordance with Table 1: a) there are no fractures of any member, joint or component; b) there are no loosening of joints intended to be rigid; c) the work table fulfils its functions after removal of the test loads; d) when tested according to Table 1, test number 5, the stiffness of the structure, both D 1 and D 2 divided by the height to the top of the table top shall be ≤ 17 mm/m.	P	Load: 50kg Cycles: 2,000
10	Vertical impact test		P	Drop height:140mm Cycles: 10
11	Drop test		P	Drop height:100mm
12	Stability under vertical load		P	/
13	Stability for work tables extension elements		N/A	/

***** End of Page *****

TEST REPORT

No.: ZJWT252800106

Page 7 of 10 Pages

3. EN 527-2:2016+A1:2019 Office furniture - Work tables Part 2: Safety, strength and durability requirements

Clause 6: Information for use

Tested Property	Requirement	Test Results	Comments
Clause 6: Information for use	Information for use shall be available in the language of the country in which it will be delivered to the end user. It shall contain at least the following details: a) Information regarding the intended use ; b) instruction for operating the adjusting mechanisms; c) instruction for the care and maintenance of the table.	P	/

Legend:

P = PASS, the sample MEETS the standard requirement.

F = FAIL, the sample DOES NOT MEET the standard requirement.

N/A = NON APPLICABLE, the requirement/test IS NOT APPLICABLE to the sample.

N/R = NOT REQUESTED, On Customer request the test is NOT PERFORMED.

NP = General note (see details).

ND = NOT DECLARED.

// = The rating of test CANNOT BE EXPRESSED, see details in test report






***** End of Page *****

TEST REPORT

No.: ZJWT252800106

Page 8 of 10 Pages



Received instruction:

Received instruction (view 1)	Received instruction (view 2)
	
	
	

TEST REPORT

No.: ZJWT252800106

Page 9 of 10 Pages

Received instruction (view 5)	Received instruction (view 6)
	
Received instruction (view 7)	Received instruction (view 8)
US If you have any questions, please contact our customer care center. Our contact details are below: ☎ 001-877-644-9366 ✉ customerservice@asom.com Imported by Asom LLC 27150 SW Kinsman Rd Wilsonville, OR 97070 USA MADE IN CHINA CA If you have any questions, please contact our customer care center. Our contact details are below: ☎ 416-792-6088 ✉ customerservice@asom.ca Imported by Asom Canada Inc. 7270 Woodbine Avenue, Unit 307, Markham, Ontario Canada L3R 4B9 MADE IN CHINA Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle. Nos coordonnées sont les suivantes: ☎ 416-792-6088 ✉ customerservice@asom.ca Importé par Asom Canada Inc. 7270 Woodbine Avenue, unité 307, Markham, Ontario Canada L3R 4B9 FABRIQUÉ EN CHINE UK If you have any questions, please contact our customer care center. Our contact details are below: ☎ 0044-800-240-4004 ✉ enquiries@mhstar.co.uk IMPORTER ADDRESS: MH STAR UK LTD Unit 27, Penrize Park, Hunsden Lane South Pulville, UB6 7RH MADE IN CHINA FR Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle. Nos coordonnées sont les suivantes: ☎ 0033-1-84166106 ✉ asom@mhfrance.fr Importé par l'importateur REP: MH FRANCE 2 Rue Maurice Hartmann 92130 Issy Les Moulineaux France FABRIQUÉ EN CHINE DE Wenn Sie Fragen haben, wenden Sie sich bitte an unser Kundendienstzentrum. Unsere Kontaktdaten stehen unten: ☎ 0049-040-88207530 ✉ service@asom.de ADRESSE DES IMPORTEURS/Hersteller/REP: MH Handel GmbH Wendenstraße 309 D-20537 Hamburg Germany IN CHINA HERGESTELLT IT In caso di dubbio, si prega di contattare il nostro centro assistenza clienti. I nostri dettagli di contatto sono di seguito: ☎ 0039-0249471447 ✉ clienti@asom.it IMPORTATO DA/Produttore/REP: ASOM Italy srl Centro Direzionale MilanoFori Strada 1 Palazzo F1 20087 Assago (MI) P.I. 08847220960 FATTO IN CHINA ES Si tiene alguna pregunta, comuníquese con nuestro Centro de Atención al Cliente. Nuestros datos de contacto son los siguientes: ☎ 0034-931294512 ✉ atencióncliente@asom.es IMPORTADOR/Fabricante/REP: SPANISH ASOM S.L. C/ROC GROS Nº18.08550. ELS HOSTALET DE BAL ENY, SPAIN. 886298773 HECHO EN CHINA PT Se tiver alguma dúvida, por favor contacte o nosso Centro de Atendimento ao Cliente. Os nossos dados de contacto são os seguintes: ☎ 0034-931294512 ✉ mh@asom.pt IMPORTADOR/Fabricante/REP: SPANISH ASOM S.L. C. ROC GROS N.º 18. 08550. ELS HOSTALET DE BALENA FETITO NA CHINA Recycling Information: RECYCLEZ DONNEZ RECYCLEZ RECYCLON UNION DÉCHETS Réunissez vos quaternaires déchets.	Blank

TEST REPORT

No.: ZJWT252800106

Page 10 of 10 Pages

Sample Photo:



*****END OF REPORT*****