

Test Report

Number: SHAH01678799

Applicant: YZ SUNSHINE ARTS&CRAFTS CO.,LTD
INDUSTRIAL PARK,DAYI TOWN YANGZHOU CITY
JIANGSHU PROVINCE CHINA
Attn: BELLA

Date: 14 May, 2024

Sample Description:

One(1) group of submitted sample said to be :
Item Name : Kids rocking horse
Item No. : WJ-166,WJ-167,WJ-168,WJ-170,WJ-171
Labelled Age Group : Over 18 months
Packaging Provided By Applicant : Yes(Artwork)

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
Submitted Sample	EN71-2: 2020 Flammability Test	Pass
Tested components of submitted samples	EN 71-3:2019+A1:2021 on migration of certain elements	Pass
Submitted Sample	EN IEC 62115:2020+A11:2020 Safety of Electric Toys	Pass (Subjected To Remark Enclosed)

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager



Test Report

Number: SHAH01678799

Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: Over 18 months

The submitted samples were undergone the following abuse tests:

Test	Clause	Parameter
Torque Test	8.3	0.34 Nm
Tension Test	8.4.2.1	90 N
Seams and Materials	8.4.2.2	70 N
Protective Components	8.4.2.3	60 N
Drop Test	8.5	850 mm x 5times
Impact Test	8.7	1 kg
Compression Test	8.8	110 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA



Test Report

Number: SHAH01678799

Tests Conducted

Clause	Testing Items	Assessment
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	P
5.2	Soft-filled toys and soft-filled parts of a toy	P
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	P
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA



Test Report

Number: SHAH01678799

Tests Conducted

Clause	Testing Items	Assessment
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass NA = Not Applicable

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Absent
Manufacturer's address	Absent	Absent
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.



Test Report

Number: SHAH01678799

Tests Conducted

After checking, it was found that:

	Toy	Packaging
Name of authorised representative in Great Britain	Present	Present
Address of authorised representative in Great Britain	Present	Present
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that:

	Toy	Packaging
UKCA marking	Present	Present

Date Sample Received: 15 Apr, 2024

Testing Period: 15 Apr, 2024 To 11 May, 2024



Test Report

Number: SHAH01678799

Tests Conducted
2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	P

Remark : P = Pass NA = Not Applicable

Date Sample Received : 15 Apr, 2024
Testing Period : 15 Apr, 2024 To 18 Apr, 2024



Test Report

Number: SHAH01678799

Tests Conducted

3 19 Toxic Element Migration Test
(A) Test Result

As per EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND	ND	ND	ND#	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH01678799

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(7)	(8)	(9)	(10)	(11)	(12)		
Aluminium (Al)	ND	451	ND	ND	587	ND	300	28130
Antimony (Sb)	ND	ND	ND	18	ND	18	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND#	ND#	ND#	ND#	ND#	ND#	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	4.4	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	NDΔ	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(13)	(14)	(15)	(16)	(17)	(18)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	23	ND	38	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND#	ND	ND#	ND#	ND#	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH01678799

Tests Conducted

Element	Result (mg/kg)						Reporting Limit (mg/kg)	Limit (mg/kg)
	(19)	(20)	(21)	(22)	(23)	(24)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	60	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND#	ND#	ND#	ND#	ND#	ND#	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	100	46000

Element	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(25)	(26)	(27)		
Aluminium (Al)	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	5	17
Chromium (III) (Cr III) ++	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ++	ND#	ND#	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	2.5	180000
Organic tin ++	ND	ND	ND	5	12
Zinc (Zn)	ND	432	ND	100	46000



Test Report

Number: SHAH01678799

Tests Conducted

Remark : mg/kg = milligram per kilogram
 ++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than reporting limit)

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN 71-3:2019+A1:2021.

Tested components: See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 15 Apr, 2024

Testing Period: 15 Apr, 2024 To 11 May, 2024



Test Report

Number: SHAH01678799

Tests Conducted

4 Safety of Electric Toys

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020

Applicant's Specified Age Group for Testing: Over 18 months

Battery Type: 4.5 V, LR 44 size x 3 pcs (Not Provided);

Normal Use Operation: Battery powered sound.

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	A
6.1	General	--
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	A See Remark (1)
7	Marking and instructions	P
7.1	General	P
7.2	Marking on electric toys	P
7.2.1	Identification	See Remark (2)
7.2.2	Electric toys with replaceable batteries	NA
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	NA
7.2.7	Durability	P
7.3	Instructions and markings on packaging	P
7.3.1	General	P
7.3.2	Transformer toys and power supply toys	NA
7.3.3	Electric toys that are used with replaceable batteries	P
7.3.3.1	General	P
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	P
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	NA
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
10	Electric strength	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	NA
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	NA



Test Report

Number: SHAH01678799

Tests Conducted

Clause	Requirement	Assessment
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	P
13.4.2	Other batteries	NA
13.4.3	Electrolyte leakage	NA
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	P
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	NA
13.6	Charging batteries	NA
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	NA
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	--
15.1.1	General	P
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	P
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	NA
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	NA
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
19	Radiation and similar hazards	P
19.1	General	P
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	NA
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	NA
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	NA
Annex D	Electric toys with protective electronic circuits	NA
Annex E	Safety of electric toys incorporating optical radiation sources	NA
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	--
Annex G	Examples of calculations on LEDs	--
Annex H	Explanation of the principles used for the requirements of Annex E	--
Annex I	Electric toys generationg electromagnetic fields (EMF)	NA
Annex J	Safety of remote controls for electric ride-on toys	NA
Annex K	Flow charts showing the application of Clause 9	--



Test Report

Number: SHAH01678799

Tests Conducted

Abbreviation: P = Pass

A = Applicable

NA = Not Applicable

Remark:

- (1) Circuits where the only power source comprises three batteries or less that are of the following designations:– R44/LR44 are considered to comply with the requirements of Clause 9, 10, 11, 17 and 18.
- (2) Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.

Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Absent
Manufacturer's address	Absent	Absent
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present

Date sample received : 15 Apr, 2024

Testing period : 15 Apr, 2024 To 11 May, 2024






Test Report

Number: SHAH01678799

Tests Conducted

Photo





Test Report

Number: SHAH01678799

Tests Conducted

Tested Components:

- (1) Brown transparent plastic(eyes, A).
- (2) White plastic(battery cover, all styles).
- (3) White plastic(washer of handlebar, A,D).
- (4) Transparent soft plastic film with orange, black printing(pull tab, A,C).
- (5) White soft plastic(wire covering, all styles).
- (6) White hook(Velcro, all styles).
- (7) Transparent glue(on battery cover, A,B,H,J,K,L,N,O,P,R,S,T,U,V,W,X,Y,Z,a).
- (8) White non-woven fabric with red printing(button, all styles).
- (9) White loop(Velcro, all styles).
- (10) White brushed knit(bottom pocket, all styles).
- (11) Golden foil printed fabric(horn, A).
- (12) Snow white plush knit(body, A).
- (13) Light pink short pile knit(nose, ears, feet, A).
- (14) Light pink plush knit(hair, A).
- (15) White short pile knit(body, B, ears, feet, C, horn, E).
- (16) Black plastic(lock of safety belt, D,E).
- (17) Light grey short pile knit(body, C,D).
- (18) Black short pile knit(eyes, nose, B).
- (19) Black plush knit(tail, C).
- (20) Beige sherpa(head, seat, body, D).
- (21) White short pile knit with multi-color printing(belly, seat, E).
- (22) Green short pile knit with black, white embroidery thread(eyes, E).
- (23) Yellow short pile knit(mouth, feet, E).
- (24) Dark green short pile knit(head, seat, E).
- (25) Green webbing(safety belt, E).
- (26) Transparent varnish on wood(surface, all styles).
- (27) Natural color wood(base frame, all styles).

End Of Report

*The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.
The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.*

Page 15 of 15

