

Test Report

Number: SHAH01898977

Applicant: NINGBO ELITE CYCLE CO.LTD.
NO.36 PUYAN ROAD, XIAPU INDUSTRIAL PARK,
BEILUN DISTRICT,NINGBO,CHINA
Attn: SHEN XIAOJIE

Date: 26 Dec, 2025

Sample Description:

One(1) Set of submitted sample said to be :
Item Name : **Balance bike.**
Item No. : **JY-X13.**
Quantity : 1 Set.
Labelled Age Group : 12-36months(Instruction).
Packaging Provided By Applicant : Yes.
Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

To be continued

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Bobo Yao
Assistant General Manager



Test Report

Number: SHAH01898977

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample	U.S. ASTM F963-23 Physical and Mechanical Tests.	Pass
	U.S. ASTM F963-23 Flammability Test of Materials other than Textile Materials	Pass
Tested Components of Submitted Sample	U.S. ASTM F963-23 Section 4.3.5.1 on Total Lead Content in Surface Coating	Pass
	U.S. ASTM F963-23 Section 4.3.5.2 on Total Lead Content in Substrate	Pass
	U.S. ASTM F963-23 Section 4.3.5.1 on Soluble Elements Content in Surface Coating	Pass
	U.S. ASTM F963-23 Section 4.3.5.2 on Soluble Elements Content in substrate	Pass
	ASTM F963-23 Section 4.3.8 on Phthalates Content	Pass
Submitted Sample	U.S. CFR Title 16 (CPSC Regulations) Mechanical and Physical Tests	Pass
	U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) Flammability Test On Rigid and Pliable Solids	Pass
	Consumer Product Safety Act section 14(a)(5) tracking labels for Children Products	Pass
Tested Components of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate)	Pass

To be continued

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Bobo Yao
Assistant General Manager



Test Report

Number: SHAH01898977

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Tested Component of Submitted Sample	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
Submitted Sample	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217 - Mechanical and Physical test	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217 - Cellulose Nitrate and Celluloid	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217 Section 32 / 33 / 34 for Flammability Test	Not Applicable
Tested Components of Submitted Sample	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass
	Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 requirement on phthalates content	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and amendment SOR/2022-122 on toxic elements test	Pass
	CCPSA Toys Regulation SOR/2011-17 Section 27(a) on Toxic Elements Analysis	Pass

To be continued

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Bobo Yao
Assistant General Manager



Test Report

Number: SHAH01898977

Tests Conducted

1 Physical and Mechanical Tests

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

Applicant's specified age group for testing: For ages from 12 to 36 months

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:		
<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact test	Section 1500.53(b)	4 x 3.0 ft
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf
The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.		

Section	Requirement	Result
4.1	Material Quality (Visual check on cleanliness)	P
4.3.7	Stuffing materials (10X magnification check on contaminations)	P
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (Small objects)	P
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (Small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	P
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	P
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	P
4.18	Holes, clearance, and accessibility of mechanisms	P
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA



Test Report

Number: SHAH01898977

Tests Conducted

Section	Requirement	Result
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	P
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings	
7.1	Name of producer/distributor	Yes
	Address	Yes
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass NA= Not Applicable

Date Sample Received: 27 Nov, 2025&09 Dec, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

2 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 02 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted

3 U.S. ASTM F963-23 Section 4.3.5.1 on Total Lead Content in Surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Test Item</u>	<u>Result in ppm</u>	<u>Reporting Limit</u>	<u>Limit</u>
	<u>(1+2)</u>	<u>(ppm)</u>	<u>(ppm)</u>
Lead(Pb)	ND	10	90

Remark: ppm = parts per million = mg/kg
ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

4 U.S. ASTM F963-23 Section 4.3.5.2 on Total Lead Content in Substrate

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result in ppm					Reproting Limit	Limit
	(3+4)	(5+6)	(7+8)	(9+10)	(11+12)	(ppm)	(ppm)
Lead(Pb)	ND	ND	ND	ND	ND	10	100

Test Item	Result in ppm		Reproting Limit	Limit
	(13)		(ppm)	(ppm)
Lead(Pb)	ND		10	100

Remark: ppm = parts per million = mg/kg
ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

5 U.S. ASTM F963-23 Section 4.3.5.1 on Soluble Elements Content

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, heavy elements migration content were determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Test Item	Result (mg/kg)		Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)		
Sol. Barium (Ba)	29.4#	28#	5	1000
Sol. Lead (Pb)	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	2.5	25

Remark: mg/kg = milligram per kilogram =ppm

Sol. = Soluble

ND= Not detected (Less than reporting limit)

= The analytical results were adjusted by subtracting analytical correction factor.

Tested components: See component list in the last section of this report.

Remark: As requested by the applicant, toxic elements content test were conducted only components listed in this report. Other components were not tested.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

6 U.S. ASTM F963-23 Section 4.3.5.2 on Soluble Elements Content

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, heavy elements migration content were determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Test Item	Result (mg/kg)				Reporting Limit	Limit
	(3)to(9)	(10)	(11)	(12)	(mg/kg)	(mg/kg)
Sol. Barium (Ba)	ND	ND#	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	2.5	25

Remark: mg/kg = milligram per kilogram =ppm

Sol. = Soluble

ND= Not detected (Less than reporting limit)

= The analytical results were adjusted by subtracting analytical correction factor.

Tested components: See component list in the last section of this report.

Remark: As requested by the applicant, toxic elements content test were conducted only components listed in this report. Other components were not tested.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

7 ASTM F963-23 Section 4.3.8 on Phthalates Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	Result (%)			Detection Limit (%)	Limit (%) (Max.)
	(1+2)	(3+4)	(5+6)		
Dibutyl phthalate (DBP)	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	0.01	0.1

Test Item	Result (%)			Detection Limit (%)	Limit (%) (Max.)
	(7+8)	(9+10)	(11+12)		
Dibutyl phthalate (DBP)	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.02	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	0.01	0.1

Remark: ND = Not Detected(Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 05 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted

8 **Physical and Mechanical Test**

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing: For ages from 12 to 36 months

	<u>No. of Sample Tested</u>	<u>Sharp Point</u> (1500.48)	<u>Sharp Edge</u> (1500.49)	<u>Small Part</u> (1501)
As Received	1	P	P	P
Impact (1500.51(b))	1	P	P	P
Flexure (1500.53(d))	0	NA	NA	NA
Torque (1500.53(e))	1	P	P	P
Tension (1500.53(f))	1	P	P	P
Compression (1500.53(g))	1	P	P	P

Remark: P = Pass
NA = Not Applicable

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 02 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

9 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Ignited but Self-Extinguished before Burn Rate Could be Determined

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 02 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted

10 Tracking Label Assessment

As per Consumer Product Safety Act Section 14(a)(5) (CPSA, 15 U.S.C. §2063(a)(5)) tracking labels for children products

Tracking Label Found on the Packaging:

Aosom LLC
Manufactured in Ningbo City, Zhejiang Province, China
11.2025

Tracking Label Found on the Product:

Aosom LLC
Manufactured in Ningbo City, Zhejiang Province, China
11.2025

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: 27 Nov, 2025&09 Dec, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

11 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(1+2)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted

12 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Components</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(3+4)	<10	100
(5+6)	<10	100
(7+8)	<10	100
(9+10)	<10	100
(11+12)	<10	100
(13)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

13 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	Result (%)			Limit (%) (Max.)
	(1+2)	(3+4)	(5+6)	
Dibutyl phthalate (DBP)	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	0.1

Test item	Result (%)			Limit (%) (Max.)
	(7+8)	(9+10)	(11+12)	
Dibutyl phthalate (DBP)	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	0.02	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Component(s): See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 05 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

14 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217.

Applicant's specified age group for testing: For ages from 12 to 36 months

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217.	
Test	Parameter
Drop test	4 x (1.367±0.005) m
Pull test	42.5±2 N
Push test	42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	P
4	Packaging	
	(a) The opening perimeter is less than 14 inches	NA
	(b) The opening perimeter is more than 14 inches	P
	<u>Electrical hazard</u>	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	<u>Mechanical hazard</u>	
7	Small parts	P
8	Metal edges	P
9	Wire frames	NA
10	Plastic edges	P
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	<u>Auditory hazards</u>	
19	Noise limit	NA
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	NA
	<u>Dolls, plush toys and soft toys</u>	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	P
	(b) Free from hard and sharp foreign matter	P
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	<u>Plant seeds</u>	



Test Report

Number: SHAH01898977

Tests Conducted

No.	Testing Items	Assessment
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	P
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
	<u>Magnetic Toys</u>	
43	Magnetic force	NA
44	(1) Exceptions of 44 (1)(a)	NA
	Exceptions of 44 (1)(b)	NA
	(2) Warning – Container and instructions or use for 44 (1)(b)	NA
	<u>Toys intended to be entered by a child</u>	
45	Exception	NA
46	Requirements and Testing	NA
47	Warning	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 02 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted

15 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217

	<u>Assessment</u>	<u>Requirement</u>
Cellulose Nitrate/Celluloid	Absent	Absent

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 02 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted

16 Flammability Test

As per Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217 Section 32 / 33 / 34.

The flammability test was not applicable to the submitted sample.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 03 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted

17 Total Lead (Pb) Content (Canada Consumer Products Containing Lead Regulations SOR/2018-83)

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry analysis.

Test Item	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(1+2)	(3+4)	(5+6)		
Lead	ND	ND	ND	10	90

Test Item	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(7+8)	(9+10)	(11)		
Lead	ND	ND	ND	10	90

Test Item	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	(13)		
Lead	ND	10	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark: ND=Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

18 Phthalate Content (SOR/2016-188)

With reference to method CPSC-CH-C1001-09.3, followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Test Item	Result (mg/kg)			Detection Limit (mg/kg)	Limit (mg/kg) (Max.)
	(1+2)	(3+4)	(5+6)		
Di-butyl phthalate (DBP)	ND	ND	ND	100	1000
Di(2-ethyl hexyl) phthalate (DEHP)	ND	ND	ND	100	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	100	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	100	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	100	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	100	1000

Test Item	Result (mg/kg)			Detection Limit (mg/kg)	Limit (mg/kg) (Max.)
	(7+8)	(9+10)	(11+12)		
Di-butyl phthalate (DBP)	ND	ND	ND	100	1000
Di(2-ethyl hexyl) phthalate (DEHP)	ND	ND	0.02	100	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	100	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	100	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	100	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	100	1000

The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Remark: ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 05 Dec, 2025

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

19 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry and Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (mg/kg)		Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)		
Tot. Lead (Pb)	ND	ND	10	90
Tot. Mercury (Hg)	ND	ND	0.047	10
Sol. Cadmium (Cd)	ND	ND	5	1000
Sol. Antimony (Sb)	ND	ND	5	1000
Sol. Selenium (Se)	ND	ND	5	1000
Sol. Arsenic (As)	ND	ND	2.5	1000
Sol. Barium (Ba)	29.4#	28#	5	1000

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and Amendment SOR/2022-122 for prohibition on toxic elements in stickers, films and surface coating materials.

Remark : Tot. = Total

Sol. = Soluble

ND = Not detected (Less than reporting limit)

= The results were adjusted by subtracting analytical correction factor.

Tested Component(s): See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted

20 CCPSA Toys Regulation SOR/2011-17 Section 27(a) on Toxic Elements Analysis

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(a), acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry analysis.

Test Item	Result (mg/kg)			Reporting Limit (mg/kg)	Limit (mg/kg)
	(3)to(9)	(10)	(11)		
Sol. Barium (Ba)	ND	ND#	ND	5	1000
Sol. Mercury (Hg)	ND	ND	ND	5	60
Sol. Cadmium (Cd)	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	5	60
Sol. Chromium (Cr)	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	5	500
Sol. Arsenic (As)	ND	ND	ND	2.5	25

Remark: mg/kg = milligram per kilogram
Sol. = Soluble
ND = Not detected (less than reporting limit)
= The results were adjusted by subtracting analytical correction factor.

Tested Components: See component list in the last section of this report.

Date Sample Received: 27 Nov, 2025

Testing Period: 27 Nov, 2025 To 09 Dec, 2025

To be continued



Test Report

Number: SHAH01898977

Tests Conducted



To be continued

Test Report

Number: SHAH01898977

Tests Conducted




Photo provided by client

To be continued

Test Report

Number: SHAH01898977

Tests Conducted

Components:

- (1) White coating on metal(frame).
- (2) Green coating on metal(frame).
- (3) Pink plastic(body).
- (4) Grey plastic(body).
- (5) White plastic(body).
- (6) Brown plastic(body).
- (7) Pink soft plastic(handle).
- (8) Brown soft plastic(handle).
- (9) Pink leatherette(seat).
- (10) Pink leatherette(seat).
- (11) Grey foam(wheel).
- (12) White foam(seat).
- (13) Silver metal(frame).

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.

