

TEST REPORT

APPLICANT : TAISHUN ZHENXING TOYS CO.,LTD

ADDRESS : JIAOYANG INDUSTRIAL PARK,TAISHUN

TESTED SAMPLE DESCRIPTION : KIDS PLAY KITCHEN

TESTED ITEM NO. : 350-138V00DR (TZ-D4590)

REFERENCE ITEM NO. : 350-139V80AK (TZ-D4589) 、
350-135V00PK (TZ-D4592) 、
350-136V80PK (TZ-D4595-PK) 、
350-136V80WT (TZ-D4595-WT) 、
350-137V80BU (TZ-D4594) 、
350-140V80WT (TZ-D4593) 、
TZ-D4596 (350-141V00WT) 、
350-142V00PK (TZ-D4597-PK) 、
350-081(TZ-D2345) 、
350-102 (TZ-D4575) 、
350-082(TZ-D2401-W)、
350-080(TZ-D5012)、
350-079WT(TZ-D4535-B)、
350-079(TZ-D4535)、
TY326396(TZ-D2318)、
TY326399、
TY327900(TZ-D5011)、
TY326397 、
TP10031GR(TZ-D4584)、
TP10032WH(TZ-D4588)、
31221134(TZ-D4501)

MANUFACTURER : TAISHUN ZHENXING TOYS CO.,LTD

AGE REQUESTED ON APPLICATION FORM : 3+

LABELED AGE GRADE : 3+

AGE GRADE APPLIED IN TESTING : OVER 3 YEARS

SAMPLE RECEIVED DATE : 16-Jun-2022; 05-Jul-2022

TEST PERIOD : 29-Jun-2022 to 06-Jul-2022

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	RESULT
BS EN IEC 62115:2020+A11:2020 Electric toys - Safety	PASS (Subjected to remark)
EN IEC 62115:2020+A11:2020 Electric toys - Safety	PASS (Subjected to remark)

The above sample(s) and sample information was/were submitted and identified on behalf of the applicant. Eurofins will not be liable for the authenticity of the information. This test report is valid for the tested sample only. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

SIGNED FOR AND ON BEHALF OF
EUROFINS TESTING TECHNOLOGY (SHENZHEN) CO., LTD.

Jamie Zhang

Jamie Zhang
Toy Testing Manager



SAMPLE PHOTO(S)**KIDS PLAY KITCHEN****EFSN22061179-P-0101**

SAMPLE PHOTO(S)

The photos below are attached only for the customer's reference. However, they are irrelevant in the testing process.



SAMPLE PHOTO(S)

The photos below are attached only for the customer's reference. However, they are irrelevant in the testing process.



SAMPLE PHOTO(S)

The photos below are attached only for the customer's reference. However, they are irrelevant in the testing process.



SAMPLE PHOTO(S)

The photos below are attached only for the customer's reference. However, they are irrelevant in the testing process.



TEST RESULT

BS EN IEC 62115:2020+A11:2020 Electric toys – Safety

Power Source: 3.0V, 2 x AAA for cooking bench, water dispenser, kitchen ventilator, microwave oven

Electric Operated Function: Sound, LED

Clause	Requirement	Result
7	Marking and instructions	P ^{§1}
8	Power input	NA
9	Heating and abnormal operation	P
10	Electric strength	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
13	Construction	P ^{§1}
14	Protection of cords and wires	P
15	Components	P See remark
16	Screws and connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
19	Optical radiation Annex E toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps	P ^{§1}
	Other electromagnetic radiation Annex I Toys generating Electromagnetic Fields (EMF)	NA
Annex D	Toys with protective electronic circuit influence from electromagnetic phenomena (EMP).	NA
Annex J	Safety of remote controls for electric ride-on toys	NA

Note: P=Pass

NA = Not applicant

^{§1}The testing was conducted on the re-submitted sample(s).

Remark: Components used in toys as specified in Clause 15.1 shall comply with relevant IEC safety standards and meet the national deviation of the importing countries.

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

Details of test results:

Clause	Requirement
9	Heating and abnormal operation
9.3	The unit was(were) operated under normal operation, the maximum temperature rises were recorded as follows: AMBIENT TEMPERATURE(°C): 22.3
	LOCATION

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

Clause	Requirement
Annex E	Light-emitting diodes (LEDs) (19.E.2)
	For red (cooking bench) LED:
	Measured wavelength: 675 nm
	Spectral emission bandwidth: 46nm
	Measurement distance: 200 mm
	Measured radiant intensity under normal operation: 0.0019 Wsr ⁻¹
	Limit: 0.76 Wsr ⁻¹
	For red (water dispenser) LED:
	Measured wavelength: 627 nm
	Spectral emission bandwidth: 12nm
	Measurement distance: 200 mm
	Measured radiant intensity under normal operation: 0.0001 Wsr ⁻¹
	Limit: 0.76 Wsr ⁻¹
	For green (water dispenser) LED:
	Measured wavelength: 575 nm
	Spectral emission bandwidth: 14nm
	Measurement distance: 200 mm
	Measured radiant intensity under normal operation: 0.0002 Wsr ⁻¹
	Limit: 0.76 Wsr ⁻¹
	For warm white (microwave oven) LED:
	Measured wavelength: blue part:451 nm; yellow part:588 nm
	Spectral emission bandwidth: blue part:20 nm; yellow part:106 nm
	Measurement distance: 200 mm
	Measured radiant intensity under normal operation:blue part: 0.0041 Wsr ⁻¹ ; yellow part: 0.0041 Wsr ⁻¹
	Limit: blue part: 0.05 Wsr ⁻¹ ; yellow part: 0.045 Wsr ⁻¹
	AEL _{sum} = 0.092 < 1
	For white (kitchen ventilator) LED:
	Measured wavelength: 500 nm
	Spectral emission bandwidth: 227nm
	Measurement distance: 200 mm
	Measured radiant intensity under normal operation: 0.0043 Wsr ⁻¹
	Limit: 0.13 Wsr ⁻¹
	Modulated accessible emission (19.E.5) ^{§2}
	The information was found on instruction sheet

Remark: ^{§2}The testing was conducted on the re-submitted sample(s).

TO BE CONTINUED

TEST RESULT

EN IEC 62115:2020+A11:2020 Electric toys – Safety

Power Source: 3.0V, 2 x AAA for cooking bench, water dispenser, kitchen ventilator, microwave oven

Electric Operated Function: Sound, LED

Clause	Requirement	Result
7	Marking and instructions	P ^{§3}
8	Power input	NA
9	Heating and abnormal operation	P
10	Electric strength	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
13	Construction	P ^{§3}
14	Protection of cords and wires	P
15	Components	P See remark
16	Screws and connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
19	Optical radiation Annex E toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps	P ^{§3}
	Other electromagnetic radiation Annex I Toys generating Electromagnetic Fields (EMF)	NA
Annex D	Toys with protective electronic circuit influence from electromagnetic phenomena (EMP).	NA
Annex J	Safety of remote controls for electric ride-on toys	NA

Note: P=Pass

NA = Not applicant

^{§3}The testing was conducted on the re-submitted sample(s).

Remark: Components used in toys as specified in Clause 15.1 shall comply with relevant IEC safety standards and meet the national deviation of the importing countries.

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

Details of test results:

Clause	Requirement
9	Heating and abnormal operation
9.3	The unit was(were) operated under normal operation, the maximum temperature rises were recorded as follows: AMBIENT TEMPERATURE(°C): 22.3
	LOCATION

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

Clause	Requirement
Annex E	Light-emitting diodes (LEDs) (19.E.2) For red (cooking bench) LED: Measured wavelength: 675 nm Spectral emission bandwidth: 46nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0019 Wsr ⁻¹ Limit: 0.76 Wsr ⁻¹
	For red (water dispenser) LED: Measured wavelength: 627 nm Spectral emission bandwidth: 12nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0001 Wsr ⁻¹ Limit: 0.76 Wsr ⁻¹
	For green (water dispenser) LED: Measured wavelength: 575 nm Spectral emission bandwidth: 14nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0002 Wsr ⁻¹ Limit: 0.76 Wsr ⁻¹
	For warm white (microwave oven) LED: Measured wavelength: blue part:451 nm; yellow part:588 nm Spectral emission bandwidth: blue part:20 nm; yellow part:106 nm Measurement distance: 200 mm Measured radiant intensity under normal operation:blue part: 0.0041 Wsr ⁻¹ ; yellow part: 0.0041 Wsr ⁻¹ Limit: blue part: 0.05 Wsr ⁻¹ ; yellow part: 0.045 Wsr ⁻¹ AEL _{sum} = 0.092 < 1
	For white (kitchen ventilator) LED: Measured wavelength: 500 nm Spectral emission bandwidth: 227nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0043 Wsr ⁻¹ Limit: 0.13 Wsr ⁻¹
	Modulated accessible emission (19.E.5) ^{§4} The information was found on instruction sheet

Remark: ^{§4}The testing was conducted on the re-submitted sample(s).

TO BE CONTINUED

TEST RESULT

Other Information / Remark:

N/A

END OF THE REPORT

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com