

TEST REPORT

APPLICANT : Nantong Tianshu Sports Equipment Co., Ltd

ADDRESS : No. 8, Group 5, Zhenhe Village, Chahe Town, Rudong County, Nantong City

SAMPLE DESCRIPTION : Kids Soft Play Set

ITEM NO. : 3D0-008

COUNTRY OF ORIGIN : China

AGE REQUESTED ON APPLICATION FORM : 12-36 Months

LABELED AGE GRADE : 12-36 Months

AGE GRADE APPLIED IN TESTING : 12-36 Months

SAMPLE RECEIVED DATE : 12-Dec-2023

TURN AROUND TIME : 12-Dec-2023 to 21-Dec-2023

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	TEST METHOD/REGULATION	RESULT
Mechanical and Physical Properties	ASTM F963-23	Pass
Total Lead Content in Metal	SOR/2018-83, Consumer Products Containing Lead Regulations	Pass
Total Lead Content in Coating	SOR/2018-83, Consumer Products Containing Lead Regulations	Pass
Total Lead Content in Plastic	SOR/2018-83, Consumer Products Containing Lead Regulations	Pass
Flammability of Toys	ASTM F963-23	Pass
Tracking Label Assessment	US CPSIA, Section 103	Pass
Heavy Metals	ASTM F963-23	Pass
Phthalates Content	ASTM F963-23	Pass
Total Lead Content in Substrate	US CPSIA, Section 101	Pass
Total Lead Content in Paint / Surface Coating	US CPSIA, Section 101	Pass
Phthalates Content	US CPSIA, Section 108	Pass
Phthalates Content	CPSC 16 CFR part 1307	Pass
Total Lead Content	US California Proposition 65	Pass
Total Lead Content	REACH Annex XVII, Entry 63	Pass
Physical and Mechanical Hazards	EN 71-1:2014+A1:2018	Pass
Physical and Mechanical Hazards	BS EN 71-1:2014+A1:2018	Pass
Labeling Requirement	Directive 2009/48/EC	Pass

Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to info.sh@eurofins.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to chinacomplaint@eurofins.com and referring to this report number.

TEST REQUESTED	TEST METHOD/REGULATION	RESULT
Labeling Requirement for United Kingdom	The Toys (Safety) Regulations 2011 and The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019	Pass
Flammability of Toys	EN 71-2:2020	Pass
Flammability of Toys	BS EN 71-2:2020	Pass
Migration of Certain Elements	EN 71-3:2019+A1:2021	Pass
Migration of Certain Elements	BS EN 71-3:2019+A1:2021	Pass
Total Cadmium Content	REACH Annex XVII, Entry 23	Pass
Phthalates Content	REACH Annex XVII, Entry 51 & 52	Pass
Banned AZO Dyes	REACH Annex XVII, Entry 43	Pass
Polycyclic Aromatic Hydrocarbons (PAHs)	REACH Annex XVII, Entry 50	Pass
Polycyclic Aromatic Hydrocarbons (PAHs)	German GS Specification: AfPS GS 2019:01 PAK	Pass
Mechanical and Physical Properties	SOR/2011-17 amended by SOR/2018-138	Pass
Flammability of Toys	SOR/2011-17 amended by SOR/2018-138	Pass
Phthalate Regulations	SOR/2016-188	Pass
Heavy Metals in Plastic Materials	SOR/2011-17 amended by SOR/2018-138	Pass
Heavy Metals in Surface Coating	SOR/2011-17 amended by SOR/2018-138	Pass
Surface Coating Materials Regulations	SOR/2016-193	Pass

Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to info.sh@eurofins.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to chinacomplaint@eurofins.com and referring to this report number.

Eurofins (Shanghai) contact information**Customer service:** SallyZhang@eurofins.com/ +86 216 1819 181**Sales specialist:** Diver.Dong@cpt.eurofinscn.com/ +86 13116656995

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
Eurofins Product Testing Service (Shanghai) Co., Ltd



Joyce Liu
Operation Director



SAMPLE PHOTO(S)



A

EFSH23120927-CG-01

TO BE CONTINUED

COMPONENT LIST

Component No.	Component	Sample No.
1	Black coating on metal (zipper)	A
2	Black plastic (zipper teeth)	A
3	White foam	A
4	Red artificial leather	A
5	Purple artificial leather	A
6	Yellow artificial leather	A
7	Green artificial leather	A
8	Orange artificial leather	A
9	Dark blue artificial leather	A
10	Black fabric (zipper tape)	A
11	Silver metal excluding coating (zipper)	A

TO BE CONTINUED

TEST RESULT

Mechanical and Physical Properties

Test Request: As specified in Consumer Safety Specification ASTM F963-23

Section	Description	Result
4.1	Material Quality	P
4.3.7	Stuffing Materials	P
4.5	Sound-producing Toys	N/A
4.6	Small Objects	N/A
4.6.1	Toys that are intended for children under 36 months of age	N/A
4.6.2	Mouth-actuated Toys	N/A
4.6.3	Toys that are intended for children over 36 months but less than 72 months	N/A
4.7	Accessible Edges	P
4.8	Projections	N/A
4.8.1	Bath Toy Projections	N/A
4.9	Accessible Points	P
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	P
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearance and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-operated Toys (exclude section 4.25.9 Battery-powered Ride-on Toys and section 4.25.10 Toys that Contain Secondary Cells or Secondary Batteries)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-type Toys	P
4.28	Stroller and Carriage Toys	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

TO BE CONTINUED

TEST RESULT

4.41	Toy Chests	N/A
5	Labeling Requirements	
5.1	Federal Government Requirements	P
5.2	Age Grading Labeling	P
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib and Playpen Toys	N/A
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges or Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.13	Electric Toys	N/A
5.14	Battery-operated Toys	N/A
5.14.1	Battery-powered Ride-on Toys	N/A
5.14.2	Button or Coin Cell Batteries	N/A
5.15	Promotional Materials	N/A
5.16	Magnets	N/A
6	Instructional Literature	
6.1	Definition and Description	N/A
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-operated Toys	N/A
6.6	Battery-powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
6.9	Manufacturer-supplied specialty or custom tools to access the battery(ies)	N/A
7	Producer's Markings	
7.1	Producer's or Distributor's Name and Address	P
7.2	Battery-powered Ride-on Toys	N/A
7.3	Toy Chests	N/A

Remark:

P-Pass, F- Fail, N/A-Not Applicable, N/C-Not conduct as per client's request

TO BE CONTINUED

TEST RESULT

Total Lead Content in Metal

Test Request: Lead content as specified in Canada Consumer Product Safety Act - Consumer Products Containing Lead Regulations, SOR/2018-83.

Test Method: With reference to Product Safety Laboratory, Reference Manual, Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C02.4.1-2019, analysis is performed by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result
				11
Lead (Pb)	mg/kg	90	10	20

Remark:

Exception:

Each accessible part may contain more than 90 mg/kg of lead if

- a) lead is necessary to produce an essential characteristic of the part;
- b) no alternative part containing less lead is available; and
- c) the part, when tested in accordance with good laboratory practices, does not release more than 90 mg/kg of lead.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Total Lead Content in Coating

Test Request: Lead content as specified in Canada Consumer Product Safety Act - Consumer Products Containing Lead Regulations, SOR/2018-83.

Test Method: With reference to Product Safety Laboratory, Reference Manual, Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C02.2.2-2020, analysis is performed by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result
				1
Total Lead	mg/kg	90	10	ND

Remark:

Exception:

Each accessible part may contain more than 90 mg/kg of lead if

- a) lead is necessary to produce an essential characteristic of the part;
- b) no alternative part containing less lead is available; and
- c) the part, when tested in accordance with good laboratory practices, does not release more than 90 mg/kg of lead.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Total Lead Content in Plastic

Test Request: Lead content as specified in Canada Consumer Product Safety Act - Consumer Products Containing Lead Regulations, SOR/2018-83.

Test Method: With reference to Product Safety Laboratory, Reference Manual, Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C02.3.2-2021, analysis is performed by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				2	3	4+5+6	7+8+9
Total Lead	mg/kg	90	10	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result			
				10			
Total Lead	mg/kg	90	10	ND			

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

Exception:

Each accessible part may contain more than 90 mg/kg of lead if

- a) lead is necessary to produce an essential characteristic of the part;
- b) no alternative part containing less lead is available; and
- c) the part, when tested in accordance with good laboratory practices, does not release more than 90 mg/kg of lead.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Flammability of Toys

Test Request: As specified in ASTM F963-23, Section 4.2, testing procedure for materials other than textiles (excluding paper) used in toys is contained in Annex A5.

Sample	Limit	Result
A	0.1 inch/second	P

Remark:

P-Pass, F- Fail, N/A-Not Applicable

Tracking Label Assessment

Test Request: As per Consumer Product Safety Improvement Act (CPSIA) 2008 section 103 tracking labels for children products

Labeling Content	Observation Result	Location	Conclusion
Name of Manufacturer/ Import / Private Labeler in the tracking label	Provided	Packaging	Pass
Location of production	Provided	Packaging	Pass
Date of production	Provided	Packaging	Pass
Cohort information (including the batch, run number, or other identifying characteristic)	Provided	Packaging	Pass
Name of Manufacturer/ Import / Private Labeler in the tracking label	Provided	Product	Pass
Location of production	Provided	Product	Pass
Date of production	Provided	Product	Pass
Cohort information (including the batch, run number, or other identifying characteristic)	Provided	Product	Pass

Remark:

The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

TO BE CONTINUED

TEST RESULT

Heavy Metals

1) ASTM F963-23- Heavy Elements – Total Lead in Paint and Similar Surface-Coating Material (Clause 4.3.5.1(1))

Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result
				1
Total Lead	mg/kg	90	10	ND

2) ASTM F963-23- Heavy Elements – Total Lead in Substrate Material (Clause 4.3.5.2(2)(a))

Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result				
				2	3	4	5	6
Total Lead	mg/kg	100	10	ND	ND	ND	ND	ND

Tested Item(s)	Unit	Limit	MDL	Result			
				7	8	9	11
Total Lead	mg/kg	100	10	ND	ND	ND	20

3) ASTM F963-23- Heavy Elements – Total Elements Content, Initial Screening for Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay (Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result				
				2	3	4	5	6
Total Antimony	mg/kg	60	5	ND	ND	ND	ND	ND
Total Arsenic	mg/kg	25	2.5	ND	ND	ND	ND	ND
Total Barium	mg/kg	1000	10	ND	ND	16	14	10
Total Cadmium	mg/kg	75	5	ND	ND	ND	ND	ND
Total Chromium	mg/kg	60	5	ND	ND	ND	ND	ND
Total Lead	mg/kg	90	5	ND	ND	ND	ND	ND
Total Mercury	mg/kg	60	5	ND	ND	ND	ND	ND
Total Selenium	mg/kg	500	10	ND	ND	ND	ND	ND

Tested Item(s)	Unit	Limit	MDL	Result				
				7	8	9	10	11
Total Antimony	mg/kg	60	5	ND	ND	ND	ND	ND
Total Arsenic	mg/kg	25	2.5	ND	ND	ND	ND	ND
Total Barium	mg/kg	1000	10	ND	16	16	ND	ND
Total Cadmium	mg/kg	75	5	ND	ND	ND	ND	ND
Total Chromium	mg/kg	60	5	ND	ND	ND	ND	ND
Total Lead	mg/kg	90	5	ND	ND	ND	ND	ND
Total Mercury	mg/kg	60	5	ND	ND	ND	ND	ND
Total Selenium	mg/kg	500	10	ND	ND	ND	ND	ND

TO BE CONTINUED

TEST RESULT

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

The analytical results were adjusted by subtracting analytical correction factor.

The test result of component No.1 of migrated elements content is not applicable due to the sample weight of test portion is less than 10 mg.

Phthalates Content

Test Request: Phthalates Content in Toys (including pacifiers, rattles, and teethingers) Material (ASTM F963-23, Section 4.3.8)

Test Method: CPSC-CH-C1001-09.4

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1	2	3	4+5+6
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	%	0.1	0.005	ND	ND	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	0.003
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND

Test Item(s)	CAS No.	Unit	Limit	MDL	Result		
					7+8+9	10	11
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	%	0.1	0.005	ND	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	0.007	ND	ND
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND

Remarks:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Total Lead Content in Substrate

Test Request: Total lead in substrate as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1001-08.3 for metal product, CPSC-CH-E1002-08.3 for nonmetal product.
The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				2	3	4+5+6	7+8+9
Total Lead (Pb)	mg/kg	100	10	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result	
				10	11
Total Lead (Pb)	mg/kg	100	10	ND	20

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

Total Lead Content in Paint / Surface Coating

Test Request: Total lead in paint/ similar surface coatings as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1003-09.1
The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result
				1
Total Lead (Pb)	mg/kg	90	10	ND

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Phthalates Content

Test Request: Phthalates Content as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 108

Test Method: CPSC-CH-C1001-09.3

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1	2	3	4+5+6
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.0050	ND	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.0050	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.0050	ND	ND	ND	0.003
Di-n-octylphthalate (DNOP)	117-84-0	%	0.1	0.0050	ND	ND	ND	ND
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.0050	ND	ND	ND	ND
Diisodecylphthalate (DIDP)	26761-40-0	%	0.1	0.0050	ND	ND	ND	ND

Test Item(s)	CAS No.	Unit	Limit	MDL	Result		
					7+8+9	10	11
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.0050	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.0050	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.0050	0.007	ND	ND
Di-n-octylphthalate (DNOP)	117-84-0	%	0.1	0.0050	ND	ND	ND
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.0050	ND	ND	ND
Diisodecylphthalate (DIDP)	26761-40-0	%	0.1	0.0050	ND	ND	ND

Remarks:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Phthalates Content

Test Request: Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates as specified in CPSC 16 CFR part 1307.

Test Method: CPSC-CH-C1001-09.4

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1	2	3	4+5+6
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	%	0.1	0.005	ND	ND	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	0.003
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND

Test Item(s)	CAS No.	Unit	Limit	MDL	Result		
					7+8+9	10	11
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	%	0.1	0.005	ND	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	0.007	ND	ND
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND

Remarks:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Total Lead Content

Test Request: Total lead content as specified in US California Proposition 65.

Test Method: EPA 3050B:1996, EPA 3051A:2007, EPA 3052:1996, acid digestion/ microwave digestion method was used, analysis was performed by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				2	3	4+5+6	7+8+9
Lead (Pb)	mg/kg	100	10	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result	
				10	11
Lead (Pb)	mg/kg	100	10	ND	20

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

The limit(s) was/were referred from various court cases. Compliance with the above stated limit(s) does not show compliance with Proposition 65 or a guarantee against possible legal action but provides a relative level of assurance against potential lawsuits.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

Total Lead Content

Test Request: Total lead content as specified in US California Proposition 65.

Test Method: EPA 3050B:1996, EPA 3051A:2007, EPA 3052:1996, acid digestion/ microwave digestion method was used, analysis was performed by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result
				1
Lead (Pb)	mg/kg	90	10	ND

Remark:

The limit(s) was/were referred from various court cases. Compliance with the above stated limit(s) does not show compliance with Proposition 65 or a guarantee against possible legal action but provides a relative level of assurance against potential lawsuits.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Total Lead Content

Test Request: Total lead content as specified in entry 63 of annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 2015/628.

Test Method: EPA 3050B:1996, EPA 3051A:2007, EPA 3052:1996, acid digestion/ microwave digestion method was used, analysis was performed by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				1	2	3	4+5+6
Lead (Pb)	mg/kg	500	10	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result		
				7+8+9	10	11
Lead (Pb)	mg/kg	500	10	ND	ND	20

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Physical and Mechanical Hazards

Test Request: As specified in European Standard on Safety of Toys EN 71-1:2014+A1:2018

Section	Description	Result
4	General requirements	
4.1	Material cleanliness (by visual assessment)	P
4.2	Assembly	N/A
4.3	Flexible plastic sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding Materials	N/A
4.7	Edges	P
4.8	Points and Metallic Wires	P
4.9	Protruding parts	N/A
4.10	Parts moving against each other	
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms.	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys.	N/A
4.14	Enclosures	
4.14.1	Toys which a child can enter	N/A
4.14.2	Masks and helmets	N/A
4.15	Toys intended to bear the mass of a child	
4.15.1	Toys propelled by the child or by other means	N/A
4.15.2	Toy bicycles	N/A
4.15.3	Rocking horses and similar toys	N/A
4.15.4	Toys not propelled by a child	N/A
4.15.5	Toys scooters	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectiles	
4.17.1	General	N/A
4.17.2	All projectiles	N/A
4.17.3	Projectile toy with stored energy	N/A
4.17.4	Certain projectile toys without stored energy	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	
4.20.2.1	General	N/A
4.20.2.2	Close-to-the-ear toys	N/A
4.20.2.3	Table-top or floor toys	N/A
4.20.2.4	Hand-held toys	N/A
4.20.2.5	Toys using headphones or earphones	N/A
4.20.2.6	Rattles	N/A
4.20.2.7	Squeeze toys	N/A
4.20.2.8	Pull-along or push toys	N/A
4.20.2.9	Percussion toys	N/A

TO BE CONTINUED

TEST RESULT

Section	Description	Result
4.20.2.10	Wind toys	N/A
4.20.2.11	Cap-firing toys	N/A
4.20.2.12	Voice toys	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22	Small balls	N/A
4.23	Magnets	N/A
4.24	Yo-yo balls	N/A
4.25	Toys attached to food	N/A
4.26	Toy disguise costumes	N/A
4.27	Flying toys	
4.27.1	General	N/A
4.27.2	Rotors and propellers on flying toys	N/A
4.27.3	Rotors and propellers on remote controlled flying toys	N/A
5	Toys intended for children under 36 months	
5.1	General requirements	N/A
5.2	Soft-filled toys and soft-filled parts of a toy	N/A
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cables in toys	N/A
5.5	Liquid-filled toys	N/A
5.6	Speed limitation of electrically-driven ride-on toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	N/A
5.9	Toys comprising monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric-shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex Balloons	N/A
7.4	Aquatic toys	N/A
7.5	Functional Toys	N/A
7.6	Hazardous sharp functional edges and points	N/A
7.7	Projectiles toys	N/A
7.8	Imitation protective masks and helmets	N/A
7.9	Toy kites	N/A
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	N/A
7.11	Toys intended to be strung across a cradle, cot, or perambulator	N/A
7.12	Liquid-filled teethingers	N/A
7.13	Percussion caps specifically designed for use in toys	N/A
7.14	Acoustics	N/A
7.15	Toys bicycles	N/A
7.16	Toys intended to bear the mass of a child	N/A
7.17	Toys comprising monofilament fibres	N/A
7.18	Toy scooters	N/A

TO BE CONTINUED

TEST RESULT

Section	Description	Result
7.19	Rocking horses and similar toys	N/A
7.20	Magnetic/electrical experimental sets	N/A
7.21	Toy with electrical cables exceeding 300mm in length	N/A
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	N/A
7.23	Toys intended to be attached to a cradle, cot or perambulator	N/A
7.24	Sledges with cords for pulling	N/A
7.25	Flying toys	
7.25.1	Flying toys	N/A
7.25.2	Remote controlled flying toys	N/A
7.26	Improvised projectiles	N/A

Remark:

P - Pass, F - Fail, N/A - Not Applicable, N/C - Not Conduct as per client's request

TO BE CONTINUED

TEST RESULT

Physical and Mechanical Hazards

Test Request: As specified in British Standard on Safety of Toys BS EN 71-1:2014+A1:2018

Section	Description	Result
4	General requirements	
4.1	Material cleanliness (by visual assessment)	P
4.2	Assembly	N/A
4.3	Flexible plastic sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding Materials	N/A
4.7	Edges	P
4.8	Points and Metallic Wires	P
4.9	Protruding parts	N/A
4.10	Parts moving against each other	
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms.	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys.	N/A
4.14	Enclosures	
4.14.1	Toys which a child can enter	N/A
4.14.2	Masks and helmets	N/A
4.15	Toys intended to bear the mass of a child	
4.15.1	Toys propelled by the child or by other means	N/A
4.15.2	Toy bicycles	N/A
4.15.3	Rocking horses and similar toys	N/A
4.15.4	Toys not propelled by a child	N/A
4.15.5	Toys scooters	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectiles	
4.17.1	General	N/A
4.17.2	All projectiles	N/A
4.17.3	Projectile toy with stored energy	N/A
4.17.4	Certain projectile toys without stored energy	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	
4.20.2.1	General	N/A
4.20.2.2	Close-to-the-ear toys	N/A
4.20.2.3	Table-top or floor toys	N/A
4.20.2.4	Hand-held toys	N/A
4.20.2.5	Toys using headphones or earphones	N/A
4.20.2.6	Rattles	N/A
4.20.2.7	Squeeze toys	N/A
4.20.2.8	Pull-along or push toys	N/A
4.20.2.9	Percussion toys	N/A

TO BE CONTINUED

TEST RESULT

Section	Description	Result
4.20.2.10	Wind toys	N/A
4.20.2.11	Cap-firing toys	N/A
4.20.2.12	Voice toys	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22	Small balls	N/A
4.23	Magnets	N/A
4.24	Yo-yo balls	N/A
4.25	Toys attached to food	N/A
4.26	Toy disguise costumes	N/A
4.27	Flying toys	N/A
4.27.1	General	N/A
4.27.2	Rotors and propellers on flying toys	N/A
4.27.3	Rotors and propellers on remote controlled flying toys	N/A
5	Toys intended for children under 36 months	
5.1	General requirements	N/A
5.2	Soft-filled toys and soft-filled parts of a toy	N/A
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cables in toys	N/A
5.5	Liquid-filled toys	N/A
5.6	Speed limitation of electrically-driven ride-on toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	N/A
5.9	Toys comprising monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric-shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex Balloons	N/A
7.4	Aquatic toys	N/A
7.5	Functional Toys	N/A
7.6	Hazardous sharp functional edges and points	N/A
7.7	Projectiles toys	N/A
7.8	Imitation protective masks and helmets	N/A
7.9	Toy kites	N/A
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	N/A
7.11	Toys intended to be strung across a cradle, cot, or perambulator	N/A
7.12	Liquid-filled teethingers	N/A
7.13	Percussion caps specifically designed for use in toys	N/A
7.14	Acoustics	N/A
7.15	Toys bicycles	N/A
7.16	Toys intended to bear the mass of a child	N/A
7.17	Toys comprising monofilament fibres	N/A
7.18	Toy scooters	N/A

TO BE CONTINUED

TEST RESULT

Section	Description	Result
7.19	Rocking horses and similar toys	N/A
7.20	Magnetic/electrical experimental sets	N/A
7.21	Toy with electrical cables exceeding 300mm in length	N/A
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	N/A
7.23	Toys intended to be attached to a cradle, cot or perambulator	N/A
7.24	Sledges with cords for pulling	N/A
7.25	Flying toys	
7.25.1	Flying toys	N/A
7.25.2	Remote controlled flying toys	N/A
7.26	Improvised projectiles	N/A

Remark:

P - Pass, F - Fail, N/A - Not Applicable, N/C - Not Conduct as per client's request

TO BE CONTINUED

TEST RESULT

Labeling Requirement

Test Request: Labeling requirement including Washing/Cleaning instruction, CE mark, importer / manufacturer name and address, product identification as specified in Directive 2009/48/EC
- Safety of toys

Labeling Content	Observation Result	Location	Conclusion
Washing/Cleaning Instruction	Not Applicable	-	-
CE Mark	Present, Correct form, CE marking (height >5mm)	Product	Pass
Importer's Name & Address	Present	Product	Pass
Manufacturer's Name & Address	Present	Product	Pass
Product ID	Present	Product	Pass

Labeling Requirement for United Kingdom

Test Request: Labeling requirement including Washing/Cleaning instruction, compliance marking, importer / manufacturer name and address, product identification as specified in The Toys (Safety) Regulations 2011 and The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019

Labeling Content	Observation Result	Location	Conclusion
Washing/Cleaning Instruction	Not Applicable	-	-
UKCA Marking	Present, Correct form, UKCA marking (height >5mm)	Product	Pass
Importer's Name & Address	Present	Product	Pass
Manufacturer's Name & Address	Present	Product	Pass
Product ID	Present	Product	Pass

TO BE CONTINUED

TEST RESULT

Flammability of Toys

Test Request: As Specified in European Standard on Safety of Toys EN 71-2:2020

Section	Description	Result
4	Requirements	
4.1	General Requirements	P
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft-filled toys	P

Remark:

P - Pass, F - Fail, N/A - Not Applicable

Flammability of Toys

Test Request: As Specified in European Standard on Safety of Toys BS EN 71-2:2020

Section	Description	Result
4	Requirements	
4.1	General Requirements	P
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft-filled toys	P

Remark:

P - Pass, F - Fail, N/A - Not Applicable

TO BE CONTINUED

TEST RESULT

Migration of Certain Elements

Test Request: Migration of certain elements as specified in European Standard on Safety of Toys EN 71-3:2019+A1:2021.

Test Method: General elements, with reference to EN 71-3:2019+A1:2021, analysis was performed by ICP-MS;
Extractable Chromium (VI), with reference to EN 71-3:2019+A1:2021, analysis was performed by IC-ICP-MS;
Extractable organic tin, with reference to EN 71-3:2019+A1:2021, analysis was performed by GC-MS.

Test Item(s):	Unit	Result						
		2	3	4	5	6	7	8
Category Type		III	III	III	III	III	III	III
Extractable Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Boron (B)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Cobalt (Co)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Manganese (Mn)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Strontium (Sr)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Zinc (Zn)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Copper (Cu)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Aluminum (Al)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Nickel (Ni)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Tin (Sn)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Chromium#2	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Organic Tin#1	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Chromium (III) (Cr III) #3	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Chromium (VI) (Cr VI)	mg/kg	ND	ND	ND	ND	ND	ND	ND

TO BE CONTINUED

TEST RESULT

Test Item(s):	Unit	Result		
		9	10	11
Category Type		III	III	III
Extractable Lead (Pb)	mg/kg	ND	ND	ND
Extractable Antimony (Sb)	mg/kg	ND	ND	ND
Extractable Arsenic (As)	mg/kg	ND	ND	ND
Extractable Barium (Ba)	mg/kg	ND	ND	ND
Extractable Cadmium (Cd)	mg/kg	ND	ND	ND
Extractable Mercury (Hg)	mg/kg	ND	ND	ND
Extractable Selenium (Se)	mg/kg	ND	ND	ND
Extractable Boron (B)	mg/kg	ND	ND	ND
Extractable Cobalt (Co)	mg/kg	ND	ND	ND
Extractable Manganese (Mn)	mg/kg	ND	ND	ND
Extractable Strontium (Sr)	mg/kg	ND	ND	ND
Extractable Zinc (Zn)	mg/kg	ND	ND	4.21x10 ³
Extractable Copper (Cu)	mg/kg	ND	ND	ND
Extractable Aluminum (Al)	mg/kg	ND	ND	172
Extractable Nickel (Ni)	mg/kg	ND	ND	ND
Extractable Tin (Sn)	mg/kg	ND	ND	ND
Extractable Chromium#2	mg/kg	ND	ND	ND
Extractable Organic Tin#1	mg/kg	ND	ND	ND
Extractable Chromium (III) (Cr III) #3	mg/kg	ND	ND	ND
Extractable Chromium (VI) (Cr VI)	mg/kg	ND	ND	ND

Note:

#1 - The migration of organic tin is expressed as tributyltin.

#2 - If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium(III) and Chromium(VI).

#3 - In particular Chromium (III) is calculated by subtracting the Chromium (VI) concentration from the total chromium concentration.

Remarks:

The test result of component No.1 of migrated elements content is not applicable due to the sample weight of test portion is less than 10 mg.

mg/kg = milligram per kilogram

MDL = Method Detection Limit

ND = Not Detected, less than MDL

TO BE CONTINUED

TEST RESULT

Limits –MDL per category type:

Test Item(s):	Unit	Limit	MDL	Limit	MDL	Limit	MDL
Category Type		I		II		III	
Extractable Lead (Pb)	mg/kg	2.0	1.0	0.5	0.2	23	10
Extractable Antimony (Sb)	mg/kg	45	5	11.3	1	560	10
Extractable Arsenic (As)	mg/kg	3.8	0.2	0.9	0.1	47	5
Extractable Barium (Ba)	mg/kg	1500	50	375	10	18750	50
Extractable Cadmium (Cd)	mg/kg	1.3	0.1	0.3	0.05	17	1
Extractable Mercury (Hg)	mg/kg	7.5	0.5	1.9	0.2	94	10
Extractable Selenium (Se)	mg/kg	37.5	2	9.4	1	460	10
Extractable Boron (B)	mg/kg	1200	50	300	10	15000	50
Extractable Cobalt (Co)	mg/kg	10.5	1	2.6	0.2	130	10
Extractable Manganese (Mn)	mg/kg	1200	50	300	10	15000	50
Extractable Strontium (Sr)	mg/kg	4500	50	1125	50	56000	50
Extractable Zinc (Zn)	mg/kg	3750	50	938	50	46000	50
Extractable Copper (Cu)	mg/kg	622.5	10	156	10	7700	50
Extractable Aluminum (Al)	mg/kg	2250	50	560	50	28130	50
Extractable Nickel (Ni)	mg/kg	75	5	18.8	2	930	10
Extractable Tin (Sn)	mg/kg	15000	50	3750	50	180000	50
Extractable Organic Tin	mg/kg	0.9	0.2	0.2	0.2	12	0.2
Extractable Chromium	mg/kg	-	0.02	-	0.005	-	0.02
Extractable Chromium (III) (Cr III)	mg/kg	37.5	2	9.4	1	460	10
Extractable Chromium (VI) (Cr VI)	mg/kg	0.02	0.02	0.005	0.005	0.053	0.02

Category I: dry, brittle, powder-like or pliable toy material

Category II: liquid or sticky toy material

Category III: scrapped-off toy material

"-" = Not Regulated

TO BE CONTINUED

TEST RESULT

Migration of Certain Elements

Test Request: Migration of certain elements as specified in British Standard on Safety of Toys BS EN 71-3:2019+A1:2021.

Test Method: General elements, with reference to BS EN 71-3:2019+A1:2021, analysis was performed by ICP-MS;
Extractable Chromium (VI), with reference to BS EN 71-3:2019+A1:2021, analysis was performed by IC-ICP-MS;
Extractable organic tin, with reference to BS EN 71-3:2019+A1:2021, analysis was performed by GC-MS.

Test Item(s):	Unit	Result						
		2	3	4	5	6	7	8
Category Type		III	III	III	III	III	III	III
Extractable Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Antimony (Sb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Arsenic (As)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Barium (Ba)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Cadmium (Cd)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Mercury (Hg)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Selenium (Se)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Boron (B)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Cobalt (Co)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Manganese (Mn)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Strontium (Sr)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Zinc (Zn)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Copper (Cu)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Aluminum (Al)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Nickel (Ni)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Tin (Sn)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Chromium#2	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Organic Tin#1	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Chromium (III) (Cr III) #3	mg/kg	ND	ND	ND	ND	ND	ND	ND
Extractable Chromium (VI) (Cr VI)	mg/kg	ND	ND	ND	ND	ND	ND	ND

TO BE CONTINUED

TEST RESULT

Test Item(s):	Unit	Result		
		9	10	11
Category Type		III	III	III
Extractable Lead (Pb)	mg/kg	ND	ND	ND
Extractable Antimony (Sb)	mg/kg	ND	ND	ND
Extractable Arsenic (As)	mg/kg	ND	ND	ND
Extractable Barium (Ba)	mg/kg	ND	ND	ND
Extractable Cadmium (Cd)	mg/kg	ND	ND	ND
Extractable Mercury (Hg)	mg/kg	ND	ND	ND
Extractable Selenium (Se)	mg/kg	ND	ND	ND
Extractable Boron (B)	mg/kg	ND	ND	ND
Extractable Cobalt (Co)	mg/kg	ND	ND	ND
Extractable Manganese (Mn)	mg/kg	ND	ND	ND
Extractable Strontium (Sr)	mg/kg	ND	ND	ND
Extractable Zinc (Zn)	mg/kg	ND	ND	4.21x10 ³
Extractable Copper (Cu)	mg/kg	ND	ND	ND
Extractable Aluminum (Al)	mg/kg	ND	ND	172
Extractable Nickel (Ni)	mg/kg	ND	ND	ND
Extractable Tin (Sn)	mg/kg	ND	ND	ND
Extractable Chromium#2	mg/kg	ND	ND	ND
Extractable Organic Tin#1	mg/kg	ND	ND	ND
Extractable Chromium (III) (Cr III) #3	mg/kg	ND	ND	ND
Extractable Chromium (VI) (Cr VI)	mg/kg	ND	ND	ND

Note:

#1 - The migration of organic tin is expressed as tributyltin.

#2 - If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium(III) and Chromium(VI).

#3 - In particular Chromium (III) is calculated by subtracting the Chromium (VI) concentration from the total chromium concentration.

Remarks:

The test result of component No.1 of migrated elements content is not applicable due to the sample weight of test portion is less than 10 mg.

mg/kg = milligram per kilogram

MDL = Method Detection Limit

ND = Not Detected, less than MDL

TO BE CONTINUED

TEST RESULT

Limits –MDL per category type:

Test Item(s):	Unit	Limit	MDL	Limit	MDL	Limit	MDL
Category Type		I		II		III	
Extractable Lead (Pb)	mg/kg	2.0	1.0	0.5	0.2	23	10
Extractable Antimony (Sb)	mg/kg	45	5	11.3	1	560	10
Extractable Arsenic (As)	mg/kg	3.8	0.2	0.9	0.1	47	5
Extractable Barium (Ba)	mg/kg	1500	50	375	10	18750	50
Extractable Cadmium (Cd)	mg/kg	1.3	0.1	0.3	0.05	17	1
Extractable Mercury (Hg)	mg/kg	7.5	0.5	1.9	0.2	94	10
Extractable Selenium (Se)	mg/kg	37.5	2	9.4	1	460	10
Extractable Boron (B)	mg/kg	1200	50	300	10	15000	50
Extractable Cobalt (Co)	mg/kg	10.5	1	2.6	0.2	130	10
Extractable Manganese (Mn)	mg/kg	1200	50	300	10	15000	50
Extractable Strontium (Sr)	mg/kg	4500	50	1125	50	56000	50
Extractable Zinc (Zn)	mg/kg	3750	50	938	50	46000	50
Extractable Copper (Cu)	mg/kg	622.5	10	156	10	7700	50
Extractable Aluminum (Al)	mg/kg	2250	50	560	50	28130	50
Extractable Nickel (Ni)	mg/kg	75	5	18.8	2	930	10
Extractable Tin (Sn)	mg/kg	15000	50	3750	50	180000	50
Extractable Organic Tin	mg/kg	0.9	0.2	0.2	0.2	12	0.2
Extractable Chromium	mg/kg	-	0.02	-	0.005	-	0.02
Extractable Chromium (III) (Cr III)	mg/kg	37.5	2	9.4	1	460	10
Extractable Chromium (VI) (Cr VI)	mg/kg	0.02	0.02	0.005	0.005	0.053	0.02

Category I: dry, brittle, powder-like or pliable toy material

Category II: liquid or sticky toy material

Category III: scrapped-off toy material

"-" = Not Regulated

TO BE CONTINUED

TEST RESULT

Total Cadmium Content

Test Request: Total cadmium content as specified in Commission Regulation (EU) 2016/217 amending entry 23 of Annex XVII of REACH Regulation (EC) No 1907/2006.

Test Method: EPA 3050B:1996, EPA 3052:1996, EN 1122:2001 Method B, acid digestion method was used and total cadmium content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result
				1
Cadmium (Cd)	mg/kg	1000	5	ND

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

Total Cadmium Content

Test Request: Total cadmium content as specified in Commission Regulation (EU) 2016/217 amending entry 23 of Annex XVII of REACH Regulation (EC) No 1907/2006.

Test Method: EPA 3050B:1996, EPA 3052:1996, EN 1122:2001 Method B, acid digestion method was used and total cadmium content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				2	3	4+5+6	7+8+9
Cadmium (Cd)	mg/kg	100	5	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result	
				10	11
Cadmium (Cd)	mg/kg	100	5	ND	ND

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED