

Test Report

Number: SHAH01920738S201

Applicant: FUJIAN FEELBABY TECHNOLOGY CO.,LTD
BESIDE WENZHOU AVENUE,SHUANGYUE PROJECT
AREA,FUDING INDUSTRIAL ZONE,NINGDE CITY,
FUJIAN PROVINCE,CHINA.
Attn: YOU JIAN JIE

Date: Apr 13, 2026

THIS IS TO SUPERSEDE REPORT NO.
SHAH01920738S1 DATED Apr 02, 2026

Sample Description:

One(1) group of submitted sample said to be :
Item Name : Slide
Item No. : FE-HT-PPS02、331-117V00CW
Labelled Age Group : 1-3Y
Country Of Origin : China

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample	U.S. ASTM F963-23 Physical and Mechanical Tests.	Pass
	U.S. ASTM F963-23 Flammability Test of Materials other than Textile Materials	Pass
Tested Components of Submitted Sample	U.S. ASTM F963-23 Section 4.3.5.2 on Soluble Elements Content in substrate	Pass
Submitted Sample	U.S. ASTM F963-23 Section 4.3.5.1 on Total Lead Content in Surface Coating	Not applicable
Tested Components of Submitted Sample	U.S. ASTM F963-23 Section 4.3.5.2 on Total Lead Content in Substrate	Pass
Submitted Sample	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products	Pass
	Consumer Product Safety Act section 14(a) (5)	Pass
Tested Components of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate)	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01920738S201

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating	Not applicable
Tested Components of Submitted Sample	US California Proposition 65 -- Phthalate content	Pass
	California Proposition 65 for Toys, Consent Judgement No. RG-356892	Pass
	-Total Lead (Pb) content	
	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
	Submitted Sample	
	U.S. CFR Title 16 (CPSC Regulations)- Mechanical and Physical Tests	Pass
	U.S. CFR Title 16 (CPSC Regulations)- Part 1500.3(c)(6)(vi) Flammability Test On Rigid and Pliable Solids	Pass
	U.S. 16 CFR Part 1303 total Lead content	Not applicable
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217	Pass
	- Mechanical and Physical test	
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217 Section 32 / 33 / 34 for Flammability Test	Not applicable
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with Amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217 Section 21	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and amendment SOR/2022-122 on toxic elements test	Not applicable

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01920738S201

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Tested Components of Submitted Sample	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass
Submitted Sample	Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122 for total lead content in products with applied stickers, films or surface coating materials	Not applicable
	Canada Consumer Product Safety Act surface coating materials regulation SOR/2016-193 and amendment SOR/2022-122 for total Lead content in surface coating materials	Not applicable
Submitted Sample	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
	EN71-2: 2020+A1: 2025 Flammability Test	Pass
	EN71-2: 2020 Flammability Test	Pass
Tested Components of Submitted Sample	EN 71-3: 2019+A2: 2024 on migration of certain elements	Pass
Submitted Sample	EN71-8: 2018 Safety Of Toys - Activity Toys For Domestic Use	Pass
	Lead content requirement in Commission Regulation (EU) 2015/628 of 22 April 2015 Amending Annex XVII Entry 63 of the REACH Regulation (EC) No. 1907/2006	Pass
	REACH Regulation (EC) No. 1907/2006 Annex XVII, Entry 51 and Entry 52 & Amendments No. 552/2009 & (EU) 2018/2005 on Phthalates Content	Pass
	Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII entry 23 of the REACH Regulation (EC) No. 1907/2006	Pass
	Polycyclic Aromatic Hydrocarbons (PAHs) content in Annex XVII Entry 50 of the REACH Regulation (EC) No. 1907/2006 & amendment (EU) No. 1272/2013	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01920738S201

Tested sample
Tested Components of
Submitted Sample

Standard
Azocolourants content requirement in Annex XVII Entry 43 of the
REACH Regulation (EC) No. 1907/2006 & Amendment (EC) No.
552/2009 and (EU) 2020/2096

Result
Pass

Canada Consumer Product Safety Act Phthalates Regulation
SOR/2016-188 requirement on phthalates content

Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH0192073S201

Tests Conducted

1 Physical and Mechanical Tests

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

Applicant's specified age group for testing: For ages from 12 to 36 months

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact test	Section 1500.51(b)	10 x 4.5 ft
Tip over test	---	3 times
Torque test	Section 1500.52(e)	3 in-lbf
Tension test	Section 1500.52(f)	15 lbf
Compression test	Section 1500.52(g)	25 lbf

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Section	Requirement	Result
4.1	Material quality (Visual check on cleanliness)	P
4.3.7	Stuffing materials	NA
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (Small objects)	P
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (Small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	NA
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	P
4.15	Stability and over-load requirements	P
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA

Test Report

Number: SHAH0192073S201

Tests Conducted

Section	Requirement	Result
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	P
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings	
7.1	Name of producer/distributor	Yes
	Address	Yes
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass NA= Not Applicable

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

Artwork of packaging was provided for testing.

Date Sample Received: Feb.9, 2026 & Mar.16, 2026 & Mar.27, 2026

Testing Period: Feb.9, 2026 to Mar.30, 2026

2 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

Date Sample Received: Feb.9, 2026

Testing Period: Feb.9, 2026 to Feb.11, 2026

3 U.S. ASTM F963-23 Section 4.3.5.2 on Soluble Elements Content

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, heavy elements migration content were determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Test Item	Result (mg/kg)					Reporting Limit	Limit
	(1)	(2)	(3)	(4)	(5)	(mg/kg)	(mg/kg)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	2.5	25

Test Item	Result (mg/kg)					Reporting Limit	Limit
	(6)	(7)	(8)	(9)	(10)	(mg/kg)	(mg/kg)
Sol. Barium (Ba)	ND	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	ND	2.5	25

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

Remark: mg/kg = milligram per kilogram =ppm
Sol. = Soluble
ND= Not detected (Less than reporting limit)

Tested components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026
Testing Period: Jan.20, 2026 To Feb.26, 2026

4 U.S. ASTM F963-23 Section 4.3.5.1 on Total Lead Content in Surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Result: Not Applicable

Assessment: Since no scrapable surface coating was found on the submitted sample, the testing scope was not applicable to the submitted sample.

Date Sample Received: Jan.20, 2026
Testing Period: Jan.20, 2026 To Feb.26, 2026

5 U.S. ASTM F963-23 Section 4.3.5.2 on Total Lead Content in Substrate

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1001-08.3 and CPSC-CH-E1002-08.3, were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result in ppm					Reproting Limit (ppm)	Limit (ppm)
	(1)	(2+3)	(4+5)	(6+7)	(11)		
Lead(Pb)	ND	ND	ND	ND	16	10	100

Remark: ppm = parts per million = mg/kg
ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026
Testing Period: Jan.20, 2026 To Feb.26, 2026

To be continued

Test Report

Number: SHAH0192073S201

Tests Conducted

6 Tracking Label Assessment

As per consumer product safety Act section 14(a) (5) and consumer product safety improvement act (CPSIA) 2008 Section 103 tracking labels for children products

Tracking Label Found on the Packaging:

Aosom LLC
Ningbo City, Zhejiang Province, China
03.2026

Tracking Label Found on the Product:

Aosom LLC
Ningbo City, Zhejiang Province, China
03.2026

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: Feb.9, 2026 & Mar.16, 2026

Testing Period: Feb.9, 2026 to Mar.17, 2026

7 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(1)	<10	100
(2+3)	<10	100
(4+5)	<10	100
(6+7)	<10	100
(11)	16	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.26, 2026

To be continued

Test Report

Number: SHAH0192073S201

Tests Conducted

8 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Result: Not Applicable

Remark:

#: Since no scrapable surface coating was found on the submitted sample(s), the testing scope of standard was not applicable to the submitted sample(s).

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.26, 2026

9 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

	<u>Result (% w/w)</u>				<u>Limit (% w/w)</u>
	(1)	(2+3)	(4+5)	(6+7)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	--

Remark: ND = Not Detected

Detected Limit = 0.01%(w/w)

Tested Component(s): See component list in the last section of this report

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.13, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

10 Total Lead (Pb) Content

With reference to US EPA method 3050B/3051, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Requirement (ppm)</u>
(1)	<10	100
(2+3)	<10	100
(4+5)	<10	100
(6+7)	<10	100
(11)	16	100

The above limit was quoted from the Consent Judgement No.RG-356892, settled by superior court of the state of California for the County of Alameda, for Toys based on the California proposition 65.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.26, 2026

11 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

<u>Test item</u>	<u>Result (%)</u>				<u>Limit (%) (Max.)</u>
	(1)	(2+3)	(4+5)	(6+7)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Component(s): See component list in the last section of this report.

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.13, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

12 Physical and Mechanical Test

As per U.S. Code of Federal Regulations title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's Specified Age Group for Testing: For Ages from 12 to 36 months

	<u>No. of Sample Tested</u>	<u>Sharp Point</u> (1500.48)	<u>Sharp Edge</u> (1500.49)	<u>Small Part</u> (1501)
As Received	2	P	P	P
Impact (1500.51(b))	2	P	P	P
Flexure (1500.52(d))	0	NA	NA	NA
Torque (1500.52(e))	2	P	P	P
Tension (1500.52(f))	2	P	P	P
Compression (1500.52(g))	2	P	P	P

Remark: P = Pass
NA = Not Applicable

Date Sample Received: Feb.9, 2026
Testing Period: Feb.9, 2026 to Feb.11, 2026

13 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Ignited but Self-Extinguished before Burn Rate Could be Determined

Date Sample Received: Feb.9, 2026
Testing Period: Feb.9, 2026 to Feb.11, 2026

14 U.S. 16 CFR Part 1303 on Total Lead (Pb) Content

As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Result: Not Applicable

Remark: # = Since no scrapable surface coating was found on the submitted sample(s), the testing scope of 16 CFR part 1303 was not applicable to the submitted sample(s).

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026
Testing Period: Jan.20, 2026 To Feb.13, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

15 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217.

Applicant's specified age group for testing: For ages from 12 to 36 months

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217.

<u>Test</u>	<u>Parameter</u>
Drop test	4 x (1.367±0.005) m
Tip over test	3 times
Pull test	42.5±2 N
Push test	42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	P
4	Packaging	
	(a) The opening perimeter is less than 14 inches	NA
	(b) The opening perimeter is more than 14 inches	P
	<u>Electrical hazard</u>	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	<u>Mechanical hazard</u>	
7	Small parts	P
8	Metal edges	P
9	Wire frames	NA
10	Plastic edges	P
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	P
	<u>Auditory hazards</u>	
19	Noise limit	NA
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	NA
	<u>Dolls, plush toys and soft toys</u>	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA



Test Report

Number: SHAH0192073S201

Tests Conducted

No.	Testing Items	Assessment
	(b) Free from hard and sharp foreign matter	NA
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	<u>Plant seeds</u>	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
	<u>Magnetic Toys</u>	
43	Magnetic force	NA
44	(1) Exceptions of 44 (1)(a)	NA
	Exceptions of 44 (1)(b)	NA
	(2) Warning – Container and instructions or use for 44 (1)(b)	NA
	<u>Toys intended to be entered by a child</u>	
45	Exception	NA
46	Requirements and Testing	NA
47	Warning	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: Feb.9, 2026 & Mar.16, 2026

Testing Period: Feb.9, 2026 to Mar.17, 2026

16 Flammability Test

As per Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217 Section 32 / 33 / 34.

Result: Not Applicable

Date Sample Received: Feb.9, 2026

Testing Period: Feb.9, 2026 to Feb.11, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

17 Cellulose Nitrate and Celluloid

AS PER CANADA CONSUMER PRODUCT SAFETY ACT TOYS REGULATIONS SOR/2011-17 WITH AMENDMENTS SOR/2016-195, SOR/2016-302, SOR/2018-138 and SOR/2024-217 SECTION 21.

	<u>Assessment</u>	<u>Requirement</u>
Cellulose Nitrate/Celluloid	Absent	Absent

Date Sample Received: Feb.9, 2026
Testing Period: Feb.9, 2026 to Feb.11, 2026

18 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry and Inductively Coupled Argon Plasma Spectrometry.

Result: Not Applicable

Assessment: Since no stickers, films and surface coating materials was found on the submitted sample (s), the testing scope of Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and amendment SOR/2022-122 was not applicable to the submitted sample (s).

Date Sample Received: Jan.20, 2026
Testing Period: Jan.20, 2026 To Feb.26, 2026

19 Total Lead (Pb) Content (Canada Consumer Products Containing Lead Regulations SOR/2018-83)

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry analysis.

<u>Test Item</u>	<u>Result (mg/kg)</u>					<u>Reporting Limit (mg/kg)</u>	<u>Limit (mg/kg)</u>
	(1)	(2+3)	(4+5)	(6+7)	(11)		
Lead	ND	ND	ND	ND	16	10	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark: ND=Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026
Testing Period: Jan.20, 2026 To Feb.26, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

20 Total Lead (Pb) Content on Products with Applied Stickers, Films or Surface Coating Materials (SOR/2016-193 Section 6 and Amendment SOR/2022-122)

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Result: Not Applicable

Remark : Since no applied stickers, films or surface coating materials was found on the submitted sample, the testing scope of Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 and amendment SOR/2022-122 was not applicable to the submitted sample.

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.26, 2026

21 Total Lead (Pb) Content in Surface Coating Materials

With reference to Canada Consumer Product Safety Act surface coating materials regulation SOR/2016-193 and amendment SOR/2022-122, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Result: Not Applicable

Remark: # = Since no scrapable surface coating was found on the submitted sample(s), the testing scope was not applicable to the submitted sample(s).

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.26, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

22 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: For ages from 12 to 36 months

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Torque Test	8.3	0.34 Nm
Tension Test	8.4.2.1	90 N
Drop Test	8.5	850 mm x 5times
Impact Test	8.7	1 kg
Compression Test	8.8	110 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA



Test Report

Number: SHAH0192073S201

Tests Conducted

Clause	Testing Items	Assessment
5	Toys intended for Children under 36 Months	
5.1	General requirements	P
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	P
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	P
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	NA
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA

Test Report

Number: SHAH0192073S201

Tests Conducted

Clause	Testing Items	Assessment
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass

NA = Not Applicable

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Present
Importer's address	Absent	Present
Product identification code	Absent	Present
CE-marking	Absent	Present

Date Sample Received: Feb.9, 2026

Testing Period: Feb.9, 2026 to Feb.11, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

23 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020+A1: 2025

Clause	Testing Items	Assessment
4.1	General Requirements	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft-Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: Feb.9, 2026
Testing Period: Feb.9, 2026 to Feb.11, 2026

24 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: Feb.9, 2026
Testing Period: Feb.9, 2026 to Feb.11, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

25 EN 71-3: 2019+A2: 2024 on Migration of Certain Elements

(A) Test Result

As per EN 71-3:2019+A2: 2024 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)								Detection Limit (mg/kg)	Limit (mg/kg)
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)		
Aluminium (Al)	ND	ND	ND	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	ND	ND	ND	100	46000

Remark: mg/kg = milligram per kilogram
 ++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.
 - Organic tin test result was expressed as tributyl tin.
 ND = Not detected (less than detection limit)

Tested component(s): See component list in the last section of this report.

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.26, 2026

26 Safety Requirement For Activity Toy

Test Standard: EN71-8: 2018 Safety Of Toys - Part 8: Activity Toys For Domestic Use.

Applicant's Specified

- Age Group For Testing: For ages from 12 to 36 months

- Maximum Weight Of Single User: 30 kg

Number Of Samples Tested: One (1) Set.

Clause	Requirement	Result
4.1	General	
4.1.1	Assembly	P
4.1.2	Static Strength	P
4.1.3	Maximum Height	P
4.1.4	Corners And Edges	P
4.1.5	Protruding Parts	P
4.1.6	Diameter Of Ropes And Other Means Of Suspension	NA
4.1.7	Water Accumulation	P
4.2	Barriers, Handrails And Ladders And Similar Means Of Access To Activity Toys	
4.2.1	Barriers And Handrails Preventing A Child From Falling Down	NA
4.2.2	Ladders And Similar Means Of Access To Activity Toys	NA
4.3	Entrapment	
4.3.1	Entrapment Of Head And Neck	P
4.3.2	Entrapment Of Clothing And Hair	P
4.3.3	Entrapment Of Feet	P
4.3.4	Entrapment Of Fingers	P
4.4	Stability Of Activity Toys Other Than Slides, Swings And Activity Toys With crossbeams, And See-Saws	
4.4.1	General	P
4.4.2	Stability Of Activity Toys With A Free Height Of Fall Of 600 mm Or Less	P
4.4.3	Stability Of Activity Toys With A Free Height Of Fall Of More Than 600 mm	NA
4.5	Slides	
4.5.1	General	P
4.5.2	Stability Of Slides	P



Test Report

Number: SHAH0192073S201

Tests Conducted

4.5.3	Retaining Sides Of Slides	P
4.5.4	Starting, Sliding And Run-Out Sections On Slides	P
4.6	Swings	
4.6.1	Stability Of Swings And Other Activity Toys With Crossbeams	NA
4.6.2	Static Strength Of Crossbeams, Swing Devices And Suspension Connectors	NA
4.6.3	Swings Intended For Children Under 36 Months	NA
4.6.4	Minimum Clearance Between Adjacent Swing Elements, And Adjacent Structures	NA
4.6.5	Lateral Stability Of Swing Elements	NA
4.6.6	Minimum Clearance Between Swing Elements And The Ground	NA
4.6.7	Suspension Connectors And Swing Devices	NA
4.6.8	Impact, Geometry And Design Of Swing Elements	NA
4.7	See-saws	NA
4.7.1	Stability Of See-saws	NA
4.7.2	Seat/Stand Height	NA
4.7.3	Restraint Of Motion	NA
4.7.4	Pinching And Crushing Fingers And Toes	NA
4.7.5	Hand Supports	NA
4.8	Carousels And Rocking Activity Toys	NA
4.9	Paddling Pools	
4.9.1	Static Strength Of Paddling Pools With Non-Inflatable Walls	NA
4.9.2	Paddling Pools With Inflatable Walls	NA
5	Warnings, Markings, And Instructions	
5.1.1	General	P
5.1.2	Paddling Pools	NA
5.2	Assembly And Installation Instructions	P
5.3	Maintenance	P

Abbreviation: P = Pass; NA = Not Applicable; NT= Not Tested

Date Sample Received: Jan.30, 2026 & Mar.16, 2026 & Mar.20, 2026

Testing Period: Jan.30, 2026 to Mar.23, 2026

27 Lead (Pb) Content (REACH Regulation (EC) No 1907/2006 Annex XVII Entry 63)

With reference to method IEC 62321-5:2013, microwave digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (%)			Reporting Limit (%)	Limit (%)
	(2+3)	(4+5)	(6+7)		
Lead (Pb)	ND	ND	ND	0.001	0.05

The limit was quoted according to Commission Regulation (EU) 2015/628 amending the REACH Regulation (EC) No 1907/2006 Annex XVII (Entry 63) for Lead content in articles which may be placed in the mouth by children during normal or reasonably foreseeable conditions of use.

Remark: ND = Not detected (Less than reporting limit)

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.26, 2026

28 REACH Regulation (EC) No. 1907/2006 Annex XVII Entry 51 and Entry 52 & Amendments No. 552/2009 & (EU) 2018/2005 on Phthalates Content

With reference to ISO 8124-6: 2023 method A or C, followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis (External standard method).

I. Annex XVII Entry 51

Test Item	CAS No.	Result (% w/w)			Reporting Limit (%, w/w)	Limit (%, w/w)
		(2+3)	(4+5)	(6+7)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.005	--
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.005	--
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.005	--
Sum of DBP, DEHP, BBP and DIBP	--	ND	ND	ND	--	0.1

The above limit was quoted according to Annex XVII Entry 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 for Phthalate content in articles.

II. Annex XVII Entry 52

Test Item	CAS No.	Result (% w/w)			Reporting Limit (%, w/w)	Limit (%, w/w)
		(2+3)	(4+5)	(6+7)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	0.005	--
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	0.005	--
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	0.005	--
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	--	0.1

The above limit was quoted according to Annex XVII Entry 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for Phthalate content in toys and childcare articles.

Remark: ND = Not detected (Less than reporting limit)

Date Sample Received: Jan.20, 2026

Testing Period: Jan.20, 2026 To Feb.17, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

29 Consumer Packaging and Labelling Requirement

1.3	†The Language of Inscription (mandatory in Quebec)	The Charter of French Language, Title I, Chapter VII, Clause 51 & Regulations adopted under the Charter of French Language	Every inscription on the following shall be drafted in French, - product - product container or wrapping - document or object supplied with it (e.g. directions for use, warranty certificates) No inscription in another language may be given greater prominence than that in French. For exceptions, check the following webpage: http://www.olf.gouv.qc.ca/english/regulations/reg_business.html#div1	P
-----	--	--	--	---

30 REACH Regulation (EC) No. 1907/2006 ANNEX XVII Entry 23 on Cadmium (Cd) Content

With reference to methods EN 1122 (Method B)/ IEC 62321-5: 2013/ ISO 11885: 2007, acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

(Plastic Components)

Test Item	Result (%)			Detection Limit	Limit(%)
	(2+3)	(4+5)	(6+7)	(%)	(Max.)
Cadmium (Cd)	ND	ND	ND	0.0005	0.01

Remark: ND = Not Detected (Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.22, 2026

Testing Period: Jan.22, 2026 To Feb.11, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

31 Polycyclic Aromatic Hydrocarbons (PAHs) Content (REACH Regulation (EC) No. 1907/2006 Annex XVII Entry 50)

With reference to AfPS GS 2019: 01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Toy for children/children care articles

Test Item	Result (mg/kg)						Detection Limit (mg/kg)	Limit (mg/kg)
	(2)	(3)	(4)	(5)	(6)	(7)		
Benzo(a)pyrene	ND	ND	ND	ND	ND	ND	0.2	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	ND	0.2	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	ND	0.2	0.5
Chrysene	ND	ND	ND	ND	ND	ND	0.2	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	ND	0.2	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	ND	0.2	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	ND	0.2	0.5
Dibenzo(a, h)anthracene	ND	ND	ND	ND	ND	ND	0.2	0.5

The above limit was quoted according to Annex XVII Entry 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

Remark: ND = Not detected

Tested components: See component list in the last section of this report.

Date Sample Received: Jan.22, 2026

Testing Period: Jan.22, 2026 To Feb.11, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

- 32 Detection of Amines Derived From Azocolourants and Azodyes (REACH Regulation (EC) No 1907/2006 Annex XVII Entry 43)

By Gas Chromatographic - Mass Spectrometric (GC-MS) and High Performance Liquid Chromatographic (HPLC) analysis.

Test Method: EN ISO 14362-1: 2017 for textile material
EN ISO 17234-1: 2015 for leather material
EN ISO 14362-3: 2017 & EN ISO 17234-2: 2011 for p-Aminoazobenzene

No.	Test Item	CAS No.	Result (ppm)	
			Method T	Method D
			(9+10)	(9+10)
1	4-Aminodiphenyl	92-67-1	ND	ND
2	Benzidine	92-87-5	ND	ND
3	4-Chloro-o-Toluidine	95-69-2	ND	ND
4	2-Naphthylamine	91-59-8	ND	ND
5	o-Aminoazotoluene	97-56-3	ND	ND
6	2-Amino-4-Nitrotoluene	99-55-8	ND	ND
7	p-Chloroaniline	106-47-8	ND	ND
8	2,4-Diaminoanisole	615-05-4	ND	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	ND	ND
10	3,3'-Dichlorobenzidine	91-94-1	ND	ND
11	3,3'-Dimethoxybenzidine	119-90-4	ND	ND
12	3,3'-Dimethylbenzidine	119-93-7	ND	ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	ND	ND
14	p-Cresidine	120-71-8	ND	ND
15	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	ND	ND
16	4,4'-Oxydianiline	101-80-4	ND	ND
17	4,4'-Thiodianiline	139-65-1	ND	ND
18	o-Toluidine	95-53-4	ND	ND
19	2,4-Toluylenediamine	95-80-7	ND	ND
20	2,4,5-Trimethylaniline	137-17-7	ND	ND
21	o-Anisidine	90-04-0	ND	ND
22	p-Aminoazobenzene	60-09-3	ND	ND
23	2,4-xylidine	95-68-1	ND	ND
24	2,6-xylidine	87-62-7	ND	ND

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

Requirement = 30ppm(Max.)

Remark: ND = Not detected
Detection limit = 5 ppm
ppm = parts per million = mg/kg

Method T: Direct buffer extraction as per EN ISO 14362-1: 2017 Section 10.2
Method D: Colourant extraction with Xylene as per EN ISO 14362-1: 2017 Section 10.1

The result of additional amines (23-24) are reported for reference only.

Date Sample Received: Jan.22, 2026
Testing Period: Jan.22, 2026 To Feb.14, 2026

33 Phthalate Content (SOR/2016-188)

With reference to method CPSC-CH-C1001-09.3, followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Test Item	Result (mg/kg)	Detection Limit	Limit (mg/kg)
	(6)	(mg/kg)	(Max.)
Di-butyl phthalate (DBP)	ND	100	1000
Di(2-ethyl hexyl) phthalate (DEHP)	ND	100	1000
Benzyl butyl phthalate (BBP)	ND	100	1000
Di-iso-nonyl phthalate (DINP)	ND	100	1000
Di-n-octyl phthalate (DNOP)	ND	100	1000
Di-iso-decyl phthalate (DIDP)	ND	100	1000

The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Remark: ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: Jan.22, 2026
Testing Period: Jan.22, 2026 To Apr.10, 2026

To be continued



Test Report

Number: SHAH0192073S201

Tests Conducted

SHAH01920738



To be continued

Test Report

Number: SHAH0192073S201

Tests Conducted

Components list :

- (1) Orange plastic. (frame)
- (2) Yellow plastic. (frame)
- (3) Green plastic. (frame)
- (4) Grey plastic. (frame/screw)
- (5) White plastic. (frame)
- (6) Brown soft plastic. (ball)
- (7) Grey soft plastic. (pad)
- (8) White rope.
- (9) Yellow rope.
- (10) Grey woven fabric. (tape)
- (11) Silver color metal. (hook)

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Ltd., Shanghai



To: FUJIAN FEELBABY TECHNOLOGY CO.,LTD
Attention: YOU JIAN JIE

Date: Apr 13, 2026

Re: Report Revision Notification


Intertek Testing Services Report Number SHAH01920738S101 Dated Apr 02, 2026.

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Report Number **SHAH01920738S201**.

Reason for report revision: Add item

Thank you for your attention.

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager

