



# TEST REPORT

Report No.: JTS23104914-2E

Date: Nov. 06, 2023

Page 1 of 11

**Client:** XIAMEN KINGSLEY IMPORT AND EXPORT CO.,LTD

**Address:** 4.ROOM 13, UNIT A, 14/F, RAILWAY BUILDING, NO.878, XIAHE ROAD, SIMING DISTRIC, XIAMEN

**The following merchandise was (were) submitted and identified by the client as:**

**Name of Product:** Kid's Wooden Play Kitchen  
**Item No.:** 350-155V00MX  
**Labeled Age Grading:** Not Stated  
**Applicant's Specified Age Group for Testing:** 2+ years  
**Age Grading for Test:** 2+ years  
**Sample Received:** Oct. 31, 2023  
**Test Period:** Oct. 31, 2023 - Nov. 06, 2023

**Overall Result :** PASS

**Test specification :** Please refer to next page.

**Prepared by :** Summer

Testing Engineer

**Reviewed By :** Ava

Quality Manager

**Issued By**



Authorized Signatory



NPS Survey




Verification Report

Zhejiang J-testing Service Co.,Ltd.

Add: West of 3rd Floor, No.5 No.968 Xuefeng West Road, Beiyuan Street, Yiwu, Zhejiang, China 322000  
Customer service: info@j-testing.com/+86 057985309611 Web: www.jts-cert.com

**Test Requested and Conclusion(s):**

| No. | Test Sample      | Standard and Requirement                                                                                | Conclusion(s) |
|-----|------------------|---------------------------------------------------------------------------------------------------------|---------------|
| 1   | Submitted sample | EN 71-1:2014+A1:2018(E), European Standard for "Safety of toys"<br>- Physical and Mechanical Properties | <b>PASS</b>   |
| 2   | Submitted sample | EN 71-2:2020, European Standard for "Safety of toys"<br>- Flammability                                  | <b>PASS</b>   |
| 3   | Submitted sample | EN 71-3:2019+A1:2021<br>- Migration of certain elements                                                 | <b>PASS</b>   |



\*\*\* To be continued \*\*\*

## Test Result(s):

### 1.Mechanical and Physical Test - EN 71-1:2014+A1:2018(E)

| Section | Testing Items                                                      | Result |
|---------|--------------------------------------------------------------------|--------|
|         |                                                                    | 1      |
| 4       | General requirements                                               |        |
| 4.1     | Material cleanliness                                               | PASS   |
| 4.2     | Assembly                                                           | PASS   |
| 4.3     | Flexible plastic sheeting                                          | PASS   |
| 4.4     | Toy bags                                                           | NA     |
| 4.5     | Glass                                                              | NA     |
| 4.6     | Expanding materials                                                | NA     |
| 4.7     | Edges                                                              | PASS   |
| (a)     | Edges of metal or glass                                            | NA     |
| (b)     | Overlap joints                                                     | NA     |
| (c)     | Edges of metal and of rigid polymeric material                     | PASS   |
| (d)     | Functional edges                                                   | NA     |
| 4.8     | Points and wires                                                   | PASS   |
| (a)     | Points                                                             | NA     |
| (b)     | Sharp functional points                                            | NA     |
| (c)     | Metallic wires intended to be bent                                 | NA     |
| (d)     | Metallic wires not designed to be bent                             | NA     |
| (e)     | Splinters on surfaces and accessible edges of toys                 | NA     |
| 4.9     | Protruding parts                                                   | NA     |
| 4.10    | Parts moving against each other                                    | NA     |
| 4.10.1  | Folding and slide mechanism                                        | NA     |
| 4.10.2  | Driving mechanisms                                                 | NA     |
| 4.10.3  | Hinges                                                             | NA     |
| 4.10.4  | Springs                                                            | NA     |
| 4.11    | Mouth-actuated toys and other toys intended to be put in the mouth | NA     |
| 4.12    | Balloons                                                           | NA     |
| 4.13    | Cords of toy kites and other flying toys                           | NA     |
| 4.14    | Enclosures                                                         | NA     |
| 4.14.1  | Toys which a children can enter                                    | NA     |
| 4.14.2  | Masks and helmets                                                  | NA     |
| 4.15    | Toys intended to bear the mass of a child                          | NA     |
| 4.15.1  | Toys propelled by the child or by other means                      | NA     |

Zhejiang J-testing Service Co.,Ltd.

|        |                                                                                                                                                                                                                    |      |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 4.15.2 | Toys bicycles                                                                                                                                                                                                      | NA   |
| 4.15.3 | Rocking horses and similar toys                                                                                                                                                                                    | NA   |
| 4.15.4 | Toys not propelled by a child                                                                                                                                                                                      | NA   |
| 4.15.5 | Toys scooters                                                                                                                                                                                                      | NA   |
| 4.16   | Heavy immobile toys                                                                                                                                                                                                | PASS |
| 4.17   | Projectiles                                                                                                                                                                                                        | NA   |
| 4.17.1 | General                                                                                                                                                                                                            | NA   |
| 4.17.2 | All projectiles                                                                                                                                                                                                    | NA   |
| 4.17.3 | Projectile toys with stored energy                                                                                                                                                                                 | NA   |
| 4.17.4 | Certain projectile toys without stored energy                                                                                                                                                                      | NA   |
| 4.18   | Aquatic toys and inflatable toys                                                                                                                                                                                   | NA   |
| 4.19   | Percussion caps specifically designed for use in toys and toys using percussion caps                                                                                                                               | NA   |
| 4.20   | Acoustics                                                                                                                                                                                                          | NA   |
| 4.21   | Toys containing a non-electrical heat source                                                                                                                                                                       | NA   |
| 4.22   | Small balls                                                                                                                                                                                                        | NA   |
| 4.23   | Magnets                                                                                                                                                                                                            | NA   |
| 4.23.1 | General                                                                                                                                                                                                            | NA   |
| 4.23.2 | Toys other than magnetic/electrical experimental sets                                                                                                                                                              | NA   |
| 4.23.3 | Magnetic/ electrical experimental sets                                                                                                                                                                             | NA   |
| 4.24   | Yo-yo balls                                                                                                                                                                                                        | NA   |
| 4.25   | Toys attached to food                                                                                                                                                                                              | NA   |
| 4.26   | Toy Disguise Costumes                                                                                                                                                                                              | NA   |
| 4.27   | Flying toys                                                                                                                                                                                                        | NA   |
| 5      | Toys intended for children under 36 months                                                                                                                                                                         |      |
| 5.1    | General requirements:                                                                                                                                                                                              | PASS |
| (a)    | Toys and removable components of toys shall not, whatever their position fit entirely in the cylinder                                                                                                              | PASS |
| (b)    | When tested toys shall not produce any parts which, whatever their position, fit entirely in the cylinder, or exhibit accessible hazardous sharp edges or accessible hazardous sharp points and hazardous magnetic | PASS |
| (c)    | Metal points and wires with a cross section of 2mm or less                                                                                                                                                         | NA   |
| (d)    | Large and bulky toys                                                                                                                                                                                               | PASS |
| (e)    | Glued wooden toys and toys with glued-on plastic decals                                                                                                                                                            | NA   |
| (f)    | The casing of toys intended for children too young to sit up unaided                                                                                                                                               | NA   |
| (g)    | For form toys and toys containing accessible foam components                                                                                                                                                       | NA   |

|       |                                                                                         |      |
|-------|-----------------------------------------------------------------------------------------|------|
| 5.2   | Soft-filled toys and soft-filled parts of a toy                                         | NA   |
| (a)   | Hard and sharp contaminants                                                             | NA   |
| (b)   | Soft-filled toys and soft-filled parts of a toy containing small parts                  | NA   |
| (c)   | Fibrous filling material                                                                | NA   |
| 5.3   | Plastic sheeting                                                                        | NA   |
| 5.4   | Cords, chains and electrical cables in toys                                             | NA   |
| 5.4.1 | General                                                                                 | NA   |
| 5.4.2 | Cords and chains in toys intended for children under 18 months                          | NA   |
| 5.4.3 | Cords and chains in toys intended for children of 18 months or over but under 36 months | NA   |
| 5.4.4 | Fixed loop, tangled loops and nooses                                                    | NA   |
| 5.4.5 | Cords and chains on pull along toys                                                     | NA   |
| 5.4.6 | Electrical cables                                                                       | NA   |
| 5.4.7 | Cross-sectional dimension of certain cords                                              | NA   |
| 5.4.8 | Self-retracting cords                                                                   | NA   |
| 5.4.9 | Toys attached to or intended to be strung across a cradle, cot or perambulator          | NA   |
| 5.5   | Liquid-filled toys                                                                      | NA   |
| 5.6   | Speed limitation of electrically-driven ride-on toys                                    | NA   |
| 5.7   | Glass and porcelain                                                                     | NA   |
| 5.8   | Shape and size of certain toys                                                          | NA   |
| 5.9   | Toys comprising monofilament fibers                                                     | NA   |
| 5.10  | Small balls                                                                             | NA   |
| 5.11  | Play figures                                                                            | NA   |
| 5.12  | Hemispheric-shaped toys                                                                 | NA   |
| 5.13  | Suction cups                                                                            | NA   |
| 5.14  | Straps intended to be worn fully or partially around the neck                           | NA   |
| 5.15  | Sledges with cords for pulling                                                          | NA   |
| 6     | Packaging                                                                               | PASS |
| 7     | Warnings, markings and instructions for use                                             |      |
| 7.1   | General                                                                                 | PASS |
| 7.2   | Toys not intended for children under 36 months                                          | NA   |
| 7.3   | Latex balloons                                                                          | NA   |
| 7.4   | Aquatic toys                                                                            | NA   |

|      |                                                                                           |    |
|------|-------------------------------------------------------------------------------------------|----|
| 7.5  | Functional toys                                                                           | NA |
| 7.6  | Hazardous sharp functional edges and points                                               | NA |
| 7.7  | Projectile toys                                                                           | NA |
| 7.8  | Imitation protective masks and helmets                                                    | NA |
| 7.9  | Toy kites                                                                                 | NA |
| 7.10 | Roller skates, inline skates, skateboards and certain other ride-on toys                  | NA |
| 7.11 | Toys intended to be attached to or strung across a cradle, cot, or perambulator           | NA |
| 7.12 | Liquids-filled teethingers                                                                | NA |
| 7.13 | Percussion caps specifically designed for use in toys                                     | NA |
| 7.14 | Acoustics                                                                                 | NA |
| 7.15 | Toy bicycles                                                                              | NA |
| 7.16 | Toys intended to bear the mass of a child                                                 | NA |
| 7.17 | Toys comprising monofilament fibres                                                       | NA |
| 7.18 | Toy scooters                                                                              | NA |
| 7.19 | Rocking horses and similar toys                                                           | NA |
| 7.20 | Magnetic/electrical experimental sets                                                     | NA |
| 7.21 | Toys with electrical cables exceeding 300mm in length                                     | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator                             | NA |
| 7.24 | Sledges with cords for pulling                                                            | NA |
| 7.25 | Flying toys                                                                               | NA |
| 7.26 | Improvised projectiles                                                                    | NA |

**Note:** 1.NA = Not Applicable

**Remark:** Additional information according to the Toy Safety Directives 2009/48/EC requirement.  
These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

2. Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.

The submitted samples were undergone the use and abuse tests in accordance with the EN 71-1:2014+A1:2018(E).

| Testing Items    | Parameter   |
|------------------|-------------|
| Torque test      | 0.34Nm      |
| Tension test     | 90N         |
| Tip Over test    | 3 Times     |
| Compression test | 110N        |
| Impact test      | 1×1Kg×100mm |

## 2.Flammability - EN 71-2:2020

| Section | Testing Items                                                         | Result |
|---------|-----------------------------------------------------------------------|--------|
|         |                                                                       | 1      |
| 4.1     | General requirements                                                  | PASS   |
| 4.2     | Toys to be worn on the head                                           | NA     |
| 4.3     | Toy disguise costumes and toys intended to be worn by a child in play | NA     |
| 4.4     | Toys intended to be entered by a child                                | NA     |
| 4.5     | Soft-filled toys                                                      | NA     |

**Note:** 1.NA = Not Applicable.

\*\*\* To be continued \*\*\*

### 3.Migration of Certain Elements (Category III)

Method: With reference to EN 71-3:2019+A1:2021,analyzed byInductively Coupled Plasma Mass Spectrometry (ICP-MS).

| Test Item(s)                       | Unit  | MDL   | Result |      |      |      |      |      |      |      |
|------------------------------------|-------|-------|--------|------|------|------|------|------|------|------|
|                                    |       |       | 2      | 3    | 4    | 5    | 6    | 7    | 8    | 9    |
| Extractable Boron (B)              | mg/kg | 5     | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Aluminum (Al)          | mg/kg | 5     | 19     | 680  | 124  | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Chromium (III)(Cr III) | mg/kg | 5     | N.D.   | N.D. | 9    | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Chromium (VI)(Cr VI)   | mg/kg | 0.053 | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Manganese (Mn)         | mg/kg | 5     | 24     | 64   | 51   | 19   | N.D. | N.D. | N.D. | 41   |
| Extractable Cobalt (Co)            | mg/kg | 5     | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Nickel (Ni)            | mg/kg | 5     | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Copper (Cu)            | mg/kg | 5     | N.D.   | 8    | 10   | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Zinc (Zn)              | mg/kg | 5     | 81     | 1349 | 2102 | 30   | N.D. | 7    | N.D. | N.D. |
| Extractable Arsenic (As)           | mg/kg | 2.5   | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Selenium (Se)          | mg/kg | 5     | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Strontium (Sr)         | mg/kg | 5     | 34     | 31   | 9    | 43   | N.D. | N.D. | N.D. | N.D. |
| Extractable Cadmium (Cd)           | mg/kg | 5     | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Tin(Sn)                | mg/kg | 4     | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Organic Tin            | mg/kg | 4     | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Antimony (Sb)          | mg/kg | 5     | N.D.   | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Barium (Ba)            | mg/kg | 5     | N.D.   | 36   | 28   | N.D. | N.D. | N.D. | N.D. | 6    |
| Extractable Mercury (Hg)           | mg/kg | 5     | N.D.   | N.D. | 15   | N.D. | N.D. | N.D. | N.D. | N.D. |
| Extractable Lead (Pb)              | mg/kg | 2     | N.D.   | 29   | 13   | N.D. | N.D. | N.D. | N.D. | N.D. |

\*\*\* To be continued \*\*\*

## Limited Value for migration of certain elements

| Test Item(s)                       | Unit  | Category I | Category II | Category III |
|------------------------------------|-------|------------|-------------|--------------|
| Extractable Boron (B)              | mg/kg | 1200       | 300         | 15000        |
| Extractable Aluminum (Al)          | mg/kg | 2250       | 560         | 28130        |
| Extractable Chromium (III)(Cr III) | mg/kg | 37.5       | 9.4         | 460          |
| Extractable Chromium (VI)(Cr VI)   | mg/kg | 0.02       | 0.005       | 0.053        |
| Extractable Manganese (Mn)         | mg/kg | 1200       | 300         | 15000        |
| Extractable Cobalt (Co)            | mg/kg | 10.5       | 2.6         | 130          |
| Extractable Nickel (Ni)            | mg/kg | 75         | 18.8        | 930          |
| Extractable Copper (Cu)            | mg/kg | 622.5      | 156         | 7700         |
| Extractable Zinc (Zn)              | mg/kg | 3750       | 938         | 46000        |
| Extractable Arsenic (As)           | mg/kg | 3.8        | 0.9         | 47           |
| Extractable Selenium (Se)          | mg/kg | 37.5       | 9.4         | 460          |
| Extractable Strontium (Sr)         | mg/kg | 4500       | 1125        | 56000        |
| Extractable Cadmium (Cd)           | mg/kg | 1.3        | 0.3         | 17           |
| Extractable Tin(Sn)                | mg/kg | 15000      | 3750        | 180000       |
| Extractable Organic Tin            | mg/kg | 0.9        | 0.2         | 12           |
| Extractable Antimony (Sb)          | mg/kg | 45         | 11.3        | 560          |
| Extractable Barium (Ba)            | mg/kg | 1500       | 375         | 18750        |
| Extractable Mercury (Hg)           | mg/kg | 7.5        | 1.9         | 94           |
| Extractable Lead (Pb)              | mg/kg | 2          | 0.5         | 23           |

Category I: Dry, brittle, powder-like or pliable materials

Category II: Liquid or sticky materials

Category III: Scrapped-off materials


- Note:**
- 1.mg/kg = milligram per kilogram (ppm).
  - 2.MDL= Method detection limit.
  - 3.N.D. = Not detected, less than MDL.
  - 4.Migration of organic tin is expressed as tributyltin cation content.
  - 5.The above dissolvable hexavalent chromium and dissolvable trivalent chromium and soluble organotin are judged on the basis of dissolvable chromium and dissolvable tin.

\*\*\* To be continued \*\*\*

**Test Material List:**

| Material No. | Description                  | Location       |
|--------------|------------------------------|----------------|
| 1            | Kid's Wooden Play Kitchen    | Entirety       |
| 2            | Green paint                  | Body coating   |
| 3            | Brown red paint              | Body coating   |
| 4            | Yellow paint                 | Body coating   |
| 5            | Beige white with black paint | Body coating   |
| 6            | Blue plastic                 | Water channel  |
| 7            | Red plastic                  | Faucet switch  |
| 8            | Grey plastic                 | Faucet         |
| 9            | Light brown wood             | Body substrate |

**Sample Photos**



23104914

\*\*\* End of Report \*\*\*



# TEST REPORT

Report No.: JTS23104914-2E

Date: Nov. 06, 2023

Page 11 of 11

## GENERAL CONDITIONS OF SERVICES

JTS Testing Services Co., Ltd. (hereinafter "JTS"), while reserving the right to decline, without giving any reason whatsoever, any request for the undertaking of a test or investigation, will carry out at the request of the clients the required test or investigation subject always to the following conditions:

1. JTS only acts for the person or body originating the instructions (the "Clients"). No other party is entitled to give instructions, particularly on the scope of testing or delivery of report or certificate, unless authorized by the Clients.
2. The Sample(s) to be tested or investigated shall be delivered at the costs of the Clients and in accordance with the requirements of JTS. Improper shipping, packaging, and labeling of the Sample(s) by the Client may result in incorrect testing results, JTS shall be under no obligation to the Clients. At the conclusion of the test or investigation, the Clients shall, if required by JTS, collect the Sample(s). In any event, if the Sample(s) are not collected by the Clients within 30 days from the issuance date of the test report (for perishable items such as food and water samples, the relevant period shall be the preserving period up to 15 days), JTS may at its discretion dispose of the Sample(s) without any compensation to the Clients.
3. The Clients shall always comply with the following before or during JTS providing its services:
  - a) provide sample(s) and relevant data, at the same time, guarantee the consistence of the sample(s) name they declared with the sample(s) or the goods provided. Otherwise, JTS will not bear any relevant responsibilities;
  - b) giving timely instructions and adequate information to enable JTS to perform the services effectively;
  - c) supply, when requested by JTS, any equipment and personnel for the performance of the services;
  - d) take all necessary steps to eliminate or remedy any obstruction in the performance of the services;
  - e) inform JTS in advance of any hazards or dangers, actual or potential, associated with any order of samples or testing;
  - f) provide all necessary access for JTS's representative to enable the required services to be performed effectively;
  - g) ensure all essential steps are taken for safety of working conditions, sites and installations during the performance of services;
  - h) fully discharge all its liabilities under any contract like sales contract with a third party, whether or not a report or certificate has been issued by JTS, failing which JTS shall be under no obligation to the Clients.
4. Subject to JTS's accepting the Client's instructions, JTS will issue reports or certificates which reflect statements of opinion made with due care within the scope of instructions but JTS is not obliged to report upon any facts outside the instructions, if there were any dissidence about the report or certificate, the Client should provide the written declaration to JTS within 15 days after the date receiving the report or certificate, otherwise, JTS will not hear the case after the date limit.
5. JTS is irrevocably authorized by the Clients to deliver at its discretion the report or the certificate to any third party when instructed by the Clients or where it implicitly follows from circumstances, trade custom, usage or practice as determined by JTS.
6. A test report will be issued in confidence to the Clients and it will be strictly treated as such by JTS. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of JTS. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by JTS, to his customer, supplier or other persons directly concerned. JTS will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the report unless required by the relevant governmental authorities, laws or court orders.
7. Applicants wishing to use JTS's reports in court proceedings or arbitration shall inform JTS to that effect prior to submitting the sample for testing.
8. The report will refer only to the sample tested and will not apply to the bulk, unless the sampling has been carried out by JTS and is stated as such in the Report. Also, the report is only for reference.
9. Any documents containing engagements between the Clients and third parties like contracts of sale, letters of credit, bills of lading, etc. are regarded as information for JTS only and do not affect the scope of the services or the obligations accepted by JTS.
10. If the Clients do not specify the methods/standards to be applied, JTS will choose the appropriate ones and further information regarding the methods can be obtained by direct contact with JTS, for the in-house method, JTS will only provide the summary.
11. No liability shall be incurred by and no claim shall be made against JTS or its servants, agents, employees or independent contractors in respect of any loss or damage to any such materials, equipment and property occurring whilst at JTS or any work places in which the testing is carried out, or in the course of transit to or from JTS or the said work places, whether or not resulting from any acts, neglect or default on the part of any such servants, agents, employees or independent contractors of JTS.
12. JTS will not be liable, or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its reports or in any communication whatsoever about its said tests or investigations.
13. Subject to Clause 11 and 12, the total liability of JTS in respect of any claim of loss, damage or expense of whatsoever nature shall not exceed a total sum equal to two times the amount of the service fee payable in respect of the services directly related to such claim, and JTS's liability shall not include any indirect, special or consequential loss of the Clients.
14. In the event of JTS prevented by any cause outside JTS's control from performing any service for which an order has been given or an agreement made, the Clients shall pay to JTS:
  - a) the amount of all abortive expenditure actually made or incurred;
  - b) a proportion of the agreed fee or commission equal to the proportion (if any) of the service actually carried out by JTS, and JTS shall be relieved of all responsibility whatsoever for the partial or total non-performance of the required service.
15. JTS shall be discharged from all liabilities for all claims for loss, damage or expense unless suit is brought within one calendar year after the date of the performance by JTS of the service relating to the claim or in the event of any alleged non-performance within one year of the date when such service should have been completed.
16. The Clients acknowledge that JTS does not, either by entering into a contract or by performing service, assume or undertake to discharge any duty of the Clients to any other persons. JTS is neither an insurer nor a guarantor and disclaims all liability in such capacity.
17. The Clients shall hold harmless and indemnify JTS and its officers, employees, agents or independent contractors against all claims made by any third party for loss, damage or expense of whatsoever nature including reasonable legal expenses relating to the performance or non-performance of any services to the extent that the aggregate of any such claims relating to any one service exceed the limits mentioned in Clause 13.
18. Any unauthorized alteration, forgery or falsification of the content or appearance of the report/certificate is unlawful and offenders may be prosecuted to the fullest extent of the law; in the event of improper use of the report, JTS reserves the right to withdraw it, and to adopt any other measures which may be appropriate.
19. Samples are deposited with and accepted by JTS on the basis that either they are insured by the Clients or the Clients assumes entire responsibility for loss through fire, theft, burglary or for damages arising in the course of analysis or handling, without recourse whatsoever to JTS or its servants, agent, employees or independent contractors.
20. If the requirements of the Clients require the analysis of samples by the Clients' or any third party's laboratory, JTS will only convey the result of the analysis without responsibility for its accuracy. If JTS is only able to witness an analysis by the Clients' or any third Party's laboratory JTS will only confirm that the correct sample has been analyzed without responsibility for the accuracy of any analysis or results.
21. In the event of any unforeseen additional time or costs being incurred in the course of carrying out any of its services, JTS shall be entitled to charge the Clients additional fees to reflect the additional time and costs incurred.
22. All rights (including but not limited to copyright) in any reports, certificates or other materials produced by JTS in the course of providing its services shall remain vested in JTS.
23. Unless otherwise agreed in writing, payment is to be made within 10 days from the date of invoice or the date of the Debit Note, all charges rendered by JTS or interest will become due at the rate of three percent per month from the date of invoice until actual payment. The Clients are also responsible for settling all JTS's costs of collecting the charges owed, including legal fees.
24. Test results may be transmitted by electronic means at the Client's request. However, it should be noted that electronic transmission cannot guarantee the information contained will not be lost, delayed or intercepted by third party. JTS is not liable for any disclosure, error or omission in the content of such messages as a result of electronic transmission.
25. If necessary, JTS may subcontract part of or all tests to competent subcontractors. If no objection is raised at the time of the Clients submitting the application, JTS shall assume the Client's approval.
26. This report/certificate does not relieve sellers/suppliers from their contractual responsibility with regards to the quality/quantity of this delivery nor does it prejudice the Client's right to claim towards sellers/suppliers for compensation for any apparent and/or hidden defects not detected during JTS's random inspection or testing or audit.
27. JTS reserves the right to include Special Conditions in addition to the foregoing General Conditions if warranted by the particular circumstances of the required test or investigation [this clause is only effective when the other party has been informed].
28. The foregoing General Conditions shall in all respects be governed, construed, interpreted and operated in accordance with the relevant Chinese laws and regulations. Unless otherwise agreed, the arbitration shall take place in P. R. C.
29. These General Condition have been drafted in Chinese and may be translated into other languages. In the event of any discrepancy, the Chinese version shall prevail.
30. In general sample will be stored for 30 days. But for liquid, powder, etc semi-product & fragile product, it will be stored only for 15 days.

Zhejiang J-testing Service Co., Ltd.

Add: West of 3rd Floor, No.5 No.968 Xuefeng West Road, Beiyuan Street, Yiwu, Zhejiang, China 322000  
Customer service: info@j-testing.com/+86 057985309611 Web: www.jts-cert.com