

Test Report

Number: SHAH01674153S1

Applicant: YIWU ZHIHUIXING TOYS CO.,LTD
189 QIUSHI ROAD, BEIYUAN DISTRICT, YIWU,
ZHEJIANG, CHINA.
Attn: ZHAN JIAN FENG

Date: 05 Jun, 2024

THIS IS TO SUPERSEDE REPORT NO.
SHAH01674153 DATED 20 May, 2024

Sample Description:

Two(2) sets of submitted sample said to be :
Item Name : **BABY PUSH ON CAR.**
Item No. : **7836.**
Quantity : 2 Sets.
Packaging Provided By Applicant : Yes.
Labelled Age Group : Not Specified.
Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

To be continued

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Bobo Yao
Assistant General Manager



Test Report

Number: SHAH01674153S1

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample	U.S. ASTM F963-23 Physical and Mechanical Tests.	Pass
	U.S. ASTM F963-23 Flammability Test of Materials other than Textile Materials	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with Amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 Section 32 / 33 / 34 for Flammability Test	Not Applicable
	EN IEC 62115:2020+A11: 2020- Safety of Electric Toys	Pass (Subjected to Remark Enclosed)
	EN IEC 62115:2020+A11:2020 Annex E: Safety of Electric Toys Incorporating Optical Radiation Sources	Pass
	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
	EN71-2: 2020 Flammability Test	Pass
Tested Component of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating	Pass

To be continued

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Bobo Yao
Assistant General Manager



Test Report

Number: SHAH01674153S1

Conclusion:

<u>Tested samples</u>	<u>Standard</u>	<u>Result</u>
Tested Component of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate)	Pass
	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
	U.S. ASTM F963-23 for soluble elements content	Pass
	U.S. ASTM F963-23 for total Lead content in surface coating	Pass
	U.S. ASTM F963-23 for total Lead content in non-surface coating materials	Pass
	ASTM F963-23 section 4.3.8 on Phthalates content	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and amendment SOR/2022-122 on toxic elements test	Pass
	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass
	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass
	Phthalates content requirement in Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188	Pass
	Canada Consumer Product Safety Act surface coating materials regulation SOR/2016-193 for total Mercury content on surface coating materials	Not Applicable

To be continued

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Bobo Yao
Assistant General Manager



Test Report

Number: SHAH01674153S1

Conclusion:

<u>Tested Sample</u>	<u>Standard</u>	<u>Result</u>
Tested component of submitted sample	EN 71-3:2019+A1:2021 on migration of certain elements	Pass
Lead content requirement in Commission Regulation (EU) 2015/628 of 22 April 2015 Amending Annex XVII item 63 of the REACH Regulation (EC) No. 1907/2006		Pass
Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII Items 23 of the Reach Regulation (EC) No. 1907/2006		Pass
Phthalates content requirement in Annex XVII Item 51&52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 (formerly known as Directive 2005/84/EC)		Pass
Restriction of the use of certain hazardous substance in electrical and electronic equipment(RoHS Directive 2011/65/EU and (EU) 2015/863)		Pass
AfPS GS 2019:01 PAK (PAH) on Polycyclic Aromatic Hydrocarbons (PAHs) content		Pass
Polycyclic Aromatic Hydrocarbons (PAHs) content in Annex XVII Item 50 of the REACH Regulation (EC) No. 1907/2006 & amendment (EU) No. 1272/2013		Pass

To be continued

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Bobo Yao
Assistant General Manager



Page 4 of 56



Test Report

Number: SHAH01674153S1

Tests Conducted

1 Physical and Mechanical Tests*

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

Applicant's specified age group for testing: For ages 12 months and up

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:		
<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Tip over test	---	3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf
The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.		

Section	Requirement	Result
4.1	Material Quality (Visual check on cleanliness)	P
4.5	Sound-producing toys	P
4.6.1	Toys intended for children under 36 months (Small objects)	P
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (Small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	P
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	P
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	P
4.18	Holes, clearance, and accessibility of mechanisms	P
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	P



Test Report

Number: SHAH01674153S1

Tests Conducted

Section	Requirement	Result
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	P
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P
6	Instructional literature	NA
7	Producer's markings	
7.1	Name of producer/distributor (Package)	Yes
	Address (Package)	Yes
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass NA= Not Applicable

Remark:

#1 = Artwork of package was provided for testing.

Date Sample Received: 09 Apr, 2024 & 13 Mar, 2024

Testing Period: 09 Apr, 2024 To 17 Mar, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

2 **Flammability Test***

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

Date Sample Received: 09 Apr, 2024 & 13 Mar, 2024

Testing Period: 09 Apr, 2024 To 13 Mar, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

3 Physical and Mechanical Test*

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant's specified age group for testing: For ages 12 months and up

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.	
<u>Test</u>	<u>Parameter</u>
Tip over test	3 times
Pull test	42.5±2 N
Push test	42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	P
4	Packaging	
	(a) The opening perimeter is less than 14 inches	NA
	(b) The opening perimeter is more than 14 inches	P
	<u>Electrical hazard</u>	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	<u>Mechanical hazard</u>	
7	Small parts	P
8	Metal edges	P
9	Wire frames	NA
10	Plastic edges	P
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	<u>Auditory hazards</u>	
19	Noise limit	P
	<u>Thermal hazards</u>	
20	Heated surfaces, parts or substances	P
	<u>Dolls, plush toys and soft toys</u>	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	<u>Plant seeds</u>	



Test Report

Number: SHAH01674153S1

Tests Conducted

No.	Testing Items	Assessment
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 09 Apr, 2024 & 13 Mar, 2024

Testing Period: 09 Apr, 2024 To 13 Mar, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

4 Cellulose Nitrate and Celluloid*

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments
SOR/2016-195, SOR/2016-302.and SOR/2018-138

	<u>Assessment</u>	<u>Requirement</u>
Cellulose Nitrate/Celluloid	Absent	Absent

Date Sample Received: 09 Apr, 2024 & 26 Apr, 2024

Testing Period: 09 Apr, 2024 To 26 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

5 Flammability Test*

As per Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with Amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 Section 32 / 33 / 34.

Result: Not Applicable

Date Sample Received: 09 Apr, 2024 & 08 Mar, 2024

Testing Period: 09 Apr, 2024 To 08 Mar, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

6 Safety of Electric Toys*

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11: 2020

Applicant's Specified Age Group for Testing: For ages from 12 months and up.

Battery Type: 1.5V LR6 x 2pcs (Not provided, replaceable)

Normal Use Operation: Battery powered sound and LED light

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	--
6	Criteria for reduced testing	NA
6.1	General	NA
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	P
7.2	Marking on electric toys	P
7.2.1	Identification	See remark (1)
7.2.2	Electric toys with replaceable batteries	P
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	NA
7.2.7	Durability	P
7.3	Instructions and markings on packaging	P
7.3.1	General	P
7.3.2	Transformer toys and power supply toys	NA
7.3.3	Electric toys that are used with replaceable batteries	P
7.3.3.1	General	P
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	NA
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	P
9.2	Test condition	--
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	NA
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P



Test Report

Number: SHAH01674153S1

Tests Conducted

Clause	Requirement	Assessment
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	NA
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	NA
13.3	Thermal cut-outs.	NA
13.4	Batteries	P
13.4.1	Small batteries	NA
13.4.2	Other batteries	P
13.4.3	Electrolyte leakage	P
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	P
13.4.6	Battery compartment fasteners	P
13.5	Plug and sockets	NA
13.6	Charging batteries	P
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	NA
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	P
15.1.1	General	P
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	P
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	NA
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	NA
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	NA
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	NA
19	Radiation and similar hazards	P
19.1	General	--
19.2	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3 Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	P

Test Report

Number: SHAH01674153S1

Tests Conducted

Clause	Requirement	Assessment
19.3	Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I.	NA
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	NA
Annex D	Electric toys with protective electronic circuits	NA
Annex E	Safety of electric toys incorporating optical radiation sources	P
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	--
Annex G	Examples of calculations on LEDs	--
Annex H	Explanation of the principles used for the requirements of Annex E	--
Annex I	Electric toys generating electromagnetic fields (EMF)	NA
Annex J	Safety of remote controls for electric ride-on toys	NA
Annex K	Flow charts showing the application of Clause 9	--

Abbreviation: P = Pass NA = Not Applicable

Remark:

(1)

Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:
The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that:

	Toy	Packaging
Name of authorised representative in Great Britain	Absent	Absent
Address of authorised representative in Great Britain	Absent	Absent
Product identification code	Present	Present

(2) Artwork of packaging and instruction were provided for testing.

Date Sample Received: 09 Apr, 2024 & 17 Mar, 2024

Testing Period: 09 Apr, 2024 To 17 Mar, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

7 Optical Radiation*

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020 Annex E: Safety of electric toys incorporating optical radiation sources.

Applicant's specified age group for testing: For ages from 12 months and up

Battery type: 1.5V LR6 x 2pcs (Replaceable)

Electric operated function: Battery powered sound and LED light.

Clause	Requirement / Test result	Verdict
19.E.2	Light-emitting diodes (LEDs) For White LED of front light: Measured peak wavelength: 448 nm Spectral emission bandwidth: 232 nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.001 Wsr ⁻¹ Measured radiant intensity under fault operation: 0.0146 Wsr ⁻¹ Limit: 0.19 Wsr ⁻¹ For White LED group of eye: Measured peak wavelength: 447 nm Spectral emission bandwidth: 234.2 nm Measurement distance: 200 mm Measured radiant intensity under normal operation: 0.0053 Wsr ⁻¹ Measured radiant intensity under fault operation: 0.0826 Wsr ⁻¹ Limit: 0.19 Wsr ⁻¹	P
19.E.3	Lasers	NA
19.E.4	UV-emitting lamps	NA
19.E.5	Modulated accessible emission	NA

Remark: P = Pass

NA = Not Applicable

Artwork of packaging was provided for testing.

Date Sample Received: 09 Apr, 2024 & 06 Mar, 2024

Testing Period: 09 Apr, 2024 To 09 Mar, 2024

To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted

8 Mechanical and Physical Test *

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's specified age group for testing: For ages 12 months and up

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Torque Test	8.3	0.34 Nm
Tension Test	8.4.2.1	90 N
Protective Components	8.4.2.3	60 N
Tip over Test	8.6	3 times
Impact Test	8.7	1 kg
Compression Test	8.8	110 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA



Test Report

Number: SHAH01674153S1

Tests Conducted

Clause	Testing Items	Assessment
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	P
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36	NA

Test Report

Number: SHAH01674153S1

Tests Conducted

Clause	Testing Items	Assessment
	months	
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass NA = Not Applicable

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present
CE-marking	Absent	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that:

	Toy	Packaging
Name of authorised representative in Great Britain	Absent	Absent
Address of authorised representative in Great Britain	Absent	Absent
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking **UKCA marking**, it was found that:

	Toy	Packaging
UKCA marking	Absent	Absent

Date Sample Received: 09 Apr, 2024 & 08 Mar, 2024

Testing Period: 09 Apr, 2024 To 08 Mar, 2024

To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted

9 Flammability Test*

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	P
4.5	Soft Filled Toys	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 09 Apr, 2024 & 08 Mar, 2024

Testing Period: 09 Apr, 2024 To 08 Mar, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

10 Total Lead (Pb) Content in Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(1)	<20	90

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

11 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (ppm)</u>	<u>Limit (ppm)</u>
(3+4+5)	<10	100
(6+7+8)	<10	100
(9+10)	<10	100
(11)	<10	100
(14)	<10	100
(15)	<10	100
(16)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

12 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Table with 9 columns: Test item, (1), (3+4+5), (6+7+8), (9+10), (11), (15), (16), Limit (%) (Max.). Rows include Dibutyl phthalate (DBP), Di-(2-ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Diisononyl phthalate (DINP), Diisobutyl phthalate (DIBP), Di-n-pentyl phthalate (DPENP), Di-n-hexyl phthalate (DHEXP), and Dicyclohexyl phthalate (DCHP). All results are ND.

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Component(s): See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024
Testing Period: 02 Apr, 2024 To 30 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

13 Soluble Elements Analysis (ASTM F963-23)

As per section 4.3.5.1(2) and 4.3.5.2(2)(b) of the ASTM standard consumer safety specification on toy safety F963-23, acid extraction method was used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result (mg/kg)				Reporting Limit	Limit
	(1)	(3)to(13)	(15)	(16)	(mg/kg)	(mg/kg)
Sol. Barium (Ba)	ND	ND	ND	ND	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	2.5	25

Remark: mg/kg = milligram per kilogram =ppm
Sol. = Soluble
ND= Not detected (Less than reporting limit)

Tested components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

14 Total Lead (Pb) Content for Surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Test Item</u>	<u>Result in ppm</u>	<u>Reporting Limit (ppm)</u>	<u>Limit (ppm)</u>
	(1)		
Lead(Pb)	ND	20	90

Remark: ppm = parts per million = mg/kg
ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

15 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result in ppm					Reproting Limit	Limit
	(3+4+5)	(6+7+8)	(9+10)	(11)	(14)to(16)	(ppm)	(ppm)
Lead(Pb)	ND	ND	ND	ND	ND	10	100

Remark: ppm = parts per million = mg/kg
ND= Not detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

16 Phthalates Content (ASTM F963-23)

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	Result (%)				Detection Limit (%)	Limit (%) (Max.)
	(1)	(3+4+5)	(6+7+8)	(9+10)		
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.01	0.1

Test item	Result (%)			Detection Limit (%)	Limit (%) (Max.)
	(11)	(15)	(16)		
Dibutyl phthalate (DBP)	ND	ND	ND	0.01	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	0.01	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	0.01	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	0.01	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	0.01	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	0.01	0.1

Remark: ND = Not Detected(Less than detection limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 30 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

17 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry and Inductively Coupled Argon Plasma Spectrometry.

<u>Test Item</u>	<u>Result(mg/kg)</u>	<u>Reporting Limit (mg/kg)</u>	<u>Limit (mg/kg)</u>
	(1)		
Tot. Lead (Pb)	ND	10	90
Tot. Mercury (Hg)	ND	0.047	10
Sol. Cadmium (Cd)	ND	5	1000
Sol. Antimony (Sb)	ND	5	1000
Sol. Selenium (Se)	ND	5	1000
Sol. Arsenic (As)	ND	2.5	1000
Sol. Barium (Ba)	ND	5	1000

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 23 and Amendment SOR/2022-122 for prohibition on toxic elements in stickers, films and surface coating materials.

Tot. = Total

Sol. = Soluble

ND = Not detected (less than reporting limit)

Tested Component(s): See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

18 Toxic Elements Analysis

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (mg/kg)			Limit (mg/kg)
	(3)to(11)	(15)	(16)	
Tot. Lead (Pb)	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	25

Remark: mg/kg = Milligram per kilogram

Tot. = Total

Sol. = Soluble

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

19 Total Lead (Pb) Content

As per methods C02.2, C02.3 and C02.4, acid digestion was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result (mg/kg)</u>	<u>Limit (mg/kg)</u>
(1)	ND	90
(3+4+5)	ND	90
(6+7+8)	ND	90
(9+10)	ND	90
(11)	ND	90
(14)to(16)	ND	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Remark: Reporting Limit = 10 mg/kg
ND=Not Detected (Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024
Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted

20 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

<u>Tested Compound</u>	<u>Result (mg/kg)</u>							<u>Limit(mg/kg) (Max.)</u>
	(1)	(3+4 +5)	(6+7 +8)	(9+1 0)	(11)	(15)	(16)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	ND	ND	1000

Remark: The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100mg/kg

ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 30 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

21 Total Mercury (Hg) Content in Surface Coating

With reference to Canada Consumer Product Safety Act surface coating materials regulation SOR/2016-193, acid digestion method was used and total Mercury content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Test Component</u>	<u>Result in mg/kg</u>	<u>Limit(mg/kg)</u>
Submitted sample	N/A	10

Remark: mg/kg = milligram per kilogram
N/A=Not Applicable

= Since no scrapable surface coating was found on the submitted sample, the testing scope of Canada Consumer Product Safety Act surface coating materials regulation SOR/2016-193 was not applicable to the submitted sample.

Tested components: see component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

22 19 Toxic Element Migration Test

(A) Test Result

As per EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(2)#	(3)to(13)	(15)	(16)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	100	46000

Remark : mg/kg = milligram per kilogram

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than reporting limit)

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Tested component(s): See component list in the last section of this report

To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

23 Lead (Pb) Content

With reference to method IEC 62321-5:2013, microwave digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (%)	Limit (%)
(1)	ND	0.05
(3+4+5)	ND	0.05
(6+7+8)	ND	0.05
(9+10)	ND	0.05
(11)	ND	0.05
(14)to(16)	ND	0.05

Remark: ND = Not Detected (Less than detection limit)
Detection Limit = 0.001%

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

24 Cadmium (Cd) Content

With reference to methods EN 1122:2001 (Method B), acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result in %</u>
(1)	ND
(3+4+5)	ND
(6+7+8)	ND
(9+10)	ND
(11)	ND
(15)	ND
(16)	ND

Requirement:	
<u>Category</u>	<u>Limit (%)</u>
Painted article	0.1
Plastic	0.01
Metal parts of jewellery & hair accessories	0.01

Remark: % = Percentage based on dry weight of sample
ND = Not Detected (<0.0005%)

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted

25 Phthalate Content

With reference to ISO 8124-6: 2018, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

I. Annex XVII Item 51

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(2)	(3+4 +5)	(6+7 +8)	(9+1 0)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	0.005	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	0.005	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	0.005	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	0.005	-
Sum of DBP, DEHP, BBP and DIBP	-	ND	ND	ND	ND	-	0.1

Test Item	CAS No.	Result (%w/w)			Reporting Limit (%w/w)	Limit (%w/w)
		(11)	(15)	(16)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.005	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.005	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.005	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.005	-
Sum of DBP, DEHP, BBP and DIBP	-	ND	ND	ND	-	0.1

The above limit was quoted according to Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009& Amendment Commission Regulation (EU) 2018/2005 for phthalate content in articles.

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

II. Annex XVII Item 52

Test Item	CAS No.	Result (%w/w)				Reporting Limit (%w/w)	Limit (%w/w)
		(2)	(3+4 +5)	(6+7 +8)	(9+1 0)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	0.005	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	0.005	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	0.005	-
Sum of DINP, DNOP and DIDP	-	ND	ND	ND	ND	-	0.1

Test Item	CAS No.	Result (%w/w)			Reporting Limit (%w/w)	Limit (%w/w)
		(11)	(15)	(16)		
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	0.005	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	0.005	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	0.005	-
Sum of DINP, DNOP and DIDP	-	ND	ND	ND	-	0.1

The above limit was quoted according to Annex XVII Item 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for phthalate content in toys and childcare articles.

Remark: ND = Not Detected(Less than reporting limit)

Tested Components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 30 Apr, 2024

To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted

26 Certain Hazardous Substance in Electrical and Electronic Equipment*

Cadmium (Cd), Lead (Pb), Mercury (Hg), Chromium (Cr) and bromine (Br) content were measured with reference to IEC 62321-3-1 Edition 1.0:2013 by XRF spectroscopy and chemical confirmation test for RoHS restricted substances. And Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs) and Phthalates content were determined by Gas Chromatographic-Mass Spectrometric (GC-MS).

(A) Results:

Part No.	Screened Components	Refer Information	Items	XF Results	Screened Results (phthalates)	Chemical Confirmation Result (mg/kg)	Conclusion on RoHS
1	COVER (ORANGE PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
2	STICKER (COLORFUL NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
3	LAMPSHADE (CLEAR PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	



Test Report

Number: SHAH01674153S1

Tests Conducted

			DIBP	NA	P	/	
4	HOUSING (RED PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
5	LOGO (WHITE PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
6	REFLECTOR (SILVER PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
7	FRONT COVER (BLACK PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	

Test Report

Number: SHAH01674153S1

Tests Conducted

			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
8	RING (ORANGE PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
9	HOUSING (GREY PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
10	COVER (WHITE PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
11	EYE (BLUE PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	



Test Report

Number: SHAH01674153S1

Tests Conducted

			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
12	WIRE JACKET (WHITE NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
13	WIRE JACKET (BLACK NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
14	WIRE JACKET (RED NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
15	SOLDER (SILVER METAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	

Test Report

Number: SHAH01674153S1

Tests Conducted

			Hg	P		/	
			Cr	P		/	
			Br	NA		/	
			DEHP	NA	NA	/	
			BBP	NA	NA	/	
			DBP	NA	NA	/	
			DIBP	NA	NA	/	
16	BUTTON (ORANGE PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
17	BUTTON (GREY NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
18	BELT (GREY NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	

Test Report

Number: SHAH01674153S1

Tests Conducted

19	BUCKLE (BLACK PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
20	SLEEVE (WHITE PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
21	SUN SHADE (RED NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
22	HUB (GREY PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	



Test Report

Number: SHAH01674153S1

Tests Conducted

			DBP	NA	P	/	
			DIBP	NA	P	/	
23	HANDLE (GREY PLASTIC)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
24	GASBAG (CLEAR NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	
25	AIR VALVE (CLEAR NONMETAL)	/	Cd	P	NA	/	PASS
			Pb	P		/	
			Hg	P		/	
			Cr	P		/	
			Br	P		/	
			DEHP	NA	P	/	
			BBP	NA	P	/	
			DBP	NA	P	/	
			DIBP	NA	P	/	

P = Pass (Below the lower screening limits of table (B1 or B2))

X = Inconclusive result (Further chemical test was suggested (see table (B1 or B2).)

F = Fail (Exceeded the upper screening limits of table (B1))

NA = Not applicable

ND = Not detected

Test Report

Number: SHAH01674153S1

Tests Conducted

(B) Screening Limits

(B1) XRF Screening Limits in mg/kg for Regulated Elements in Various Matrices (mg/kg):

Element	Polymer Materials	Metallic Materials	Composite Materials
Cd	$P \leq 70 < X < 130 \leq F$	$P \leq 70 < X < 130 \leq F$	$P \leq 70 < X < 150 \leq F$
Pb	$P \leq 700 < X < 1300 \leq F$	$P \leq 700 < X < 1300 \leq F$	$P \leq 500 < X < 1500 \leq F$
Hg	$P \leq 700 < X < 1300 \leq F$	$P \leq 700 < X < 1300 \leq F$	$P \leq 500 < X < 1500 \leq F$
Cr	$P \leq 700 < X$	$P \leq 700 < X$	$P \leq 500 < X$
Br	$P \leq 300 < X$	Not applicable	$P \leq 250 < X$

(B2) Preliminary screening test will be used for phthalates, if the results exceed the warning area in the following table, further chemical methods will be conducted to confirm the exact content by GC/MS. (mg/kg)

Phthalates	Polymer
Bis(2-ethylhexyl)phthalate(DEHP)	$P \leq 600 < X$
Butyl benzyl phthalate(BBP)	$P \leq 600 < X$
Dibutyl phthalate(DBP)	$P \leq 600 < X$
Diisobutyl phthalate(DIBP)	$P \leq 600 < X$

(C) Estimated Detection Limits in mg/kg for Regulated Elements in Various Matrices (mg/kg):

Element	Polymer Materials	Metallic Materials	Composite Materials
Cd	50	70	70
Pb	100	200	200
Hg	100	200	200
Cr	100	200	200
Br	200	Not applicable	200

Disclaimers:

This XRF Screening and Chemical Confirmation Test Report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF Screening and Chemical Confirmation Test Report is sufficient for its/his/her purposes.

The results shown in this XRF Screening and Chemical Confirmation Test Report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis is required to obtain quantitative data.

(D) Chemical Test Methods:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321-5 Edition 1.0: 2013, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321-5 Edition 1.0: 2013, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321-4 Edition 1.1: 2017, by acid digestion and determined by ICP - OES	2 mg/kg

Test Report

Number: SHAH01674153S1

Tests Conducted

Testing Item	Testing Method	Reporting Limit
Chromium (VI) (Cr ⁶⁺) Content	With reference to IEC 62321-7-1 Edition 1.0:2015, by boiling water extraction and determined by UV-VIS spectrophotometer	Positive(>0.13 mg/cm ²) / Negative(<0.10 mg/cm ²) / Inconclusive(0.10mg/cm ² --0.13 mg/cm ²)
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321-7-2 Edition 1.0:2017, by alkaline digestion and determined by UV-VIS Spectrophotometer	10 mg/kg
Polybrominated Biphenyls (PBBs) & Polybrominated Diphenyl Ethers (PBDEs) Content	With reference to IEC 62321-6 Edition 1.0:2015, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg
Phthalates (DEHP, BBP, DBP, DIBP) Content	With reference to IEC 62321-8 Edition 1.0:2017,by solvent extraction and determined by GC/MS	100mg/kg

(E) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)
Phthalates(DEHP, BBP, DBP, DIBP)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU and (EU) 2015/863 for homogeneous material.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 12 Apr, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

27 Polycyclic Aromatic Hydrocarbons (PAHs) Content

As Per AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatography – Mass Spectrometer (GC/MS).

(I) Test Results:

Test Item	CAS No.	Result (in mg/kg)			
		(11)	(15)	(16)	
1. Phenanthrene	85-01-8	ND	ND	ND	
2. Anthracene	120-12-7	ND	ND	ND	
3. Fluoranthene	206-44-0	ND	ND	ND	
4. Pyrene	129-00-0	ND	ND	ND	
Sum (4 PAHs):	--	ND	ND	ND	
5. Naphthalene	91-20-3	ND	ND	ND	
6. Benzo(a)Anthracene	56-55-3	ND	ND	ND	
7. Chrysene	218-01-9	ND	ND	ND	
8. Indeno(1,2,3-cd)Pyrene	193-39-5	ND	ND	ND	
9. Benzo(b)Fluoranthene	205-99-2	ND	ND	ND	
10. Benzo(k)Fluoranthene	207-08-9	ND	ND	ND	
11. Benzo(a)Pyrene	50-32-8	ND	ND	ND	
12. Dibenzo(a,h)Anthracene	53-70-3	ND	ND	ND	
13. Benzo(g,h,i)Perylene	191-24-2	ND	ND	ND	
14. Benzo(e)Pyrene	192-97-2	ND	ND	ND	
15. Benzo(j)Fluoranthene	205-82-3	ND	ND	ND	
Sum (15 PAHs):	--	ND	ND	ND	
Classification of Samples: Category		1	1	1	

ND= Not detected (Less than reporting limit)

Reporting limit = 0.2 mg/kg

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

(II) Limits for PAHs in Products:

Parameter	Category 1	Category 2		Category 3	
--	Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use - in toys according to Directive 2009/48/EC or -for the use by children up to 3 years of age	Materials that are not covered by Category 1, with long-term skin contact (longer than 30s) or repeated short-term skin contact if used as intended or foreseeable 2a. used by children 2b. other consumer products		Materials that are not covered by Category 1 or 2, with short-term skin contact (up to 30 s) when used as intended or foreseeable 3a. used by children 3b. other consumer products	
		2a	2b	3a	3b
Phenanthrene	--	--	--	--	--
Anthracene	--	--	--	--	--
Fluoranthene	--	--	--	--	--
Pyrene	--	--	--	--	--
Sum (4 PAHs):	<1	<5	<10	<20	<50
Naphthalene	<1	<2	<2	<10	<10
Benzo(a)Anthracene	<0.2	<0.2	<0.5	<0.5	<1
Chrysene	<0.2	<0.2	<0.5	<0.5	<1
Indeno(1,2,3-cd)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(b)Fluoranthene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(k)Fluoranthene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(a)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Dibenzo(a,h)Anthracene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(g,h,i)Perylene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(e)Pyrene	<0.2	<0.2	<0.5	<0.5	<1
Benzo(j)Fluoranthene	<0.2	<0.2	< 0.5	<0.5	<1
Sum (15 PAHs):	<1	<5	<10	<20	<50

Assessment: Since no accessible plastic, rubber, synthetic fabric and lacquer / coating were found on the submitted sample or the sample weight were less than 50mg of the above-mentioned material, the testing scope of AfPS GS 2019:01 PAK (PAH) on Polycyclic Aromatic hydrocarbons (PAHs) content was not applicable to the submitted sample(s).

Tested Component(s): See component list in the last section of this report

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 04 Jun, 2024

To be continued



Test Report

Number: SHAH01674153S1

Tests Conducted

28 Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Toy for children:

<u>Test Item</u>	<u>Result (mg/kg)</u>			<u>Requirement (mg/kg)</u>
	(11)	(15)	(16)	(Max.)
Benzo(a)pyrene	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	0.5
Chrysene	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	0.5

Remark : The above limit was quoted according to Annex XVII Items 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

ND = Not Detected
Detection limit = 0.2 mg/kg

Tested components: See component list in the last section of this report.

Date Sample Received: 02 Apr, 2024

Testing Period: 02 Apr, 2024 To 04 Jun, 2024

To be continued

Remark: *The item is accredited and subcontracted to the organization complied with ISO/IEC 17025.



Test Report

Number: SHAH01674153S1

Tests Conducted



Reference Sample



Reference Sample



photo provided by client



photo provided by client

Reference Sample





photo provided by client

To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted







To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted




To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted



To be continued

Test Report

Number: SHAH01674153S1

Tests Conducted

Components:

- (1) Multi-color coating on paper(sticker).
- (2) White adhesive paper with multi-color printing(sticker).
- (3) White plastic(logo).
- (4) Bright black plastic(sunshade holder).
- (5) Black plastic(push handle).
- (6) Orange plastic.
- (7) Black plastic(safety belt buckle).
- (8) Transparent plastic.
- (9) Black plastic with silver cladding.
- (10) Dark orange plastic(speed board).
- (11) Red plastic.
- (12) Grey webbing(safety belt).
- (13) Red fabric(sunshade).
- (14) Silver metal(wheel axle).
- (15) White plastic.
- (16) Deep pink plastic.

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.



To: YIWU ZHIHUIXING TOYS CO.,LTD
Attention: ZHAN JIAN FENG

Date: 05 Jun,2024

Re: Report Revision Notification

Intertek Testing Services Ltd.,Zhejiang Ningbo Branch Report Number SHAH01674153 Dated 20 May, 2024. .

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Ltd.,Zhejiang Ningbo Branch Report Number **SHAH01674153S1**.

Reason for report revision: Add test item.

Thank you for your attention.

Authorized By:
Intertek Testing Services Ltd .Zhejiang, Ningbo Branch



Bobo Yao
Assistant General Manager

