



TEST REPORT

NINGBO PRINCE TOYS CO.,LTD

Technical Report: (3225)303-0188

Dec.30,2025

Date of Received: Oct.30,2025

Page 1 of 12

Test period: Oct.30,2025~Dec.30,2025

JAMES

NINGBO PRINCE TOYS CO.,LTD.

NO.777 EAST TAOYUAN ROAD, GUANHAIWEI TOWN, CIXI

CITY, ZHEJIANG, CHINA.

SAMPLE INFORMATION:

Sample Description:	BABY RIDE ON CAR	Sample Quantity:	N/A
Vendor:	N/A	Style No(s):	614W
Manufacturer:	N/A	SKN/SKU No.:	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	18-36months	Ref #:	N/A
Appropriate Age Grade:	18months+	Country of Origin:	N/A
Client Specified Age Grade:	18-36months	Assortment No.:	N/A
Tested Age Grade:	18months+	Country of Destination:	OVERSEA
UPC Code:	N/A	Color :	N/A

EXECUTIVE SUMMARY:

TEST REQUESTED	CONCLUSION
The mechanical hazards requirements of the tested sections of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 and Schedule 2	PASS
The cellulose nitrate requirements of Canada Toys Regulations, SOR/2011-17, section 21	PASS
Phthalates Content in Toys and Child Care Articles - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Phthalates Regulations SOR/2016-188	PASS
Heavy Metals Content in Surface Coating - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Toys Regulations SOR/2011-17 with its Latest Amendment, Section 23	PASS
Heavy Metals Content in Plastic Materials - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Toys Regulations SOR/2011-17 with its Latest Amendment, Section 27 (a)	PASS
Total Lead Content in Surface Coating Materials - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Surface Coating Materials Regulations SOR/2016-193, Section 2(1)	PASS
Total Lead Content in Consumer Products - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Consumer Products Containing Lead Regulations SOR/2018-83	PASS
Total Mercury Content in Surface Coating Materials - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Surface Coating Materials Regulations SOR/2016-193, Section 5	PASS

Note: The sample is tested as " 18months+ " .

Bureau Veritas Testing Technical Service
(Zhejiang) Co., Ltd
1F, 6F East, 8F, Building 2
No.66 Jingyi Road, Juyuan Subdistrict, High-
tech Zone, Ningbo City, Zhejiang, China
Tel:86-574-83001333, Fax:86-574-83071038
website: cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



NINGBO PRINCE TOYS CO.,LTD.
Technical Report: **(3225)303-0188**
Dec.30,2025
Page 2 of 12

BVCPS (ZHEJIANG) GENERAL CONTACT INFORMATION FOR THIS

TELEPHONE NO. : 86-574-87091375 / 87091399
E-MAIL : lilyli.li@bureauveritas.com;amy.pan@bureauveritas.com

Bureau Veritas Testing Technical Service (Zhejiang) Co., Ltd

Martin Ma
Technical support
(HARDLINE AND TOY DIVISION)

Peter Xi
Technical support



**BUREAU
VERITAS**

NINGBO PRINCE TOYS CO.,LTD.
Technical Report: **(3225)303-0188**
Dec.30,2025
Page 3 of 12

CANADA CONSUMER PRODUCT SAFETY ACT

Test Method : CANADA CONSUMER PRODUCT SAFETY ACT

REASONABLY FORESEEABLE USE TESTS

Test	Test Parameters
Drop	4 x 4.5 ft
Push/pull	10 lbs

CANADA CONSUMER PRODUCT SAFETY ACT, TOYS REGULATIONS, SOR/2011-17

Section	Parameter / Requirement	Result
General		
3	General -Official language	N/A
Packaging		
4	Flexible film bag used for package	N/A
Mechanical Hazards		
7	Small Toys and Detachable component	M
8	Metal edge	M
9	Wires frames	N/A
10	Plastic Edges	M
11	Wood	N/A
12	Glass	N/A
13	Nails and fasteners	M
14	Safety stops/Locking Device for Folding product	N/A
15 (a, b)	Moving Mechanism	N/A
15 (c)	Non- Detachable Winding Key Clearance	N/A
15 (d)	Detachable Key	N/A
16	Projectile Toy	N/A
17	Enclosures	N/A
18	Stability	M
19	Auditory hazards	M
Specific Products - Dolls, Plush Toys and Soft Toys		
28	Exposed Sharp Points and Edges	N/A
29. (a)	Stuffing Materials shall be clean and free from vermin	N/A
29. (b)	Stuffing Materials shall be free from hard and sharp foreign matter	N/A
30	Squeaker, Reed and Valve	N/A
31	Eyes and Nose	N/A
Specific Products		
35*&36*	Plant seeds	N/A
37	Pull and Push toys	N/A
38*	Toys Steam engine Boilers	N/A
39*	Finger Paints	N/A
40(a)	Rattles – Sharp wire	N/A
40(b, c)	Rattles – Impaction	N/A
41	Elastic	N/A



**BUREAU
VERITAS**

NINGBO PRINCE TOYS CO.,LTD.
Technical Report: **(3225)303-0188**

Dec.30,2025
Page 4 of 12

CANADA CONSUMER PRODUCT SAFETY ACT, TOYS REGULATIONS, SOR/2011-17

Section	Parameter / Requirement	Result
42	Yo-Yo type balls	N/A

CANADA CONSUMER PRODUCT SAFETY ACT, SCHEDULE 2

Section	Parameter / Requirement	Result
Mechanical Hazards		
1*	Jequirity Beans	M
8*	Kites	N/A
9	Kite strings	N/A
14*	Lawn, darts with elongated tips	N/A

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section
* = Non-accredited section

SOR/2018-138 Amending the Toys Regulations (Magnetic Toys)

Section	Parameter / Requirement	Result
43	Magnetic force	N/A
44	Educational experimental kit - Labeling	N/A

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

**FLAMMABILITY OF CELLULOSE NITRATE
TOY REGULATIONS SOR/2011-17 SECTION 21**

Requirement Reference	Observation	Flammability Classification
Section 21	No Flash Effect	M
Section 21	With Flash Effect	N/A

M = Meet NM-See comment = Not Meet - Refer to Comment Section NA = Not Applicable

Tested Component(s) Breakdown List

Test Item	Description	Location	Style
1	Bright black plastic	-	-
2	Black plastic	-	-
3	Black frosted plastic	Seat	-
4	Grey plastic	-	-
5	Black plastic with silver plating	-	-
6	Red plastic	-	-
7	Transparent plastic	Lamp	-
8	White plastic	-	-
9	White sticker	-	-
10	Deep grey plastic	-	-
11	Multicolor coating	On Sticker	-
12	White glue mark	-	-
13	Rose plastic	Car Shell	-
14	Purple plastic	Car Shell	-
15	Beige plastic	Car Shell	-
16	Blue plastic	Car Shell	-

Phthalates Content in Toys and Child Care Articles - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Phthalates Regulations SOR/2016-188

Test Method : Extraction with solvent, analysed by Gas Chromatography Mass Spectrometer.

Maximum Limit:	1 000 mg/kg (Each of all listed phthalates)
-----------------------	--

Test Item(s)	Result		Unit	Conclusion
	Detected Analyte(s)	Conc.		
1 + 2 + 3	ND	ND	%	PASS
4 + 5 + 6	ND	ND	%	PASS
7 + 8	ND	ND	%	PASS
9	ND	ND	%	PASS
10 + 12	ND	ND	%	PASS
11	ND	ND	%	PASS
13 + 14	ND	ND	%	PASS
15 + 16	ND	ND	%	PASS

Note / Key: ND = Not Detected Conc. = Concentration
 Detection Limit (%): Each 0.005 % = percentage

Remark:
 - The list of phthalates is summarized in table of Appendix.

List of Phthalates Content In Toys And Child Care Articles - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, C. 21, Phthalates Regulations SOR/2016-188

No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
1	DBP	84-74-2	4	DnOP	117-84-0
2	BBP	85-68-7	5	DINP	28553-12-0&68515-48-0
3	DEHP	117-81-7	6	DIDP	26761-40-0 & 68515-49-1

Heavy Metals Content in Surface Coating - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Toys Regulations SOR/2011-17 with its Latest Amendment, Section 23

Test Method : CCPSA,SOR/2011-17,Section 23

Parameter	Unit	Result	Maximum Allowable Limit
		11	
Total Lead	mg/kg	ND	90
Total Mercury	mg/kg	ND	10
Conclusion	-	PASS	-

Parameter	Unit	Result	Maximum Allowable Limit
		11	
Soluble Arsenic	mg/kg	ND	1000
Soluble Barium	mg/kg	ND	1000
Soluble Cadmium	mg/kg	ND	1000
Soluble Antimony	mg/kg	ND	1000
Soluble Selenium	mg/kg	ND	1000
Conclusion	-	PASS	-

Note / Key :

ND = Not detected

Total metal(s) content analysis - Pb : 10; Hg : 10;

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Detection Limit (mg/kg) :

Soluble metal(s) content analysis - Sb : 30; As : 20; Cd : 10; Se : 50; Ba : 50

Heavy Metals Content in Plastic Materials - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Toys Regulations SOR/2011-17 with its Latest Amendment, Section 27 (a)

Soluble Heavy Metals

Test Method ASTM International Standard ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3)).

Parameter		Result (mg/kg)			
		Sample ID			
		4	5	6	13
Soluble Arsenic (As)	25	ND	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND	ND



**BUREAU
VERITAS**

NINGBO PRINCE TOYS CO.,LTD.
Technical Report: **(3225)303-0188**

Dec.30,2025

Page 7 of 12

Soluble Cadmium (Cd)	75	ND	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND	ND
Soluble Antimony (Sb)	60	ND	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND	ND
Conclusion		PASS	PASS	PASS	PASS

Parameter		Result (mg/kg)		
		Sample ID		
		14	15	16
Soluble Arsenic (As)	25	ND	ND	ND
Soluble Barium (Ba)	1000	ND	ND	ND
Soluble Cadmium (Cd)	75	ND	ND	ND
Soluble Chromium (Cr)	60	ND	ND	ND
Soluble Mercury (Hg)	60	ND	ND	ND
Soluble Antimony (Sb)	60	ND	ND	ND
Soluble Selenium (Se)	500	ND	ND	ND
Conclusion		PASS	PASS	PASS

Total Heavy Metals

Test Method: Test Method: U.S. CPSC-CH-E1002-08.3.

Analyte	As	Ba	Cd	Cr	Hg	Sb	Se	
Limit:	25	1000	75	60	60	60	500	
(mg/kg)								

Analyte	As	Ba	Cd	Cr	Hg	Sb	Se	Conclusion
Sample	Result (mg/kg)							
1 + 2 + 3	ND	ND	ND	ND	ND	ND	ND	PASS
4	ND	ND	ND	ND	ND	ND	ND	PASS
5	ND	270	ND	ND	ND	ND	ND	PASS
7 + 8	ND	ND	ND	ND	ND	ND	ND	PASS
10 + 12	ND	ND	ND	ND	ND	ND	ND	PASS

Note / Key :

mg/kg = milligram(s) per kilogram = ppm = part(s) per million
ND = Not detected

Detection Limit (mg/kg) - As : 2.5 ; Ba : 100 ; Cd : 7.5; Cr : 6.0 ; Hg : 6.0 ; Sb : 6.0 ; Se : 50

Total Lead Content in Surface Coating Materials - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Surface Coating Materials Regulations SOR/2016-193, Section 2(1)

Test Method : Digested with concentrated nitric acid and hydrogen peroxide by using amicrowave digestion system, analyzed by ICP-AES.

Parameter	CAS No.	Unit	Maximum Allowable Limit	Result
	-	-	-	11
Lead (Pb)		mg/kg	<90	ND
Conclusion	-	-	-	PASS

Note / Key :
 mg/kg = milligram(s) per kilogram = ppm = part(s) per million
 % = percent

ND = Not detected
 10 000 mg/kg = 1 %
 Detection Limit (mg/kg) - 10

Total Lead Content in Consumer Products - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Consumer Products Containing Lead Regulations SOR/2018-83

Test Method : The sample is digested with acid, then analyzed by ICP-OES .

Maximum Limit:	90mg/kg		
-----------------------	----------------	--	--

Test Item(s)	Result	Unit	Conclusion
1 + 2 + 3	ND	mg/kg	PASS
7 + 8	ND	mg/kg	PASS
10 + 12	ND	mg/kg	PASS
11	ND	mg/kg	PASS
13 + 14	ND	mg/kg	PASS
15 + 16	ND	mg/kg	PASS

Note / Key :
 mg/kg = milligram(s) per kilogram = ppm = part(s) per million
 % = percent

ND = Not detected
 10 000 mg/kg = 1 %
 Detection Limit (mg/kg) - 10

Total Mercury Content in Surface Coating Materials - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Surface Coating Materials Regulations SOR/2016-193, Section 5

Test Method : Digested with concentrated nitric acid and hydrogen peroxide by using amicrowave digestion system, analyzed by ICP-AES.

Parameter	Unit	Result	Maximum Allowable Limit
		11	
Mercury (Hg)	mg/kg	ND	10
Conclusion	-	PASS	-

Note / Key :

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Detection Limit (mg/kg) : 1

ND = Not detected

% = percent 10 000 mg/kg = 1 %

SAMPLE REFERENCE PHOTO:







-- END OF REPORT --