

Test Report

Number: GZHH0057740409

Applicant: GUANGDONG BAOLI CULTURAL DEVELOPMENT
CO.,LTD.
NO.2 CROSS-WEST ROAD, FENGXIN
GANGKOU INDUSTRIAL SECTION,
FENGXIANG STREET, CHENGHAI ,SHANTOU ,
GUANGDONG PROVINCE,CHINA

Date: Apr 09, 2025

Sample Description:

Four (4) styles of submitted sample said to be :

Item Name : **Electronic Keyboard Series**
Item No. : **1504, 1504A, 1504B, 1505B, 2108, 2108B**
P. O. No./Asst. No. : 1403 1504C 1504D 1505 1505C 1902F 1601 1601B 3132C 3132A 1712
3232 3232A 3232C 1403,1504B,1505A,3132C,1601,1402,1704,2108,1706
1701,1701B,2108B,1603,1812,B5006,1226,1504A,1503,1006,3132A,3132B,
3132C,
3132D,1803,1904B,2007,1808,1306,1710,1801,1802,1902,1904,1301,2007B,
5007,12281403B,1406,1202C,2005,1205C,1905,1905B,1902F 1902H 1704,
1505B,1505C,1601,3037B,1603,2008,1908,702,1009,1009B,1810,2008,1314,
1222,1234,3108,901,802,801,1702,602,1306C,1314,1208,1809,3132,5003,
1501,1227,1503,1502,3005,1905,1303,1303B,1703,1707,
1708,1807,1025,1303C,1303D,1305C,1405B,1405,1505A,1601B,1712,1804B,
1806,1902F,1902G,2012B,1603 2106 102
,3002,3020,3032A,3032B,3037,5004,5006,5009,3132E,3232A,3232B,3232C,
1401,2308,2308B,2002,2006B,2102B,1037,1037B,2102,102,102B,3002B,
5009B,1701C,1811,2013,2201
1812B,,2401,2402 2401-1 2401-2 2401-3 2401-4 2401-5 2401-6 2401-7
2401-8 2402-1 2402-2 2402-3 2402-4 2402-5 2402-6 2402-7 2402-8
Remark : Above reference No. was submitted and/or identified by the client and
it was not verified by the laboratory.
Labelled Age Group : 36M+
Appropriate Age Grading for : Over 3 years
Testing
Packaging Provided by : Yes
Applicant
Additional Material and Wet : Yes
Paint Provided
Country of Destination : US
Country of Origin : China
Date Sample Received : Dec 10, 2024 & Dec 25, 2024
Testing Period : Dec 10, 2024 ~ Jan 03, 2025

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued



Page 1 of 19



Test Report

Number: GZHH0057740409

Conclusion:

<u>Tested sample</u>	<u>Standard/Testing Item</u>	<u>Result</u>
Submitted sample(s)	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products	Pass
	15 U.S.C. §2063(a)(5) (CPSA)	Pass
	Consumer Product Safety Act Section 14(a) (5)	Pass
Tested component(s) of submitted sample(s)	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	Pass
	U.S. ASTM F963-23 Flammability test of materials other than textile materials	Pass
	U.S. ASTM F963-23 on soluble heavy elements test	Pass
	U.S. ASTM F963-23 Section 4.3.5.2 on soluble Cadmium content test	Not Applicable
	U.S. ASTM F963-23 Section 4.3.5.1 on total Lead content in surface coating	Pass
	U.S. ASTM F963-23 Section 4.3.5.2 on total Lead content in substrate	Pass
	U.S. ASTM F963-23 Section 4.3.8 on Phthalate content	Pass

To be continued



Page 2 of 19



Test Report

Number: GZHH0057740409


Conclusion:

<u>Tested sample</u>	<u>Standard - U.S. CFR Title 16 (CPSC Regulations)</u>	<u>Result</u>
Submitted sample(s)	Physical and mechanical tests	Pass
	Part 1500.3(C)(6)(vi) flammability test on rigid and pliable solids	Pass
<u>Tested component(s) of submitted sample(s)</u>	<u>Standard</u>	
	U.S. CFR Title 16 Part 1303 total Lead content	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in surface coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for Total Lead content in Non-surface coating materials (substrate)	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and U.S. 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass

Remark:

As requested by the applicant, test was conducted only on component(s) listed in this report.

Authorized by:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch, Hardlines


Victor T.J. Wang
General Manager



Should you have any query on this report, please click the link below:
https://verifyindex.intertek.com.cn/home/index?id=hl_report_verify



Page 3 of 19



Test Report

Number: GZHH0057740409

Tests Conducted

1 Tracking Label Assessment

As per consumer product safety Act section 14(a) (5), 15 U.S.C. §2063(a)(5) (CPSA) and Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products

Tracking label found on the packaging:

Name of manufacturer / importer / private labeler:	GUANGDONG BAOLI CULTURAL DEVELOPMENT CO., LTD
Location of production:	NO.2 CROSS-WEST ROAD, FENGXIN GANGKOU INDUSTRIAL SECTION, FENGXIANG STREET, CHENGHAI, SHANTOU, GUANGDONG PROVINCE, CHINA
Date code:	Nov. 2024

Tracking label found on the product:

Name of manufacturer / importer / private labeler:	GUANGDONG BAOLI CULTURAL DEVELOPMENT CO., LTD
Location of production:	NO.2 CROSS-WEST ROAD, FENGXIN GANGKOU INDUSTRIAL SECTION, FENGXIANG STREET, CHENGHAI, SHANTOU, GUANGDONG PROVINCE, CHINA
Date code:	Nov. 2024

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.



Test Report

Number: GZHH0057740409

Tests Conducted

2 Physical and Mechanical Tests

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

The Submitted Samples Were Undergone The Use And Abuse Tests In Accordance With The Federal Hazardous Substances Act (FHSA), Title 16, Code Of Federal Regulations : -

Test	FHSA	Parameter
Impact Test	Section 1500.53(b)	4 x 3.0 ft
Tip Over Test	--	3 Times
Torque Test	Section 1500.53(e)	4 in-lbf
Tension Test	Section 1500.53(f)	15 lbf
Compression Test	Section 1500.53(g)	30 lbf

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Sections Relevant to the item :

Section	Testing Items	Assessment
4.1	Material Quality (Visual Check on Cleanliness)	P
4.2	Flammability Test	P
4.3.7	Stuffing Materials	NA
4.5	Sound-Producing Toys	P
4.6	Small Objects	NA
4.6.1	Toys Intended for Children Under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	P
4.8	Projections	NA
4.9	Accessible Points	P
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	P
4.12	Plastic Film	P
4.13	Folding Mechanisms and Hinges	NA
4.13.1	Folding Mechanisms	NA
4.13.2	Hinge-line Clearance	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability And Over-Load Requirements	P
4.16	Confined Spaces	NA



Test Report

Number: GZHH0057740409

Tests Conducted

Section	Testing Items	Assessment
4.17	Wheels, Tires and Axles	NA
4.18	Holes, Clearance, And Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers And Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	P
4.26	Toys Intended to Be Attached to A Crib or Playpen	NA
4.27	Stuffed And Beanbag-Type Toys	NA
4.28	Stroller And Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yoyo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	
5.1.2	Tracking label on product and packaging	P/#
5.2	Age Grading Labeling	P
5.3	Safety Labeling Requirements	NA
5.4	Aquatic Toys	NA
5.5	Crib & Playpen Toys	NA
5.6	Mobile	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled by an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges and Sharp Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA



Page 6 of 19



Test Report

Number: GZHH0057740409

Tests Conducted

Section	Testing Items	Assessment
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-operated Toys	NA
5.15	Promotional Materials	P
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	P
6.2	Crib & Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled by an Adult	NA
6.5	Battery-operated Toys	P
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies).	NA
7.1	Producer's Markings - Name Of Producer/Distributor (Toy/Package) - Address (Package)	Yes Yes
7.2	Battery-powered Ride-on Toys	NA
7.3	Toy Chests - Name of Manufacturer/Distributor/Seller (Toy) - Address (City, State and Zip Code) of Manufacturer/Distributor/Seller (Toy) - Date Code (Toy and Package/Shipping Container)	NA
8.5	Normal Use Testing	P
8.7	Impact Test	P
8.7.1	Drop Test	P
8.7.2	Tip over Test for Large, Bulky Toys	P
8.7.3	Tumble Test for Wheeled Toys	NA
8.7.4	Impact Test for Toys that Cover the Face	NA
8.8	Torque Test	P
8.9	Tension Test	P
8.10	Compression Test	P
8.12	Flexure Test	NA
8.16	Tension Test for Pompoms	NA
8.25	Magnet Test	NA

Remark: P = Pass NA = Not applicable

= The results of section 5.1.2 for tracking label was referred to the correspondence test item.



Page 7 of 19



Test Report

Number: GZHH0057740409

Tests Conducted

3 Flammability test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result : Ignited but self-extinguished before burn rate could be determined

4 Heavy Elements Analysis (Except modelling clay) (U.S. ASTM F963-23)

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, heavy elements migration content were determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (ppm)	Detection Limit (ppm)	Limit (ppm)
	Tested component		
	(6)to(8), (12), (13), (16)to(24), (28)to(35), (37)to(40), (43)to(46), (48), (49), (51), (52), (55)to(57)		
Sol. Barium (Ba)	ND	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Sol. = Soluble

ppm = part per million = mg/kg

ND = Not detected (less than detection limit)

Tested Components: See component list in the last section of this report



Test Report

Number: GZHH0057740409

Tests Conducted

5 Soluble Cadmium (Cd) content in Metal (small parts) (U.S. ASTM F963-23 Section 4.3.5.2)

As per Section 4.3.5.2(2)(d) and 8.3.5.5(3) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1004-11 was used and soluble cadmium content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Assessment: As no metallic toys or metallic toy components which are small parts were found in the submitted samples, no soluble Cadmium testing has been performed for U.S. ASTM F963-23 on soluble Cadmium content.

6 Total Lead (Pb) Content in Surface Coating (U.S. ASTM F963-23 Section 4.3.5.1)

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (ppm)	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(113+114), (115+116)		
Lead (Pb)	ND ^Δ	10	90

ppm = part per million = mg/kg

Δ = The result is based on dry weight of testing sample

ND = Not detected (less than detection limit)

Tested Components: See component list in the last section of this report



Test Report

Number: GZHH0057740409

Tests Conducted

7 Total Lead (Pb) Content in Substrate (U.S. ASTM F963-23 Section 4.3.5.2)

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Element	Result (ppm)		Detection Limit (ppm)	Limit (ppm)
	Tested Component			
	(19)	(62)		
Lead (Pb)	15	26	10	100

Element	Result (ppm)	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(6+7+8), (12+13+16), (17+18+20), (21+22+23), (24+28+29), (30+31+32), (33+34+35), (37+38+39), (40+43+44), (45+46+48), (49+51+52), (55+56+57), (65+66+67), (117)		
	ND		
Lead (Pb)		10	100

ppm = part per million = mg/kg

ND = Not detected (less than detection limit)

Tested Components: See component list in the last section of this report



Test Report

Number: GZHH0057740409

Tests Conducted

8 Phthalate Content (U.S. ASTM F963-23 Section 4.3.8)

As per Section 4.3.8 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-C1001-09.4 was used and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%)	Detection limit (%)	Limit (%)
		Tested component		
		(113+114) ^Δ		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	0.03	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1

Test item	CAS No.	Result (%)	Detection limit (%)	Limit (%)
		Tested component		
		(115+116) ^Δ , (6+7+8), (12+13+16), (17+18+20), (19), (22+23+31), (24+28+29), (33+34+35), (37+39+32), (43+44), (45+46+48), (49+51+52), (55+56), (21+30+38), (40+57), (9+10+11), (14+15+25), (26+27+36), (41+42+47), (50+53+54), (58+59), (60+61)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

Tested Components: See component list in the last section of this report



Test Report

Number: GZHH0057740409

Tests Conducted

9 Physical and Mechanical Tests

As per U.S. Code of Federal Regulations Title 16 part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

	No. of sample tested per style	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As received	1	P	P	NA
Impact test (1500.53(b))	1	P	P	NA
Flexure test (1500.53(d))	0	NA	NA	NA
Torque test (1500.53(e))	1	P	P	NA
Tension test (1500.53(f))	1	P	P	NA
Compression test (1500.53(g))	1	P	P	NA

Remark: P = Pass NA = Not Applicable

10 Flammability test

As per U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids

Result : Ignited but self-extinguished before burn rate could be determined

11 Total Lead (Pb) Content in Surface Coating (U.S. 16 CFR Part 1303 and CPSIA Section 101)

As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (ppm)	Reporting Limit (ppm)	Limit (ppm)
	Tested Component		
	(113+114), (115+116)		
Lead (Pb)	ND ^Δ	10	90

The above limit was quoted according to U.S. CFR Title 16 Part 1303 and U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in surface coating.

ppm = parts per million = mg/kg

ND = Not detected (less than reporting limit)

Δ = The result is based on dry weight of testing sample

Tested component(s): See component list in the last section of this report



Test Report

Number: GZHH0057740409

Tests Conducted

12 Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate) (U.S. CPSIA Section 101)

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Element	Result (ppm)		Reporting Limit (ppm)	Limit (ppm)
	Tested Component			
	(19)	(62)		
Lead (Pb)	15	26	10	100

Element	Result (ppm)	Reporting Limit (ppm)	Limit (ppm)
	Tested Component		
	(6+7+8), (12+13+16), (17+18+20), (21+22+23), (24+28+29), (30+31+32), (33+34+35), (37+38+39), (40+43+44), (45+46+48), (49+51+52), (55+56+57), (65+66+67), (117)		
Lead (Pb)	ND	10	100

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in Non-surface coating materials.

ppm = parts per million = mg/kg

ND = Not detected (less than reporting limit)

Tested components: See component list in the last section of this report

13 Phthalate Content (U.S. CPSIA Section 108(a) & (b)(3) and U.S. 16 CFR Part 1307)

As per CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%)	Reporting limit (%)	Limit (%)
		Tested component		
		(113+114) ^A		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	0.03	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1



Test Report

Number: GZHH0057740409

Tests Conducted

Test item	CAS No.	Result (%)	Reporting limit (%)	Limit (%)
		Tested component (115+116) ^Δ , (6+7+8), (12+13+16), (17+18+20), (19), (22+23+31), (24+28+29), (33+34+35), (37+39+32), (43+44), (45+46+48), (49+51+52), (55+56), (21+30+38), (40+57), (9+10+11), (14+15+25), (26+27+36), (41+42+47), (50+53+54), (58+59), (60+61)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and U.S. 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates.

ND = Not detected(less than reporting limit)

Δ = The result is based on dry weight of testing sample

Tested Components: See component list in the last section of this report

Component list:

Sequence No.	Test Component No.	Test Component Description(s)
SN1	1.	@ Metallic silver color coating on plastic (pattern of piano cover of all small styles, all middle styles, all the biggest styles, music stand of big styles).
SN2	3.	@ Light red coating on plastic (pattern of bottom of yellow keys of all middle styles, all the biggest styles, bright pink keys of small pink style, piano of small white style, small pink style).
SN3	4.	@ White coating on plastic (pattern of piano of small black style, all big styles).
SN4	5.	@ Blue coating on plastic (pattern of piano of small white style).
SN5	6.	Bright pink plastic (body, piano cover, switch, piano cover bar, microphone, switch, stand of microphone of the biggest pink style, middle pink style, small pink style, music stand, big pink style, holder of stand of microphone of big pink style).
SN6	7.	Matt pink plastic (bottom, battery cover of the biggest pink style, middle pink style).
SN7	8.	Bright light pink plastic (piano feet of the biggest pink style).
SN8	9.	Pale pink plastic (connector of chair of the biggest pink style).



Page 14 of 19



Test Report

Number: GZHH0057740409

Tests Conducted

Sequence No.	Test Component No.	Test Component Description(s)
SN9	10.	Pale matt pink plastic (chair feet of the biggest pink style).
SN10	11.	Pink plastic (body of chair of the biggest pink style).
SN11	12.	Pink plastic (piano feet of middle pink style, small pink style).
SN12	13.	Shiny white plastic (top of microphone of all styles).
SN13	14.	White plastic (body of chair of the biggest white style).
SN14	15.	Bright black plastic (chair feet of big black style).
SN15	16.	Bright black plastic (body, piano cover, switch, piano cover bar, microphone, switch, stand of microphone of the biggest black style, middle black style, big black style, black keys of all middle styles, all the biggest styles, all big styles, all small styles, music stand, holder of stand of microphone of big black style, socket for MP3, MIC of all big styles, all middle styles, all the biggest styles).
SN16	17.	Yellow plastic (yellow keys of all the biggest styles, all middle styles).
SN17	18.	Transparent red plastic (4 lights, power light of all the biggest styles, all middle styles, all small styles).
SN18	19.	White paper label with transparent plastic film and inaccessible multicolor coatings (sticker of all the biggest styles, all middle styles, all small styles).
SN19	20.	Dull pink soft plastic (cable of microphone, MP3 of the biggest pink style, middle pink style, small pink style, big pink style).
SN20	21.	Taffy color soft plastic (plug of microphone, MP3 of the biggest pink style, middle pink style, small pink style, big pink style).
SN21	22.	Black plastic (ring of plug of microphone, MP3 of all styles).
SN22	23.	Matt black plastic/transparent plastic (bottom, battery cover, washer of battery cover of the biggest black style, middle black style, small black styles, all big styles, switch of small black styles).
SN23	24.	Pale black plastic (piano feet of middle black style, small black style).
SN24	25.	Pale black plastic (body of chair of the biggest black style, big black style).
SN25	26.	Light black plastic (connector of chair of the biggest black style).
SN26	27.	Pale matt black plastic (chair feet of the biggest black style).
SN27	28.	Light black plastic (piano feet of the biggest black style, connector of piano, piano feet of big black style).
SN28	29.	Yellow soft plastic (cable of microphone, MP3 of middle black style).
SN29	30.	Matt yellow soft plastic (plug of microphone, MP3 of middle black style).
SN30	31.	Matt white plastic (bottom, battery cover of the biggest white style, middle white style).
SN31	32.	White plastic (piano feet of middle white style, small white style).
SN32	33.	Bright light white plastic (body, piano cover, switch, piano cover bar, microphone, switch, stand of microphone of the biggest white style, middle white style, small white style, white keys, bottom of yellow keys of all the biggest styles, all middle styles).
SN33	34.	Bright beige white plastic (white keys, bottom of blue keys, piano cover, butterfly LED of small white style, white keys, butterfly LED of small black style, bottom of bright pink keys, butterfly LED, white keys of small pink style).
SN34	35.	Sky blue plastic (blue keys of small white style).
SN35	36.	White foam with adhesive (foot pad of chair of all the biggest styles).
SN36	37.	Black soft plastic (cable of microphone, MP3 of the biggest black style, big black style, small black style).
SN37	38.	Matt black soft plastic (plug of microphone, MP3 of the biggest black style, big black style, small black style).
SN38	39.	Bright white soft plastic (cable of microphone, MP3 of the biggest white style, small white style, middle white style, big red style).
SN39	40.	Light white soft plastic (plug of microphone, MP3 of the biggest white



Page 15 of 19



Test Report

Number: GZHH0057740409

Tests Conducted

Sequence No.	Test Component No.	Test Component Description(s)
		style, small white style, middle white style, big red style).
SN40	41.	Pale matt white plastic (chair feet of the biggest white style).
SN41	42.	Dark white plastic (connector of chair of the biggest white style).
SN42	43.	Dark white plastic (piano feet of the biggest white style).
SN43	44.	Black plastic (socket of MP3, MIC of all small styles).
SN44	45.	Orange plastic (function keys of big black style, big red style).
SN45	46.	Off white plastic (white keys of all big styles).
SN46	47.	Black foam with adhesive (foot pad of chair feet of all big styles)
SN47	48.	Black foam with adhesive (foot pad of piano feet of all big styles)
SN48	49.	Fuchsia plastic (function keys of big pink style).
SN49	50.	Light pink plastic (body of chair, chair feet of big pink style).
SN50	51.	Dark matt pink plastic (piano feet, connector of piano feet of big pink style).
SN51	52.	Deep red plastic (body, microphone, switch, stand, holder of stand of microphone, music stand of big red style).
SN52	53.	Red plastic (chair feet of big red style).
SN53	54.	Matt red plastic (body of chair of big red style).
SN54	55.	Matt deep red plastic (piano feet, connector of piano feet of big red style).
SN55	56.	Deep red soft plastic (cable of microphone of big red style).
SN56	57.	Matt red soft plastic (plug of microphone of big red style).
SN57	58.	Blue plastic (bottom of chair).
SN58	59.	Grey plastic (body of chair).
SN59	60.	Grey white plastic (connector of chair).
SN60	61.	White paper label with transparent plastic film and inaccessible coatings (sticker of chair).
SN61	62.	Silver color metal (tip, base, body of plug of microphone, MP3 of all styles).
SN62	65.	Silver color metal (base of plug of MP3 of all styles).
SN63	66.	Silver color metal (screw of battery cover of all big styles, all middle styles, all the biggest styles).
SN64	67.	Silver color metal (screw of bottom of all middle styles, all the biggest styles).
SN65	113.	Metallic silver color wet paint (part used for pattern of piano cover of all small styles, all middle styles, all the biggest styles, music stand of big styles, pattern of body of chair of all the biggest styles).
SN66	114.	Light red wet paint (part used for pattern of bottom of yellow keys of all middle styles, all the biggest styles, bright pink keys of small pink style, piano of small white style, small pink style).
SN67	115.	White wet paint (part used for pattern of piano of small black style, all big styles).
SN68	116.	Blue wet paint (part used for pattern of piano of small white style).
SN69	117.	Silver color metal (screw of battery cover of all small styles, screw of piano cover of all middle styles, all the biggest styles).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.



Page 16 of 19



Test Report

Number: GZHH0057740409

Tests Conducted

Tested sample



Test Report

Number: GZHH0057740409

Tests Conducted



Test Report

Number: GZHH0057740409

Tests Conducted

Reference photo



Remark: The products in the reference photo are not tested in this report. It's declared by the applicant that they are the same series of products with the particular tested sample, just included in the report for reference.

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shenzhen Limited, Guangzhou Branch.



Page 19 of 19

