

# TEST REPORT

**APPLICANT** : Liyou Industrial Co.,Ltd

**ADDRESS** : Yangwan industrial area, QiaoXia Town, Yongjia County, Zhejiang 325106

**SAMPLE DESCRIPTION** : Children tunnel

**ITEM NO.** : LY-1602, LY-1603

**AGE REQUESTED ON APPLICATION FORM** : 3+

**LABELED AGE GRADE** : 3+

**AGE GRADE APPLIED IN TESTING** : Over 3 Years

**SAMPLE RECEIVED DATE** : 12-Oct-2022

**TURN AROUND TIME** : 12-Oct-2022 to 18-Oct-2022

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

| TEST REQUESTED                  | TEST METHOD/REGULATION | RESULT |
|---------------------------------|------------------------|--------|
| Physical and Mechanical Hazards | EN 71-1:2014+A1:2018   | Pass   |
| Labeling Requirement            | Directive 2009/48/EC   | Pass   |
| Flammability of Toys            | EN 71-2:2020           | Pass   |
| Migration of Certain Elements   | EN 71-3:2019+A1:2021   | Pass   |

*Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to [info.sh@eurofins.com](mailto:info.sh@eurofins.com) and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to [china.complaint@eurofins.com](mailto:china.complaint@eurofins.com) and referring to this report number.*



\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
Eurofins Product Testing Service (Shanghai) Co., Ltd



---

Joyce Liu  
Lab Manager

**SAMPLE PHOTO(S)****A:LY-1602****B:LY-1603****EFSH22100424-CG-01**

\*\*\*TO BE CONTINUED\*\*\*

## COMPONENT LIST

| Component No. | Component                                                      | Sample No. |
|---------------|----------------------------------------------------------------|------------|
| 1             | Green plastic                                                  | A          |
| 2             | Dark green plastic                                             | A          |
| 3             | Blue plastic                                                   | A          |
| 4             | Dark blue plastic                                              | A          |
| 5             | Yellow plastic                                                 | A          |
| 6             | Dark yellow plastic                                            | A          |
| 7             | Red plastic                                                    | A,B        |
| 8             | Dark red plastic                                               | A          |
| 9             | Light red plastic nose                                         | A          |
| 10            | Transparent plastic with underlying multi-color coating (eyes) | A          |
| 11            | Purple plastic                                                 | B          |
| 12            | Black plastic (eyes)                                           | B          |
| 13            | White plastic (eyes)                                           | B          |
| 14            | Light green plastic                                            | B          |
| 15            | Dark blue plastic                                              | B          |
| 16            | Orange plastic                                                 | B          |
| 17            | Orange yellow plastic                                          | B          |
| 18            | Yellow plastic                                                 | B          |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Physical and Mechanical Hazards

Test Request: As specified in European Standard on Safety of Toys EN 71-1:2014+A1:2018

| Section  | Description                                                                          | Result |
|----------|--------------------------------------------------------------------------------------|--------|
| 4        | General requirements                                                                 |        |
| 4.1      | Material cleanliness (by visual assessment)                                          | P      |
| 4.2      | Assembly                                                                             | P      |
| 4.3      | Flexible plastic sheeting                                                            | N/A    |
| 4.4      | Toy Bags                                                                             | N/A    |
| 4.5      | Glass                                                                                | N/A    |
| 4.6      | Expanding Materials                                                                  | N/A    |
| 4.7      | Edges                                                                                | P      |
| 4.8      | Points and Metallic Wires                                                            | P      |
| 4.9      | Protruding parts                                                                     | N/A    |
| 4.10     | Parts moving against each other                                                      |        |
| 4.10.1   | Folding and sliding mechanisms                                                       | N/A    |
| 4.10.2   | Driving mechanisms.                                                                  | N/A    |
| 4.10.3   | Hinges                                                                               | N/A    |
| 4.10.4   | Springs                                                                              | N/A    |
| 4.11     | Mouth-actuated toys and other toys intended to be put in the mouth                   | N/A    |
| 4.12     | Balloons                                                                             | N/A    |
| 4.13     | Cords of toy kites and other flying toys.                                            | N/A    |
| 4.14     | Enclosures                                                                           |        |
| 4.14.1   | Toys which a child can enter                                                         | N/A    |
| 4.14.2   | Masks and helmets                                                                    | N/A    |
| 4.15     | Toys intended to bear the mass of a child                                            |        |
| 4.15.1   | Toys propelled by the child or by other means                                        | N/A    |
| 4.15.2   | Toy bicycles                                                                         | N/A    |
| 4.15.3   | Rocking horses and similar toys                                                      | N/A    |
| 4.15.4   | Toys not propelled by a child                                                        | N/A    |
| 4.15.5   | Toys scooters                                                                        | N/A    |
| 4.16     | Heavy immobile toys                                                                  | P      |
| 4.17     | Projectiles                                                                          |        |
| 4.17.1   | General                                                                              | N/A    |
| 4.17.2   | All projectiles                                                                      | N/A    |
| 4.17.3   | Projectile toy with stored energy                                                    | N/A    |
| 4.17.4   | Certain projectile toys without stored energy                                        | N/A    |
| 4.18     | Aquatic toys and inflatable toys                                                     | N/A    |
| 4.19     | Percussion caps specifically designed for use in toys and toys using percussion caps | N/A    |
| 4.20     | Acoustics                                                                            |        |
| 4.20.2.1 | General                                                                              | N/A    |
| 4.20.2.2 | Close-to-the-ear toys                                                                | N/A    |
| 4.20.2.3 | Table-top or floor toys                                                              | N/A    |
| 4.20.2.4 | Hand-held toys                                                                       | N/A    |
| 4.20.2.5 | Toys using headphones or earphones                                                   | N/A    |
| 4.20.2.6 | Rattles                                                                              | N/A    |
| 4.20.2.7 | Squeeze toys                                                                         | N/A    |
| 4.20.2.8 | Pull-along or push toys                                                              | N/A    |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

| Section   | Description                                                              | Result |
|-----------|--------------------------------------------------------------------------|--------|
| 4.20.2.9  | Percussion toys                                                          | N/A    |
| 4.20.2.10 | Wind toys                                                                | N/A    |
| 4.20.2.11 | Cap-firing toys                                                          | N/A    |
| 4.20.2.12 | Voice toys                                                               | N/A    |
| 4.21      | Toys containing a non-electrical heat source                             | N/A    |
| 4.22      | Small balls                                                              | N/A    |
| 4.23      | Magnets                                                                  | N/A    |
| 4.24      | Yo-yo balls                                                              | N/A    |
| 4.25      | Toys attached to food                                                    | N/A    |
| 4.26      | Toy disguise costumes                                                    | N/A    |
| 4.27      | Flying toys                                                              |        |
| 4.27.1    | General                                                                  | N/A    |
| 4.27.2    | Rotors and propellers on flying toys                                     | N/A    |
| 4.27.3    | Rotors and propellers on remote controlled flying toys                   | N/A    |
| 5         | Toys intended for children under 36 months                               |        |
| 5.1       | General requirements                                                     | N/A    |
| 5.2       | Soft-filled toys and soft-filled parts of a toy                          | N/A    |
| 5.3       | Plastic sheeting                                                         | N/A    |
| 5.4       | Cords, chains and electrical cables in toys                              | N/A    |
| 5.5       | Liquid-filled toys                                                       | N/A    |
| 5.6       | Speed limitation of electrically-driven ride-on toys                     | N/A    |
| 5.7       | Glass and porcelain                                                      | N/A    |
| 5.8       | Shape and size of certain toys                                           | N/A    |
| 5.9       | Toys comprising monofilament fibres                                      | N/A    |
| 5.10      | Small balls                                                              | N/A    |
| 5.11      | Play figures                                                             | N/A    |
| 5.12      | Hemispheric-shaped toys                                                  | N/A    |
| 5.13      | Suction cups                                                             | N/A    |
| 5.14      | Straps intended to be worn fully or partially around the neck            | N/A    |
| 5.15      | Sledges with cords for pulling                                           | N/A    |
| 6         | Packaging                                                                | P      |
| 7         | Warnings, markings and instructions for use                              |        |
| 7.1       | General                                                                  | P      |
| 7.2       | Toys not intended for children under 36 months                           | P      |
| 7.3       | Latex Balloons                                                           | N/A    |
| 7.4       | Aquatic toys                                                             | N/A    |
| 7.5       | Functional Toys                                                          | N/A    |
| 7.6       | Hazardous sharp functional edges and points                              | N/A    |
| 7.7       | Projectiles toys                                                         | N/A    |
| 7.8       | Imitation protective masks and helmets                                   | N/A    |
| 7.9       | Toy kites                                                                | N/A    |
| 7.10      | Roller skates, inline skates, skateboards and certain other ride-on toys | N/A    |
| 7.11      | Toys intended to be strung across a cradle, cot, or perambulator         | N/A    |
| 7.12      | Liquid-filled teethingers                                                | N/A    |
| 7.13      | Percussion caps specifically designed for use in toys                    | N/A    |
| 7.14      | Acoustics                                                                | N/A    |
| 7.15      | Toys bicycles                                                            | N/A    |
| 7.16      | Toys intended to bear the mass of a child                                | N/A    |
| 7.17      | Toys comprising monofilament fibres                                      | N/A    |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

| Section | Description                                                                               | Result |
|---------|-------------------------------------------------------------------------------------------|--------|
| 7.18    | Toy scooters                                                                              | N/A    |
| 7.19    | Rocking horses and similar toys                                                           | N/A    |
| 7.20    | Magnetic/electrical experimental sets                                                     | N/A    |
| 7.21    | Toy with electrical cables exceeding 300mm in length                                      | N/A    |
| 7.22    | Toys with cords or chains intended for children of 18 months and over but under 36 months | N/A    |
| 7.23    | Toys intended to be attached to a cradle, cot or perambulator                             | N/A    |
| 7.24    | Sledges with cords for pulling                                                            | N/A    |
| 7.25    | Flying toys                                                                               |        |
| 7.25.1  | Flying toys                                                                               | N/A    |
| 7.25.2  | Remote controlled flying toys                                                             | N/A    |
| 7.26    | Improvised projectiles                                                                    | N/A    |

**Remark:**

P - Pass, F - Fail, N/A - Not Applicable, N/C - Not Conduct as per client's request

Eurofins Product Testing Service (Shanghai) Co., Ltd is a UKAS accredited laboratory, No.9670, and this test is under the accredited testing scope of UKAS.

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Labeling Requirement

Test Request: Labeling requirement including Washing/Cleaning instruction, CE mark, importer / manufacturer name and address, product identification as specified in Directive 2009/48/EC  
- Safety of toys

| Labeling Content              | Observation Result                              | Location          | Conclusion |
|-------------------------------|-------------------------------------------------|-------------------|------------|
| Washing/Cleaning Instruction  | Not Applicable                                  | -                 | -          |
| CE Mark                       | Present, Correct form, CE marking (height >5mm) | Packaging         | Pass       |
| Importer's Name & Address     | Present                                         | Packaging         | Pass       |
| Manufacturer's Name & Address | Present                                         | Packaging Product | Pass       |
| Product ID                    | Present                                         | Packaging Product | Pass       |

### Flammability of Toys

Test Request: As Specified in European Standard on Safety of Toys EN 71-2:2020

| Section | Description                                                           | Result |
|---------|-----------------------------------------------------------------------|--------|
| 4       | Requirements                                                          |        |
| 4.1     | General Requirements                                                  | P      |
| 4.2     | Toys to be worn on the head                                           | N/A    |
| 4.3     | Toy disguise costumes and toys intended to be worn by a child in play | N/A    |
| 4.4     | Toys intended to be entered by a child                                | N/A    |
| 4.5     | Soft-filled toys                                                      | N/A    |

#### Remark:

P - Pass, F - Fail, N/A - Not Applicable

Eurofins Product Testing Service (Shanghai) Co., Ltd is a UKAS accredited laboratory, No.9670, and this test is under the accredited testing scope of UKAS.

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Migration of Certain Elements

Test Request: Migration of certain elements as specified in European Standard on Safety of Toys EN 71-3:2019+A1:2021.

Test Method: General elements, with reference to EN 71-3:2019+A1:2021, analysis was performed by ICP-MS;  
Extractable Chromium (VI), with reference to EN 71-3:2019+A1:2021, analysis was performed by IC-ICP-MS;  
Extractable organic tin, with reference to EN 71-3:2019+A1:2021, analysis was performed by GC-MS.

| Test Item(s):                          | Unit  | Result |     |     |     |     |     |     |     |
|----------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|-----|
|                                        |       | 1      | 2   | 3   | 4   | 5   | 6   | 7   | 8   |
| Category Type                          |       | III    | III | III | III | III | III | III | III |
| Extractable Lead (Pb)                  | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Antimony (Sb)              | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Arsenic (As)               | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Barium (Ba)                | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Cadmium (Cd)               | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Mercury (Hg)               | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Selenium (Se)              | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Boron (B)                  | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Cobalt (Co)                | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Manganese (Mn)             | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Strontium (Sr)             | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Zinc (Zn)                  | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Copper (Cu)                | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Aluminum (Al)              | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Nickel (Ni)                | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Tin (Sn)                   | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Chromium#2                 | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Organic Tin#1              | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Chromium (III) (Cr III) #3 | mg/kg | -      | -   | -   | -   | -   | -   | -   | -   |
| Extractable Chromium (VI) (Cr VI)      | mg/kg | -      | -   | -   | -   | -   | -   | -   | -   |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

| Test Item(s):                          | Unit  | Result |     |     |     |     |     |     |     |
|----------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|-----|
|                                        |       | 9      | 10  | 11  | 12  | 13  | 14  | 15  | 16  |
| Category Type                          |       | III    | III | III | III | III | III | III | III |
| Extractable Lead (Pb)                  | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Antimony (Sb)              | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Arsenic (As)               | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Barium (Ba)                | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Cadmium (Cd)               | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Mercury (Hg)               | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Selenium (Se)              | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Boron (B)                  | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Cobalt (Co)                | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Manganese (Mn)             | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Strontium (Sr)             | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Zinc (Zn)                  | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Copper (Cu)                | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Aluminum (Al)              | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Nickel (Ni)                | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Tin (Sn)                   | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Chromium#2                 | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Organic Tin#1              | mg/kg | ND     | ND  | ND  | ND  | ND  | ND  | ND  | ND  |
| Extractable Chromium (III) (Cr III) #3 | mg/kg | -      | -   | -   | -   | -   | -   | -   | -   |
| Extractable Chromium (VI) (Cr VI)      | mg/kg | -      | -   | -   | -   | -   | -   | -   | -   |

| Test Item(s):                          | Unit  | Result |     |
|----------------------------------------|-------|--------|-----|
|                                        |       | 17     | 18  |
| Category Type                          |       | III    | III |
| Extractable Lead (Pb)                  | mg/kg | ND     | ND  |
| Extractable Antimony (Sb)              | mg/kg | ND     | ND  |
| Extractable Arsenic (As)               | mg/kg | ND     | ND  |
| Extractable Barium (Ba)                | mg/kg | ND     | ND  |
| Extractable Cadmium (Cd)               | mg/kg | ND     | ND  |
| Extractable Mercury (Hg)               | mg/kg | ND     | ND  |
| Extractable Selenium (Se)              | mg/kg | ND     | ND  |
| Extractable Boron (B)                  | mg/kg | ND     | ND  |
| Extractable Cobalt (Co)                | mg/kg | ND     | ND  |
| Extractable Manganese (Mn)             | mg/kg | ND     | ND  |
| Extractable Strontium (Sr)             | mg/kg | ND     | ND  |
| Extractable Zinc (Zn)                  | mg/kg | ND     | ND  |
| Extractable Copper (Cu)                | mg/kg | ND     | ND  |
| Extractable Aluminum (Al)              | mg/kg | ND     | ND  |
| Extractable Nickel (Ni)                | mg/kg | ND     | ND  |
| Extractable Tin (Sn)                   | mg/kg | ND     | ND  |
| Extractable Chromium#2                 | mg/kg | ND     | ND  |
| Extractable Organic Tin#1              | mg/kg | ND     | ND  |
| Extractable Chromium (III) (Cr III) #3 | mg/kg | -      | -   |
| Extractable Chromium (VI) (Cr VI)      | mg/kg | -      | -   |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

**Note:**

#1 - The migration of organic tin is expressed as tributyltin.

#2 - If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium(III) and Chromium(VI).

#3 - In particular Chromium (III) is calculated by subtracting the Chromium (VI) concentration from the total chromium concentration.

**Remarks:**

mg/kg = milligram per kilogram

MDL = Method Detection Limit

ND = Not Detected, less than MDL

Eurofins Product Testing Service (Shanghai) Co., Ltd is a UKAS accredited laboratory, No.9670, and this test is under the accredited testing scope of UKAS.

**Limits –MDL per category type:**

| Test Item(s):                       | Unit  | Limit | MDL  | Limit | MDL   | Limit  | MDL  |
|-------------------------------------|-------|-------|------|-------|-------|--------|------|
| Category Type                       |       | I     |      | II    |       | III    |      |
| Extractable Lead (Pb)               | mg/kg | 2.0   | 1.0  | 0.5   | 0.2   | 23     | 10   |
| Extractable Antimony (Sb)           | mg/kg | 45    | 5    | 11.3  | 1     | 560    | 10   |
| Extractable Arsenic (As)            | mg/kg | 3.8   | 0.2  | 0.9   | 0.1   | 47     | 5    |
| Extractable Barium (Ba)             | mg/kg | 1500  | 50   | 375   | 10    | 18750  | 50   |
| Extractable Cadmium (Cd)            | mg/kg | 1.3   | 0.1  | 0.3   | 0.05  | 17     | 1    |
| Extractable Mercury (Hg)            | mg/kg | 7.5   | 0.5  | 1.9   | 0.2   | 94     | 10   |
| Extractable Selenium (Se)           | mg/kg | 37.5  | 2    | 9.4   | 1     | 460    | 10   |
| Extractable Boron (B)               | mg/kg | 1200  | 50   | 300   | 10    | 15000  | 50   |
| Extractable Cobalt (Co)             | mg/kg | 10.5  | 1    | 2.6   | 0.2   | 130    | 10   |
| Extractable Manganese (Mn)          | mg/kg | 1200  | 50   | 300   | 10    | 15000  | 50   |
| Extractable Strontium (Sr)          | mg/kg | 4500  | 50   | 1125  | 50    | 56000  | 50   |
| Extractable Zinc (Zn)               | mg/kg | 3750  | 50   | 938   | 50    | 46000  | 50   |
| Extractable Copper (Cu)             | mg/kg | 622.5 | 10   | 156   | 10    | 7700   | 50   |
| Extractable Aluminum (Al)*          | mg/kg | 2250  | 50   | 560   | 50    | 28130  | 50   |
| Extractable Nickel (Ni)             | mg/kg | 75    | 5    | 18.8  | 2     | 930    | 10   |
| Extractable Tin (Sn)                | mg/kg | 15000 | 50   | 3750  | 50    | 180000 | 50   |
| Extractable Organic Tin             | mg/kg | 0.9   | 0.2  | 0.2   | 0.2   | 12     | 0.2  |
| Extractable Chromium                | mg/kg | -     | 0.02 | -     | 0.005 | -      | 0.02 |
| Extractable Chromium (III) (Cr III) | mg/kg | 37.5  | 2    | 9.4   | 1     | 460    | 10   |
| Extractable Chromium (VI) (Cr VI)   | mg/kg | 0.02  | 0.02 | 0.005 | 0.005 | 0.053  | 0.02 |

Category I: dry, brittle, powder-like or pliable toy material

Category II: liquid or sticky toy material

Category III: scrapped-off toy material

"-" = Not Regulated

\* - The migration limits for Aluminium have been amended by Commission Directive (EU) 2019/1922. The new limit values (2250 mg/kg, 560 mg/kg and 28130 mg/kg, respectively) apply from 2021-05-20. Before this date the limit values 5625 mg/kg, 1406 mg/kg and 70000 mg/kg, respectively, apply.

\*\*\*END OF THE REPORT\*\*\*