



NO.222600328995206



运输危险性鉴定书

Hazard Classification and
Identification Report for Transport of Goods

非限制性货物

样品名称： 阀控密封铅酸电池 6-FM-4.5 12V 4.5AH

Sample Name: VALVE REGULATED ACID BATTERY 6-FM-4.5 12V 4.5AH

委托单位： 浙江平湖华龙实业股份有限公司
Zhejiang Pinghu Hualong Industrial.,Co Ltd

生产单位： 浙江平湖华龙实业股份有限公司
Zhejiang Pinghu Hualong Industrial.,Co Ltd



上海化工院检测有限公司
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600328995206

Page 1 / 3

样品名称 Sample Name	中文 Chinese	阀控密封铅酸电池 6-FM-4.5 12V 4.5AH	
	英文 English	VALVE REGULATED ACID BATTERY 6-FM-4.5 12V 4.5AH	
委托单位 Applicant		浙江平湖华龙实业股份有限公司 Zhejiang Pinghu Hualong Industrial., Co Ltd	
生产单位 Manufacturer		浙江平湖华龙实业股份有限公司 Zhejiang Pinghu Hualong Industrial., Co Ltd	
检验方法、程序 Inspection Methods and Procedures		国际海事组织《国际海运危险货物规则》(2024版) IMO International Maritime Dangerous Goods Code (2024 Edition)	
样品外观与气味 Appearance & Odor		黑色塑胶外壳, 无臭 Black Plastics cement shell, Odorless	
I D E N T I F I C A T I O N C O N C L U S I O N	鉴定结论	1. 危险性识别 (Hazards identification) 无。 None.	
		2. 海运按照IMO IMDG Code办理的类项 (Suggestion according to IMO IMDG Code) 根据特殊规定238, 可按非限制性货物条件办理。 The product is not subject to IMO IMDG Code according to special provision 238.	
		3. 包装类别 (Packing Group) 无。 None.	
		检验日期: 2025-12-26 签发日期: 2025-12-26 Inspection Date: Issue Date:	
备注 Comment		生效日期: 2026-01-01 Effective Date:	

批准
Approver:

毛家

审核
Checker:

董学胜

主检
Appraiser:

孙倩



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600328995206

Page 2 / 3

序号 NO	检验项目名称 Name of Test Items	标准要求或标准条款号 Standard requirement or The Clause Number of Standard	检测结果 Test Result	本项结论 Conclusion	备注 Remark
3	振动试验 Vibration test	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
6	压差试验 Pressure differential test	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
9	55℃漏液试验 Leakage test at 55℃	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(b) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(b)	合格。 Passed.	合格。 Passed.	/
备注 Comment		电池必须具有适当的防短路措施, 若是以电池为动力的装置、设备或车辆还 须采取有效的防止意外启动措施。 The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.			

运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600328995206

Page 3 / 3



报告结束