



CONSUMER PRODUCTS SERVICES DIVISION

YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: (9126)090-0481

Date Received: APR. 01, 2026

APR. 30, 2026

Page 1 of 25

YZ SUNSHINE ARTS&CRAFTS CO.LTD
LAOQINGDUN PRIMARY SCHOOL, LUBEI VILLAGE, DAYI TOWN, YANGZHOU
CITY, JIANGSU PROVINCE, CHINA

Sample Description:	KIDS ROCKING HORSE	Sample Quantity:	1
Vendor:	N/A	Item/Style No(s):	330-221V00BN
Manufacturer:	N/A		330-220V00WT
			330-218V00WT
			330-217V00BU
			330-219V00GY
			330-219V00DR
Buyer:	N/A	SKN/SKU No.:	N/A
Labeled Age Grade:	12M-36M	PO No.:	N/A
Client Specified Age Grade:	FROM 12 TO 36 MONTHS OF AGE	Ref #:	N/A
Tested Age Grade:	FROM 12 TO 36 MONTHS OF AGE	Country of Origin:	N/A
UPC Code:	N/A	Assortment No.:	N/A
		Country of Destination:	N/A

EXECUTIVE SUMMARY:

TEST REQUESTED	CONCLUSION
The mechanical hazards requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".	PASS
The labeling requirements of ASTM F963-23, "Standard consumer safety specification for toy safety".	PASS
The tracking label requirement of the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking Labels for Children's Products.	PASS
The flammability requirement of solids under ASTM F963-23 section 4.2 according to Annex A5, "Flammability testing procedure for solids and soft toys".	PASS
The mechanical hazards requirements of the tested sections of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 and Schedule 2.	PASS
The cellulose nitrate requirements of Canada Toys Regulations, SOR/2011-17, section 21.	PASS
The packaging and labeling requirements of Canada consumer packaging and labeling regulations.	PASS
The flammability requirements of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17, section 32.	PASS
The total lead content of 100ppm requirements in substrate materials (Consumer Products Safety Improvement Act	PASS

Bureau Veritas Shanghai Limited
Nanjing Branch
F19, 20. Blk C, Molding Center, No. 2
Qingshuiting West Road, Molding Street,
Jiangning District, Nanjing,
Jiangsu, China, 211100
Tel: 86-25-52076128
Fax: 86-25-52076122
Email:
bvcpinfor.nj@bureauveritas.com
Website: cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 2 of 26

RESULTS:

(CPSIA) of 2008).	
The initial total heavy metals content analysis for soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).	PASS
The soluble heavy metals content in substrate requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2(2)(b).	PASS
Phthalates Content in Children's Toys and Child Care Articles - United States Code of Federal Regulations (CFR), Title 16, Part 1307 / ASTM F963-23 Sec.4.3.8.	PASS
Total Lead Content in Certain Children Products - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Consumer Products Containing Lead Regulations SOR/2018-83.	PASS
The total heavy metals content in plastic requirement of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 Sec. 27(a) with Amendment in SOR/2016-302.	PASS
The soluble heavy metals content in plastic requirement of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 Sec. 27(a) with Amendment in SOR/2016-302.	PASS
Phthalates Content in Toys and Child Care Articles composed of Vinyl - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Phthalates Regulations SOR/2016-188, Section 2.	N/A
Phthalates Content in Toys and Child Care Articles composed of Vinyl which can be placed in Mouth by Children under 4 Years of Age - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Phthalates Regulations SOR/2016-188, Section 3.	N/A
The total lead content of 90ppm requirements of 16 CFR 1303, "Ban of lead-containing paint and certain consumer products bearing lead-containing paint" as mandated by Congress in section 101(f) of the Consumer Products Safety Improvement Act (CPSIA) of 2008, Public Law 110-314.	N/A
The soluble heavy metals content in surface coating requirements of ASTM F963-23, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.1(2).	N/A
Heavy metal in surface coating (Canada Toys Regulations (SOR/2011-17) Sec.23 / Regulations Amending Certain Regulations Made Under CCPSA (Surface Coating Materials) (SOR/2022-122)).	N/A



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 3 of 26

RESULTS:

Total lead in surface coating (to be applied by consumer) (Canada Surface Coating Materials Regulations (SOR/2016-193) Sec.2 / Regulations Amending Certain Regulations Made Under CCPSA (Surface Coating Materials) (SOR/2022-122)).	N/A
Total mercury in surface coating (Canada Surface Coating Materials Regulations (SOR/2016-193) Sec.5 / Regulations Amending Certain Regulations Made Under CCPSA (Surface Coating Materials) (SOR/2022-122)).	N/A



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 4 of 26

RESULTS:

NOTE:

1. The samples are tested for "FROM 12 TO 36 MONTHS OF AGE" as the client's request.
2. With the client's prior consent, The flammability requirements of Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17, section 32 is subcontracted to Bureau Veritas Shanghai.

BVCPS (Shanghai) Nanjing branch contact information for this report

Technical Questions:

Nut Wang 025-52076077, E-mail: nut.wang@bureauveritas.com

Concerns About Billing and General Inquires:

Rita Zhang 025-52076026, E-mail: rita-jm.zhang@bureauveritas.com

**BUREAU VERITAS
CONSUMER PRODUCTS SERVICES (SHANGHAI)
NANJING BRANCH**

Rita Zhang

RITA ZHANG
PROGRAM MANAGER (HLTY DIVISION)



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 5 of 26

RESULTS:

SAMPLES 330-221V00BN,330-218V00WT,330-217V00BU,330-219V00GY,330-219V00DR:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request BVCPS to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable

Test	Test Parameters	Standard Reference
Drop	10 x 4.5 ft	1500.51(b)
Torque	4 in-lbs	1500.53(e)
Tension	15 lbs	1500.53(f)



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 6 of 26

RESULTS:

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-23)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials	N/A
4.5	Sound-producing Toys	M
4.6	Small Objects	M
4.7	Accessible Edges	M
4.8	Projections	N/A
4.9	Accessible Points	M
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	M
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	M
4.15	Stability and Over-load Requirements	M
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-operated Toys (exclude Section 4.25.9 & Section 4.25.10)	M
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-type Toys	M
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

M = Meet NM = Not Meet N/A = Not Applicable NR = Not Request R = Refer to Comment Section



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 7 of 26

RESULTS:

LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-23)

Section	Requirement	Result
5.1.2	Tracking label	M
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpen Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	M
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.14	Battery-Operated Toys (exclude 5.15.1 and 5.15.2)	N/A
5.14.1 & 5.3	Battery-Powered Ride-On Toys	N/A
5.14.2 & 5.3	Button or Coin Cell Batteries	N/A
5.15	Promotional Materials	M
5.16 & 5.3	Magnets	N/A
6.1	Definition and Description	M
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4 & 5.3	Toys Intended to be Assembled by an Adult	M
6.5	Battery-Operated Toys	N/A
6.6	Battery-Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
6.9	Toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7.1	Producer's Name and Address	M
7.2	Battery-powered Ride-on Toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable NR = Not Request R = Refer to Comment Section

FLAMMABILITY (ASTM F963-23 section 4.2 according to Annex A5)

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	ASTM F963-23 section 4.2 according to Annex A5	Ignited but Self-Extinguished.



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 8 of 26

RESULTS:

SAMPLES 330-221V00BN,330-220V00WT:

CANADA CONSUMER PRODUCT SAFETY ACT	
------------------------------------	--

Test Method	: CANADA CONSUMER PRODUCT SAFETY ACT
--------------------	---

REASONABLY FORESEEABLE USE TESTS	
Test	Test Parameters
Drop	4 x 4.5 ft
Push/ Pull test	10 lbs
Eye/ Nose Tension test	20lb, 5mins

CANADA CONSUMER PRODUCT SAFETY ACT, TOYS REGULATIONS, SOR/2011-17

Section	Parameter / Requirement	Result
Mechanical Hazards		
3	General – Official language	M
4	Flexible film bags	M
4(a)	Opening Circumference	NA
4(b)	Thickness and Warning	M
7	Small Toys and Detachable component	M
8	Metal edge	M
9	Wires frames	NA
10	Plastic Edges	M
11	Wood	M
12	Glass	NA
13	Nails and fasteners	NA
14	Safety stops/Locking Device for Folding product	NA
15 (a, b)	Moving Mechanism	NA
15 (c)	Non- Detachable Winding Key Clearance	NA
15 (d)	Detachable Key	NA
16	Projectile Toy	NA
17	Enclosures	NA
18	Stability	M
19	Auditory hazards	M
Specific Products – Dolls, Plush Toys and Soft Toys		
28	Exposed Sharp Points and Edges	M
29. (a)	Stuffing Materials shall be clean and free from vermin	M
29. (b)	Stuffing Materials shall be free from hard and sharp foreign matter	M
30	Squeaker, Reed and Valve	NA
31	Eyes and Nose	M



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 9 of 26

RESULTS:

CANADA CONSUMER PRODUCT SAFETY ACT, TOYS REGULATIONS, SOR/2011-17

Section	Parameter / Requirement	Result
Specific Products		
35&36	Plant seeds	M
37	Pull and Push toys	NA
38	Toys Steam engine Boilers	NA
39	Finger Paints	NA
40(a)	Rattles – Sharp wire	NA
40(b, c)	Rattles – Impaction	NA
41	Elastic	NA
42	Yo-Yo type balls	NA
43	Magnetic force	NA
44	Educational experimental kit - Labeling	NA

CANADA CONSUMER PRODUCT SAFETY ACT, SCHEDULE 2

Section	Parameter / Requirement	Result
Mechanical Hazards		
1*	Jequirity Beans	M
8*	Kites	NA
9	Kite strings	NA
14*	Lawn, darts with elongated tips	NA

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

** = Non-accredited section*



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 10 of 26

RESULTS:

**FLAMMABILITY OF CELLULOSE NITRATE
TOY REGULATIONS SOR/2011-17 SECTION 21**

Requirement Reference	Observation	Flammability Classification
Section 21	No Flash Effect	M

M = Meet NM-See comment = Not Meet - Refer to Comment Section NA = Not Applicable

**CANADA CONSUMER PRODUCT SAFETY ACT – TOYS Regulations
SOR/2011-17
FLAMMABILITY OF OUTER COVERING**

Test Method	:	CANADA CONSUMER PRODUCT SAFETY ACT – TOYS Regulations SOR/2011-17 FLAMMABILITY OF OUTER COVERING ON DOLL, PLUSH TOY AND SOFT TOY
--------------------	----------	---

Section	Parameter / Requirement	Result
32	Did Not Ignited	M
32	Ignited but Self-Extinguished	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 11 of 26

RESULTS:

Tested component(s) breakdown list

Sample Identity	Color / Component	Location	Style
1.	RED/WHITE RAISED FABRIC	/	ALL
2.	ORANGE FLEECE	/	330-221V00BN
3.	WHITE EMBROIDERY THREAD	/	330-221V00BN
4.	WHITE FLEECE	/	330-221V00BN
5.	BROWN EMBROIDERY THREAD	/	330-221V00BN
6.	PINK EMBROIDERY THREAD	/	330-221V00BN
7.	BROWN FLEECE	/	330-221V00BN
8.	BROWN RIBBON	/	330-221V00BN
9.	WHITE VELCRO HOOK	/	ALL
10.	WHITE VELCRO LOOP	/	ALL
11.	WHITE RAISED FABRIC	/	ALL
12.	FILLER	/	ALL
13.	WOOD	/	ALL
14.	BLACK PLASTIC SNAP	/	330-221V00BN, 330-220V00WT, 330-218V00WT
15.	WHITE PLASTIC BATTERY BOX	/	ALL
16.	WHITE PLASTIC BATTERY BOX COVER	/	ALL
17.	WHITE WIRE COVER (PVC)	/	330-221V00BN, 330-219V00GY
18.	TRANSPARENT WHITE FOAM	/	330-221V00BN, 330-220V00WT, 330-218V00WT
19.	HOT MELT ADHESIVE	/	ALL
20.	BROWN PLASTIC SHEET	/	330-221V00BN
21.	GREEN PLASTIC RING	/	330-221V00BN
22.	TRANSPARENT PLASTIC RING	/	330-221V00BN
23.	YELLOW WIRE COVER (PVC)	/	330-220V00WT, 330-218V00WT, 330-217V00BU, 330-219V00GY,
24.	PINK FAUX FUR (PVC)	/	330-218V00WT
25.	GOLDEN FOIL COATING WITH FABRIC	/	330-218V00WT
26.	WHITE BASE FABRIC	/	330-218V00WT
27.	BEIGE WHITE BERBER FLEECE	/	330-218V00WT, 330-219V00GY
28.	PINK RAISED FABRIC	/	330-218V00WT
29.	PINK FLEECE	/	330-218V00WT
30.	PINK RIBBON	/	330-218V00WT



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 12 of 26

RESULTS:

31.	COFFEE BERBER FLEECE	/	330-218V00WT
32.	TRANSPARENT PLASTIC EYES	/	330-218V00WT, 330-219V00GY, 330-219V00DR
33.	TRANSPARENT WHITE PLASTIC RING	BEHIND THE EYE	330-218V00WT, 330-217V00BU
34.	PINK COATING WITH BLACK PLASTIC ROD	BEHIND THE EYE	330-218V00WT
35.	DARK BLUE FLEECE	/	330-217V00BU
36.	BLUE WOVEN FABRIC	/	330-217V00BU
37.	BEIGE WHITE WOVEN FABRIC	/	330-217V00BU, 330-219V00GY, 330-219V00DR
38.	BLACK PLASTIC EYES	/	330-217V00BU
39.	BLACK PLASTIC ROD	BEHIND THE EYE	330-217V00BU
40.	WHITE FOAM	/	330-217V00BU
41.	KHAKI WOVEN FABRIC	/	330-219V00GY
42.	FLESH COLOR RAISED FABRIC	/	330-219V00GY, 330-219V00DR
43.	TRANSPARENT WHITE PLASTIC RING	BEHIND THE EYE	330-219V00GY, 330-219V00DR
44.	BROWN COATING WITH BLACK PLASTIC ROD	/	330-219V00GY, 330-219V00DR
45.	BROWN FAUX LEATHER	/	330-219V00GY
46.	TRANSPARENT WHITE PLASTIC BUCKLE	/	330-219V00GY, 330-219V00DR
47.	GRAY PLASTIC HANDLE BAR	/	330-219V00GY, 330-219V00DR
48.	KHAKI FAUX FUR (PVC)	/	330-219V00GY
49.	DARK KHAKI WOVEN FABRIC	/	330-219V00DR
50.	COFFEE WOVEN FABRIC	/	330-219V00DR
51.	WHITE BERBER FLEECE	/	330-219V00DR
52.	BLACK FAUX LEATHER	/	330-219V00DR
53.	BROWN FAUX FUR (PVC)	/	330-219V00DR
54.	SMALL SILVER WHITE METAL SCREWS	BATTERY BOX	ALL
55.	SILVER METAL SCREWS	BATTERY BOX	ALL
56.	METAL NUTS	WOOD	ALL
57.	METAL GASKETS	WOOD	ALL
58.	METAL GASKETS	WOOD	ALL
59.	BIG METAL GASKETS	WOOD	330-221V00BN, 330-220V00WT, 330-218V00WT
60.	METAL SILVER NAILS	/	330-219V00GY, 330-219V00DR
61.	SILVER WHITE METAL SCREWS	BATTERY BOX	330-219V00GY, 330-219V00DR
62.	FOOT PEDAL BAR	/	330-219V00GY,



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 13 of 26

RESULTS:

			330-219V00DR
63.	FOOT PEDAL BOARD	/	330-219V00GY, 330-219V00DR



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 14 of 26

RESULTS:

TOTAL LEAD CONTENT IN SUBSTRATE (100PPM) (Consumer Product Safety Improvement Act (CPSIA) of 2008)

Test Method: U.S. CPSC-CH-E1001-08.3:2012 or U.S. CPSC-CH-E1002-08.3:2012

Analyte	Lead	
Requirement: Maximum allowable limit:	100 mg/kg	

Analyte			Lead (Pb)	Conclusion
Sample Description			Result	
Color / Component	Location	Style	(mg/kg)	
014+015+016	/	/	LT 10	Pass
017+023	/	/	LT 10	Pass
018+019+025	/	/	LT 10	Pass
020+021+022	/	/	LT 10	Pass
024+048+053	/	/	LT 10	Pass
032+033+034	/	/	LT 10	Pass
038+039+043	/	/	LT 10	Pass
040+045+052	/	/	LT 10	Pass
044+046+047	/	/	LT 10	Pass
054	/	/	17.3	Pass
055	/	/	11.8	Pass
056	/	/	11.8	Pass
057	/	/	LT 10	Pass
058	/	/	15.1	Pass
059	/	/	36.7	Pass
060	/	/	LT 10	Pass
061	/	/	LT 10	Pass
062	/	/	LT 10	Pass
063	/	/	18.7	Pass

LT = Less Than

* = Average of duplicate analyses

mg/kg =milligrams per kilogram (ppm=parts per million)

[illegible]



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 16 of 26

RESULTS:

061	LT 5	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	Pass
062	LT 5	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	Pass
063	LT 5	LT 10	LT 10	833	LT 10	18.7	LT 10	LT 10	Data

mg/kg = milligrams per kilogram (ppm=parts per million)

LT = Less Than

As = Arsenic, Ba = Barium, Cd = Cadmium,

Cr = Chromium, Hg = Mercury, Pb = Lead,

Sb = Antimony, Se = Selenium

Remark:

On an initial analysis for soluble heavy metals content, any component of greater than 80% of the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis of ASTM F963-23, Sections 8.3.2 to 8.3.4 as specified in Section 8.3.1.3. The result herein is for reference only (show Data), please refer to soluble heavy metals content analysis for the corresponding conclusive results.

[illegible]



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 18 of 26

RESULTS:

030	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
031	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
035	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
036	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
037	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
041	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
042	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
049	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
050	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
051	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
024	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
048	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
053	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
040	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
045	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
052	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
057	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
063	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
014	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
015	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass
016	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	/	Pass

mg/kg = milligrams per kilogram (ppm=parts per million)

CR = adjusted analytical result

LT = Less Than

As = Arsenic, Ba = Barium, Cd = Cadmium,

Cr = Chromium, Hg = Mercury, Pb = Lead,

Sb = Antimony, Se = Selenium

Remark:

Textiles (natural or synthetic) are exempted for lead content requirement according to clarification of Toy Industry Association for ASTM F963-23. The lead content analysis result of corresponding material herein is for client's reference only.



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 19 of 26

RESULTS:

Phthalates Content in Children's Toys and Child Care Articles - United States Code of Federal Regulations (CFR), Title 16, Part 1307 / ASTM F963-23 Sec.4.3.8.

Test Method : With reference to U. S. CPSC Test Method CPSC-CH-C1001-09.4 (January 23, 2018).

Maximum Allowable Limit :	1 000 mg/kg (Each of the listed phthalates)			
Test Item(s)	Result			Conclusion
	Detected Analyte(s)	Conc.	Unit	
014+015+016	ND	ND	%	PASS
018+019+025	ND	ND	%	PASS
024+048+053	ND	ND	%	PASS
032+033+034	ND	ND	%	PASS
038+039+043	ND	ND	%	PASS
040+045+052	ND	ND	%	PASS
044+046+047	ND	ND	%	PASS

Note / Key :

ND = Not detected

">" = Greater than

Conc. = Concentration

% = percent

1 % = 10 000 mg/kg

U. S. CPSC = United States Consumer Product Safety Commission

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Detection Limit (mg/kg) - Each of the listed phthalates : 50

Remark :

- The list of phthalates is summarized in table of Appendix.

APPENDIX

LIST OF PHTHALATES [U. S. 16 CFR 1307] :					
NO.	NAME OF ANALYTE(S)	CAS-NO.	NO.	NAME OF ANALYTE(S)	CAS-NO.
1	Butyl benzyl phthalate (BBP)	85-68-7	5	Di-iso-butyl phthalate (DIBP)	84-69-5
2	Dibutyl phthalate (DBP)	84-74-2	6	Di-n-pentyl phthalate (DnPP or DPENP)	131-18-0
3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	7	Di-n-hexyl phthalate (DnHP or DHEXP)	84-75-3
4	Di-iso-nonyl phthalate (DINP)	28553-12-0	8	Di-cyclohexyl phthalate (DCHP)	84-61-7
CAS-No. = Chemical Abstracts Service registry number					



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 20 of 26

RESULTS:

Total Lead Content in Certain Children Products - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, Consumer Products Containing Lead Regulations SOR/2018-83

Maximum Allowable Limit :	90 mg/kg^[a]
----------------------------------	-------------------------------

-	Unit	Result		
Test Item(s)	-	014+015+016	017+023	018+019
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND
Conclusion	-	PASS	PASS	PASS

-	Unit	Result		
Test Item(s)	-	020+021+022	054	055
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	ND	17.3	11.8
Conclusion	-	PASS	PASS	PASS

-	Unit	Result		
Test Item(s)	-	056	057	058
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	11.8	ND	15.1
Conclusion	-	PASS	PASS	PASS

-	Unit	Result		
Test Item(s)	-	059	-	-
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	36.7	-	-
Conclusion	-	PASS	-	-

Note / Key :

ND = Not detected ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
10 000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) - 10

Remark :

- Accessible surface coating(s) and substrate(s), in the as received state, of the following products are applicable to be tested with the exclusion for kitchen utensils, products subject to CCPSA, S.C. 2010, c. 21, Glazed Ceramic and Glassware Regulations SOR/2016-175 and books or similar printed products printed on paper or cardboard or printed and bound in a conventional manner using conventional materials.
 - Product that is brought into contact with the user's mouth during normal use.
 - Clothing or clothing accessory that is intended for use by a child under 14 years of age.
 - Product that is intended for use in learning or play by a child under 14 years of age.
 - Book or similar printed product that is intended for a child under 14 years of age.
 - Product whose primary purpose is to facilitate the relaxation, sleep, hygiene, carrying or transportation of a child under four years of age.



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 21 of 26

RESULTS:

- Testing is not conducted on non-suspect materials as defined by United States Consumer Products Safety Commission (CPSC) in Code of Federal Regulations (CFR), Title 16, Sections 1500.91(d) and (e).
- ^[a] denotes as this maximum allowable limit applies to product(s) placed on the market on or after November 2, 2018 only.
- Vendor is responsible for the compliance of non-suspect material(s) which was (were) not tested.



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 22 of 26

RESULTS:

THE TOTAL HEAVY METALS CONTENT IN PLASTIC (Canada Consumer Product Safety Act - Toys Regulations, SOR/2011-17 Sec. 27(a) with Amendment in SOR/2016-302)

Analyte	As	Ba	Cd	Cr	Hg	Sb	Se	
Maximum Limit (mg/kg)	25	1000	75	60	60	60	500	

Analyte	As	Ba	Cd	Cr	Hg	Sb	Se	
Sample	Result (mg/kg)							Conclusion
014+015+016	LT 5	643	LT 10	LT 10	LT 10	LT 10	LT 10	DATA
017+023	LT 5	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	PASS
018+019+025	LT 5	10.9	LT 10	LT 10	LT 10	LT 10	LT 10	PASS
020+021+022	LT 5	LT 10	LT 10	LT 10	LT 10	LT 10	LT 10	PASS

mg/kg = milligrams per kilogram (ppm=parts per million)

*= Average of duplicate analysis

ND = Not detected

LT = Less Than

Detection limit (mg/kg): As and Cr = 7, Hg = 5, other elements = 10

As = Arsenic, Ba = Barium, Cd = Cadmium,
Cr = Chromium, Hg = Mercury, Sb = Antimony,
Se = Selenium



YZ SUNSHINE ARTS&CRAFTS CO.LTD

Technical Report: **(9126)090-0481**

APR. 30, 2026

Page 23 of 26

RESULTS:

THE SOLUBLE HEAVY METALS CONTENT IN PLASTIC (Canada Consumer Product Safety Act - Toys Regulations, SOR/2011-17 Sec. 27(a) with Amendment in SOR/2016-302)

Analyte	As	Ba	Cd	Cr	Hg	Sb	Se	
Maximum Limit (mg/kg)	25	1000	75	60	60	60	500	

Analyte	As	Ba	Cd	Cr	Hg	Sb	Se	
Sample	Result (mg/kg)							Conclusion
014	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	PASS
015	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	PASS
016	LT 2.5	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5	PASS

mg/kg = milligrams per kilogram (ppm=parts per million)

**= Average of duplicate analysis*

ND = Not detected

LT = Less Than

Detection limit (mg/kg): As and Cr = 7, Hg = 5, other elements = 10

*As = Arsenic, Ba = Barium, Cd = Cadmium,
Cr = Chromium, Hg = Mercury, Sb = Antimony,
Se = Selenium*

RESULTS:

EXHIBIT



RESULTS:

**APPENDIX
ADDITIONAL MODEL**

MODEL NO.	PICTURE
330-221V00BN	
330-220V00WT	
330-218V00WT	
330-217V00BU	

RESULTS:

330-219V00GY			
330-219V00DR			

-----End The Report-----