

Test Report

Number: SZHH02064400S1

Applicant: YIWU ZHIHUIXING TOYS CO.,LTD
189 QIUSHI ROAD, BEIYUAN DISTRICT,
YIWU, ZHEJIANG, CHINA.

Date: Aug 01, 2025

*This is to supersede Report No.
SZHH02064400 dated Jul 15,
2025*

Sample Description:

Nine (9) sets of submitted sample said to be :
Item Name : **Electric Ride On Car.**
Item No. : **8858.**
Labelled Age Group : Over 18 Months
Applicant Specified Age : Over 18 Months
Grading for Testing :
Test Age Group : Over 18 Months
Packaging Provided by : Yes (Artwork)
Applicant :
Additional Material and Wet : Yes
Paint Provided :
Country of Origin : China
Date Sample Received : Jun 05, 2025
Testing Period : Jun 05, 2025 ~Jul 14, 2025



Test Report

Number: SZHH02064400S1



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.



Page 2 of 25

Test Report

Number: SZHH02064400S1

Conclusion:

<u>Tested samples</u>	<u>Standard/Test Item</u>	<u>Result</u>
Submitted samples	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products, 15 U.S.C. §2063(a)(5) (CPSA), Consumer Product Safety Act Section 14(a) (5)	Pass
	U.S. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	Pass
	U.S. ASTM F963-23 Section 8.5.1 Machine washing	See test conducted
	U.S. ASTM F963-23 Flammability test of materials other than textile materials	Pass
	U.S. ASTM F963-23 Section 4.3.5.2 on soluble Cadmium content test	Not applicable
Tested components of submitted samples	U.S. ASTM F963-23 Section 4.3.5.1 on total Lead content in surface coating	Pass
	U.S. ASTM F963-23 Section 4.3.5.2 on total Lead content in substrate	Pass
	U.S. ASTM F963-23 on soluble heavy elements test	Pass
Submitted samples	U.S. CFR Title 16 (CPSC Regulations) Mechanical and physical test	Pass
	U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) flammability test on rigid and pliable solids	Pass
Tested components of submitted samples	U.S. 16 CFR Part 1303 total Lead content	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in surface coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for Total Lead content in substrate	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and U.S. 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
	U.S. ASTM F963-23 Section 4.3.8 on Phthalate content	Pass



Page 3 of 25




Test Report

Number: SZHH02064400S1

Conclusion:

<u>Tested samples</u>	<u>Standard/Test Item</u>	<u>Result</u>
Tested components of submitted samples	Illinois Lead Poisoning Prevention Act 410 ILCS 45 on total Lead content requirement	Pass
	Consent Judgment No. RG-356892 for Toys on total Lead content based on the California Proposition 65	Pass
	Consent Judgment No. CGC-09-485784 for Lead content based on the California Proposition 65	Pass
	Consent Judgment No. BG-350969 on phthalate content based on the California Proposition 65	Pass
	Consent Judgment No. . CGC-09-485784 & BC-658763 on phthalate content based on the California Proposition 65	Pass
	Phthalates content requirements in Children's Safe Products Act (CSPA) – Chapter 70A.430 Revised Code of Washington (RCW)	Pass
Submitted samples	Total Lead content requirements in Children's Safe Products Act (CSPA) - Chapter 70A.430 Revised Code of Washington (RCW)	Not applicable
	Total Cadmium content requirements in Children's Safe Products Act (CSPA) – Chapter 70A.430 Revised Code of Washington (RCW)	Not applicable

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.



Rachel L. Guo
Vice President



Should you have any query on this report, please click the link below:
https://verifyindex.intertek.com.cn/home/index?id=hl_report_verify



Test Report

Number: SZHH02064400S1

Tests Conducted

1 Tracking Label Assessment

As per consumer product safety Act section 14(a) (5), 15 U.S.C. §2063(a)(5) (CPSA) and Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products.

Tracking label found on the packaging:



Name of manufacturer/Distributor/©/®	YIWU ZHIHUIXING TOYS CO., LTD
Location of production	189 Qiushi Road, Beiyuan District, Yiwu, Zhejiang, China
Date code	2025.5.30

Tracking label found on the product:



Name of manufacturer/Distributor/©/®	YIWU ZHIHUIXING TOYS CO., LTD
Location of production	189 Qiushi Road, Beiyuan District, Yiwu, Zhejiang, China
Date code	2025.5.30

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.



Test Report

Number: SZHH02064400S1

Tests Conducted

2 Standard Consumer Safety Specification for Toy Safety

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

Test samples: Ride on horse only

Age group for testing: For ages over 18 months

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

Test	FHSA	Parameter
Machine wash	---	---
Tip over test	---	3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Section	Requirement		Result
4.1	Material quality (visual check on cleanliness)		P
4.3	Toxicology		
4.3.2	Manufacturing and Packaging of Food		NA
4.3.3	Indirect Food Additives		NA
4.3.4	Cosmetics		NA
4.3.5	Heavy Elements		
	4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	P See test result Heavy Elements Analysis & Total Lead (Pb) Content in Surface Coating
	4.3.5.2	Heavy Metal in Substrate Materials	P See test result Heavy Elements Analysis & Total Lead (Pb) Content in Substrate



Test Report

Number: SZHH02064400S1

Tests Conducted

Section	Requirement	Result
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	NA
4.3.7	Stuffing materials (10X magnification check on contaminations)	P
4.3.8	Phthalate	P See test result Phthalate Content
4.5	Sound-producing toys	P
4.6	Small Objects	P
4.7	Accessible edges	P
4.8	Projections	P
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	P
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	P
4.18	Holes, clearance, and accessibility of mechanisms	P
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	See Remark
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA



Test Report

Number: SZHH02064400S1

Tests Conducted

Section	Requirement	Result
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P / See Remark
6	Instructional literature	P / See Remark
7	Producer's markings	
7.1	Name and Address of producer/distributor	Yes
7.2	Battery-Powered Ride-on Toy	See Remark
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass F = Fail NA= Not Applicable NR=Not Requested

Remark: As requested by the applicant, section 4.25, 5.14, 6.6 & 7.2 for battery-powered ride-on toys were not assessed in this report.

3 Machine Washing

Test requirement: Section 8.5.1 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23.

Test samples: Ride on horse only

Applicant's specified age group for testing: Over 18 months

Observation: No sharp point, sharp edge or released small part was found after the test.

4 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Test samples: Ride on horse only

Result: Ignited but self-extinguished before burn rate could be determined.



Test Report

Number: SZHH02064400S1

Tests Conducted

5 Soluble Cadmium (Cd) content in Metal (small parts) (U.S. ASTM F963-23 Section 4.3.5.2)

As per Section 4.3.5.2(2)(d) and 8.3.5.5(3) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1004-11 was used and soluble cadmium content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Assessment: As no metallic toys or metallic toy components which are small parts were found in the submitted samples, no soluble Cadmium testing has been performed for U.S. ASTM F963-23 on soluble Cadmium content.

6 Total Lead (Pb) Content in Surface Coating (U.S. ASTM F963-23 Section 4.3.5.1)

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (ppm)	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(1)		
Lead (Pb)	15	10	90

Element	Result (ppm)	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(2) ^Δ		
Lead (Pb)	ND	10	90

ppm = part per million = mg/kg

^Δ = The result is based on dry weight of testing sample

ND = Not detected (less than detection limit)

Tested Components:

- (1) Black coating on metal (frame).
- (2) White wet paint (switch).



Test Report

Number: SZHH02064400S1

Tests Conducted

7 Total Lead (Pb) Content in Substrate (U.S. ASTM F963-23 Section 4.3.5.2)

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Element	Result (ppm) θ	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(1+2+3),(4)to(6),(7+8+9),(10+11),(12+13), (14+16+17),(15),(18+19+20),(21+22+23),(24+37), (25+26+27),(28+29+30),(31+32+33),(34+35+36)		
Lead (Pb)	ND	10	100

ppm = part per million = mg/kg

ND = Not detected (less than detection limit)

 θ = Single result for each test component/group

Tested Components:

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).
- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) Light yellow velour with brown printing (head, body, ear, corner, tail of zebra).
- (7) White plastic (Velcro hook of zebra).
- (8) Light yellow sponge (lining of zebra).
- (9) Beige sponge (lining of brown horse).
- (10) Black plastic (nose of bear).
- (11) Bright black plastic (eyes of bear).
- (12) Multicolor printed plush (mane, tail of unicorn).
- (13) Light blue velour with printings (blue, lake blue) (head, body of crocodile).
- (14) Black plastic (socket).
- (15) White paper label with printings (stickers).
- (16) Light grey plastic (handle).
- (17) Black plastic (sleeve of handle).
- (18) Matt black plastic (upper body).
- (19) Black plastic (lower body, fastener of wheel holder, gear box).
- (20) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (21) Bright black plastic (battery door, speaker holder, back of foot rest).
- (22) Semi-transparent glue (fastener).
- (23) Black plastic (front wheel, rear wheel).
- (24) Black soft plastic (tie of rear wheel).
- (25) Silver color metal (axle of rear wheel).
- (26) Silver color metal (washer of rear wheel).
- (27) Silver color metal (cap of rear wheel).
- (28) Silver color metal excluding coating (front wheel holder).
- (29) Silver color metal excluding coating (pole of front wheel holder).
- (30) Silver color metal (washer of front wheel).
- (31) Silver color metal (rivet of front wheel).
- (32) Silver color metal (pin of socket).
- (33) Silver color metal (screw of body).
- (34) Silver color metal (screw of handle sleeve).



Test Report

Number: SZHH02064400S1

Tests Conducted

- (35) Silver color metal excluding coating (little pole).
- (36) Silver color metal excluding coating (large pole).
- (37) Black plastic (switch, holder of switch).

8 Heavy Elements Analysis (Except modelling clay) (U.S. ASTM F963-23)

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, heavy elements migration content were determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (ppm)				Detection Limit (ppm)	Limit (ppm)
	Tested component					
	(37)	(47)	(58)	(61)		
Sol. Barium (Ba)	ND	ND	307	6	5	1000
Sol. Lead (Pb)	ND	ND	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	ND	ND	5	75
Sol. Antimony (Sb)	8	13	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	ND	ND	2.5	25

<u>Element</u>	Result (ppm) θ	<u>Detection Limit (ppm)</u>	<u>Limit (ppm)</u>
	Tested component		
	(1)to(5),(7)to(36),(38)to(46),(48)to(57), (60),(62)to(71)		
Sol. Barium (Ba)	ND	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Sol. = Soluble

ppm = part per million = mg/kg

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested Components:

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).
- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) @White coating on plastic (switch).
- (7) Black velour (nose of light brown horse, brown horse, crocodile, white horse).
- (8) Brown velour with brown embroidery thread (eyebrow, eyes of light brown horse, crocodile).
- (9) Dull white woven (zipper tape of light brown horse, zebra, brown horse, unicorn, crocodile).
- (10) White woven (edge of zipper tape of light brown horse, zebra, brown horse, unicorn, crocodile).
- (11) White Velcro loop (fastener of light brown horse, zebra, brown horse, unicorn, crocodile).
- (12) White brushed knit (binding of unicorn).



Test Report

Number: SZHH02064400S1

Tests Conducted

- (13) White fabric (lining of feet and head of light brown horse, zebra, brown horse, unicorn, crocodile, lining of white saddle).
- (14) White mesh (lining of light brown horse, brown saddle, zebra, brown horse, unicorn, crocodile).
- (15) White fiber (filling of head, feet, tail of light brown horse, zebra, brown horse, bear, unicorn, crocodile).
- (16) Brown fabric (binding of zebra).
- (17) Black felt (mouth of light brown horse, zebra, unicorn, white horse).
- (18) Light pink velour (head of light brown horse).
- (19) Light brown velour (head, body of light brown horse).
- (20) Dark brown plush (mane, tail of light brown horse).
- (21) Deep brown velour (feet of light brown horse).
- (22) Light brown brushed knit (binding of light brown horse).
- (23) Brown fabric (rein of light brown horse).
- (24) Tawny fabric (binding, lining, handle of brown saddle).
- (25) Dark brown velour (brown saddle).
- (26) Light yellow velour (face, feet of zebra).
- (27) Light yellow velour with brown printing (head, body, ear, corner, tail of zebra).
- (28) Brown velour (corner of zebra).
- (29) Deep brown velour (tail of zebra).
- (30) White plastic (Velcro hook of zebra).
- (31) Light yellow sponge (lining of zebra).
- (32) Beige sponge (lining of brown horse).
- (33) Brown velour (head, body, ear, tail of brown horse).
- (34) Light brown plush (mane, tail of brown horse).
- (35) Pastel yellow velour (ear, feet of brown horse).
- (36) Pink velour (mouth of brown horse).
- (37) White velour with dull pink/green/blue/yellow/red embroidery thread and black thread (head of brown horse, body, ear, hand, feet of bear, body, head of unicorn, white horse, eyes of zebra, brown horse, face of zebra, unicorn, crocodile, white horse).
- (38) Brown brushed knit (rein of brown horse).
- (39) Brown fabric (binding of brown horse).
- (40) Black plastic (nose of bear).
- (41) Bright black plastic (eyes of bear).
- (42) Pink velour (nose, ear of unicorn).
- (43) Deep pink velour (feet of unicorn).
- (44) Yellow velour (corner of unicorn).
- (45) Brown rope (corner of unicorn).
- (46) Multicolor printed plush (mane, tail of unicorn).
- (47) Light blue velour with printings (blue, lake blue) (head, body of crocodile).
- (48) Lake blue velour (neck of crocodile).
- (49) Blue velour (feet of crocodile).
- (50) Beige velour with beige embroidery thread (mandible, claw of crocodile).
- (51) Light blue brushed knit (biding of crocodile).
- (52) White felt (teeth of crocodile).
- (53) Gray velour (ear of white horse, saddle).
- (54) Gray fabric (rein of white house).
- (55) Gray plush (mane of white horse).
- (56) White fabric (binding of white house).
- (57) Gray fabric (binding, handle of white saddle).
- (58) Black coating on metal (frame).
- (59) @White wet paint (switch).
- (60) Black plastic (socket).
- (61) White paper label with printings (stickers).
- (62) Light grey plastic (handle).
- (63) Black plastic (sleeve of handle).
- (64) Matt black plastic (upper body).
- (65) Black plastic (lower body, fastener of wheel holder, gear box).



Page 12 of 25



Test Report

Number: SZHH02064400S1

Tests Conducted

- (66) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (67) Bright black plastic (battery door, speaker holder, back of foot rest).
- (68) Semi-transparent glue (fastener).
- (69) Black plastic (front wheel, rear wheel).
- (70) Black soft plastic (tie of rear wheel).
- (71) Black plastic (switch, holder of switch).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Additional acid was required to lower the pH for component(s) (61)

9 Physical and Mechanical Test

Test requirement: U.S. Code of Federal Regulations Title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Test samples: Ride on horse only

Age group for testing: For ages over 18 months

	No. of Sample Tested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As received	1	P	P	P
Impact (1500.53(b))	1	P	P	P
Flexure (1500.53(d))	0	NA	NA	NA
Torque (1500.53(e))	1	P	P	P
Tension (1500.53(f))	1	P	P	P
Compression (1500.53(g))	1	P	P	P

Abbreviation: P = Pass F = Fail NA= Not Applicable NR=Not Requested

10 Flammability Test

Test requirement: U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids.

Test samples: Ride on horse only

Result: Ignited but self-extinguished before burn rate could be determined.



Test Report

Number: SZHH02064400S1

Tests Conducted

11 Total Lead (Pb) Content in Surface Coating (U.S. 16 CFR Part 1303 and CPSIA Section 101(15 USC 1278a))

As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1)		
Lead (Pb)	15	10	90

Element	Result (mg/kg)	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(2)Δ		
Lead (Pb)	ND	10	90

The above limit was quoted according to U.S. 16 CFR Part 1303 and U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in surface coating.

ppm = parts per million = mg/kg

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

Tested component(s):

- (1) Black coating on metal (frame).
- (2) White wet paint (switch).

12 Total Lead (Pb) Content in Substrate (U.S. CPSIA Section 101(15 USC 1278a))

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1+2+3),(4)to(6),(7+8+9),(10+11),(12+13), (14+16+17),(15),(18+19+20),(21+22+23),(24+37), (25+26+27),(28+29+30),(31+32+33),(34+35+36)		
Lead (Pb)	ND	10	100

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in substrate.

ppm = parts per million = mg/kg

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested components:

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).



Test Report

Number: SZHH02064400S1

Tests Conducted

- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) Light yellow velour with brown printing (head, body, ear, corner, tail of zebra).
- (7) White plastic (Velcro hook of zebra).
- (8) Light yellow sponge (lining of zebra).
- (9) Beige sponge (lining of brown horse).
- (10) Black plastic (nose of bear).
- (11) Bright black plastic (eyes of bear).
- (12) Multicolor printed plush (mane, tail of unicorn).
- (13) Light blue velour with printings (blue, lake blue) (head, body of crocodile).
- (14) Black plastic (socket).
- (15) White paper label with printings (stickers).
- (16) Light grey plastic (handle).
- (17) Black plastic (sleeve of handle).
- (18) Matt black plastic (upper body).
- (19) Black plastic (lower body, fastener of wheel holder, gear box).
- (20) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (21) Bright black plastic (battery door, speaker holder, back of foot rest).
- (22) Semi-transparent glue (fastener).
- (23) Black plastic (front wheel, rear wheel).
- (24) Black soft plastic (tie of rear wheel).
- (25) Silver color metal (axle of rear wheel).
- (26) Silver color metal (washer of rear wheel).
- (27) Silver color metal (cap of rear wheel).
- (28) Silver color metal excluding coating (front wheel holder).
- (29) Silver color metal excluding coating (pole of front wheel holder).
- (30) Silver color metal (washer of front wheel).
- (31) Silver color metal (rivet of front wheel).
- (32) Silver color metal (pin of socket).
- (33) Silver color metal (screw of body).
- (34) Silver color metal (screw of handle sleeve).
- (35) Silver color metal excluding coating (little pole).
- (36) Silver color metal excluding coating (large pole).
- (37) Black plastic (switch, holder of switch).



Page 15 of 25



Test Report

Number: SZHH02064400S1

Tests Conducted

13 Phthalate Content (U.S. CPSIA Section 108(a) & (b)(3) and U.S. 16 CFR Part 1307)

As per CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%) θ	Detection limit (%)	Limit (%)
		Tested component		
		(1+2+3),(4+5),(6+7+8), (9+10),(11),(12) Δ , (13+14+15),(16+17+18), (19+20+21),(22+23+24)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and U.S. 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates.

ND = Not detected(less than detection limit)

 Δ = The result is based on dry weight of testing sample

 θ = Single result for each test component/group

Tested Components:

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).
- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) White plastic (Velcro hook of zebra).
- (7) Light yellow sponge (lining of zebra).
- (8) Beige sponge (lining of brown horse).
- (9) Black plastic (nose of bear).
- (10) Bright black plastic (eyes of bear).
- (11) Black coating on metal (frame).
- (12) White wet paint (switch).
- (13) Black plastic (socket).
- (14) White paper label with printings (stickers).
- (15) Light grey plastic (handle).
- (16) Black plastic (sleeve of handle).
- (17) Matt black plastic (upper body).
- (18) Black plastic (lower body, fastener of wheel holder, gear box).
- (19) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (20) Bright black plastic (battery door, speaker holder, back of foot rest).
- (21) Semi-transparent glue (fastener).
- (22) Black plastic (front wheel, rear wheel).



Test Report

Number: SZHH02064400S1

Tests Conducted

- (23) Black soft plastic (tie of rear wheel).
- (24) Black plastic (switch, holder of switch).

14 Phthalate Content (U.S. ASTM F963-23 Section 4.3.8)

As per Section 4.3.8 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-C1001-09.4 was used and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%) ^θ	Detection limit (%)	Limit (%)
		Tested component (1+2+3),(4+5),(6+7+8), (9+10),(11),(12)Δ, (13+14+15),(16+17+18), (19+20+21),(22+23+24)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested Components:

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).
- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) White plastic (Velcro hook of zebra).
- (7) Light yellow sponge (lining of zebra).
- (8) Beige sponge (lining of brown horse).
- (9) Black plastic (nose of bear).
- (10) Bright black plastic (eyes of bear).
- (11) Black coating on metal (frame).
- (12) White wet paint (switch).
- (13) Black plastic (socket).
- (14) White paper label with printings (stickers).
- (15) Light grey plastic (handle).
- (16) Black plastic (sleeve of handle).
- (17) Matt black plastic (upper body).
- (18) Black plastic (lower body, fastener of wheel holder, gear box).
- (19) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (20) Bright black plastic (battery door, speaker holder, back of foot rest).
- (21) Semi-transparent glue (fastener).
- (22) Black plastic (front wheel, rear wheel).



Page 17 of 25



Test Report

Number: SZHH02064400S1

Tests Conducted

- (23) Black soft plastic (tie of rear wheel).
- (24) Black plastic (switch, holder of switch).

15 Total Lead (Pb) Content (U.S. Illinois Lead Poisoning Prevention Act 410 ILCS 45)

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45, with reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry and/or Atomic Absorption Spectrometry.

(I) Surface coating

Element	Result (ppm)		Detection Limit (ppm)	Warning Statement Limit (ppm)	Limit (ppm)
	Tested Component				
	(14)	(15)Δ			
Lead (Pb)	15	ND	10	40	90

(II) Non-Surface Coating (Substrate)

Element	Result (ppm)	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(33+34)		
Lead (Pb)	29	10	600

Element	Result (ppm) θ	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(28+29+30),(31+32+33),(35)		
Lead (Pb)	ND	10	600

Element	Result (ppm) θ	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(1+2+3),(4)to(6),(7+8+9),		
	(10+11),(12+13),(16+18+19),(17), (20+21+22),(23+24+25),(26+48), (36+37+38),(39+40+41), (42+43+44),(45+46+47)		
Lead (Pb)	ND	10	100

ND = Not detected (less than detection limit)

ppm = parts per million = mg/kg

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested component(s):

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).
- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) Light yellow velour with brown printing (head, body, ear, corner, tail of zebra).
- (7) White plastic (Velcro hook of zebra).
- (8) Light yellow sponge (lining of zebra).
- (9) Beige sponge (lining of brown horse).



Test Report

Number: SZHH02064400S1

Tests Conducted

- (10) Black plastic (nose of bear).
- (11) Bright black plastic (eyes of bear).
- (12) Multicolor printed plush (mane, tail of unicorn).
- (13) Light blue velour with printings (blue, lake blue) (head, body of crocodile).
- (14) Black coating on metal (frame).
- (15) White wet paint (switch).
- (16) Black plastic (socket).
- (17) White paper label with printings (stickers).
- (18) Light grey plastic (handle).
- (19) Black plastic (sleeve of handle).
- (20) Matt black plastic (upper body).
- (21) Black plastic (lower body, fastener of wheel holder, gear box).
- (22) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (23) Bright black plastic (battery door, speaker holder, back of foot rest).
- (24) Semi-transparent glue (fastener).
- (25) Black plastic (front wheel, rear wheel).
- (26) Black soft plastic (tie of rear wheel).
- (27) Black plastic (case of both adaptors).
- (28) Black plastic (joint of both adaptors).
- (29) Black plastic with white printing (wire covering of both adaptors).
- (30) Black plastic (plug of both adaptors).
- (31) Black plastic (central of plug of both adaptors).
- (32) Transparent plastic (lens of case of both adaptors).
- (33) Silver color metal (plug of both adaptors).
- (34) Silver color metal (central of plug of both adaptors).
- (35) Silver color metal (pin of plug of US adaptor).
- (36) Silver color metal (axle of rear wheel).
- (37) Silver color metal (washer of rear wheel).
- (38) Silver color metal (cap of rear wheel).
- (39) Silver color metal excluding coating (front wheel holder).
- (40) Silver color metal excluding coating (pole of front wheel holder).
- (41) Silver color metal (washer of front wheel).
- (42) Silver color metal (rivet of front wheel).
- (43) Silver color metal (pin of socket).
- (44) Silver color metal (screw of body).
- (45) Silver color metal (screw of handle sleeve).
- (46) Silver color metal excluding coating (little pole).
- (47) Silver color metal excluding coating (large pole).
- (48) Black plastic (switch, holder of switch).



Page 19 of 25



Test Report

Number: SZHH02064400S1

Tests Conducted

16 Total Lead Content (California Proposition 65 – Toys)

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (mg/kg)		Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component			
	(14)	(15)Δ		
Lead (Pb)	15	ND	10	90

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1+2+3),(4)to(6),(7+8+9),(10+11), (12+13),(16+18+19),(17),(20+21+22), (23+24+25),(26+39),(27+28+29), (30+31+32),(33+34+35),(36+37+38)		
Lead (Pb)	ND	10	100

The above limit was quoted from the Consent Judgment No. RG-356892 settled by superior court of the State of California for the county of Alameda, for Toys based on the California Proposition 65.

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested Component(s):

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).
- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) Light yellow velour with brown printing (head, body, ear, corner, tail of zebra).
- (7) White plastic (Velcro hook of zebra).
- (8) Light yellow sponge (lining of zebra).
- (9) Beige sponge (lining of brown horse).
- (10) Black plastic (nose of bear).
- (11) Bright black plastic (eyes of bear).
- (12) Multicolor printed plush (mane, tail of unicorn).
- (13) Light blue velour with printings (blue, lake blue) (head, body of crocodile).
- (14) Black coating on metal (frame).
- (15) White wet paint (switch).
- (16) Black plastic (socket).
- (17) White paper label with printings (stickers).
- (18) Light grey plastic (handle).
- (19) Black plastic (sleeve of handle).
- (20) Matt black plastic (upper body).
- (21) Black plastic (lower body, fastener of wheel holder, gear box).
- (22) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (23) Bright black plastic (battery door, speaker holder, back of foot rest).
- (24) Semi-transparent glue (fastener).
- (25) Black plastic (front wheel, rear wheel).
- (26) Black soft plastic (tie of rear wheel).



Test Report

Number: SZHH02064400S1

Tests Conducted

- (27) Silver color metal (axle of rear wheel).
- (28) Silver color metal (washer of rear wheel).
- (29) Silver color metal (cap of rear wheel).
- (30) Silver color metal excluding coating (front wheel holder).
- (31) Silver color metal excluding coating (pole of front wheel holder).
- (32) Silver color metal (washer of front wheel).
- (33) Silver color metal (rivet of front wheel).
- (34) Silver color metal (pin of socket).
- (35) Silver color metal (screw of body).
- (36) Silver color metal (screw of handle sleeve).
- (37) Silver color metal excluding coating (little pole).
- (38) Silver color metal excluding coating (large pole).
- (39) Black plastic (switch, holder of switch).

17 Lead (Pb) Content

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

<u>Element</u>	<u>Result (mg/kg)</u>	<u>Reporting Limit (mg/kg)</u>	<u>Limit (mg/kg)</u>
	<u>Tested Component</u>		
	<u>(7+8)</u>		
Lead (Pb)	29	10	100

<u>Element</u>	<u>Result (mg/kg) θ</u>	<u>Reporting Limit (mg/kg)</u>	<u>Limit (mg/kg)</u>
	<u>Tested Component</u>		
	<u>(1+2+3),(4+5+6),(9)</u>		
Lead (Pb)	ND	10	100

The above limit was quoted from the Consent Judgment No. CGC-09-485784 settled by superior court of the State of California for the county of San Francisco, for charging product based on the California Proposition 65.

ND = Not Detected (less than reporting limit)
 θ = Single result for each test component/group

Tested Component(s):

- (1) Black plastic (case of both adaptors).
- (2) Black plastic (joint of both adaptors).
- (3) Black plastic with white printing (wire covering of both adaptors).
- (4) Black plastic (plug of both adaptors).
- (5) Black plastic (central of plug of both adaptors).
- (6) Transparent plastic (lens of case of both adaptors).
- (7) Silver color metal (plug of both adaptors).
- (8) Silver color metal (central of plug of both adaptors).
- (9) Silver color metal (pin of plug of US adaptor).



Test Report

Number: SZHH02064400S1

Tests Conducted

18 Phthalate Content

With reference to CPSC-CH-C1001-09.4 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	Result (%) Θ	Reporting limit (%)	Limit (%)
	Tested component		
	(1+2+3),(4+5),(6+7+8), (9+10),(11),(12) Δ , (13+14+15),(16+17+18), (19+20+21),(22+23+24)		
Dibutyl phthalate (DBP)	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	0.01	0.1
Di-iso-decyl phthalate (DIDP)	ND	0.01	0.1
Di-n-hexyl phthalate (DnHP)	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	ND	0.01	--

The above limit was quoted from the Consent Judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

ND = Not detected (less than reporting limit)

Δ = The result is based on dry weight of testing sample

Θ = Single result for each test component/group

Tested Component(s):

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).
- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) White plastic (Velcro hook of zebra).
- (7) Light yellow sponge (lining of zebra).
- (8) Beige sponge (lining of brown horse).
- (9) Black plastic (nose of bear).
- (10) Bright black plastic (eyes of bear).
- (11) Black coating on metal (frame).
- (12) White wet paint (switch).
- (13) Black plastic (socket).
- (14) White paper label with printings (stickers).
- (15) Light grey plastic (handle).
- (16) Black plastic (sleeve of handle).
- (17) Matt black plastic (upper body).



Test Report

Number: SZHH02064400S1

Tests Conducted

- (18) Black plastic (lower body, fastener of wheel holder, gear box).
- (19) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (20) Bright black plastic (battery door, speaker holder, back of foot rest).
- (21) Semi-transparent glue (fastener).
- (22) Black plastic (front wheel, rear wheel).
- (23) Black soft plastic (tie of rear wheel).
- (24) Black plastic (switch, holder of switch).

19 Phthalate Content

With reference to CPSC-CH-C1001-09.4 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result (%) θ	Reporting Limit (%)	Limit (%)
		Tested Component (1)to(6)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	0.01	0.1

The above limit was quoted from the Consent Judgment No. CGC-09-485784 & BC-658763 settled by superior court of the State of California for the county of San Francisco & Los Angeles, for charging product based on the California Proposition 65.

ND = Not detected (less than reporting limit)
 θ = Single result for each test component/group

Tested Component(s):

- (1) Black plastic (case of both adaptors).
- (2) Black plastic (joint of both adaptors).
- (3) Black plastic with white printing (wire covering of both adaptors).
- (4) Black plastic (plug of both adaptors).
- (5) Black plastic (central of plug of both adaptors).
- (6) Transparent plastic (lens of case of both adaptors).



Test Report

Number: SZHH02064400S1

Tests Conducted

20 Washington CSPA - Phthalate Content

Solvent extraction and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result (%) θ	Reporting Limit (%)	Limit (%)
		Tested Component		
		(1+2+3),(4+5),(6+7+8), (9+10),(11),(12) Δ , (13+14+15),(16+17+18), (19+20+21),(22+23+24)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.002	0.1
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	0.002	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.002	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	0.002	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	ND	0.005	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	ND	0.005	0.1
Sum of six phthalates	--	ND	--	0.1

ND = Not detected (less than reporting limit)

 Δ = The result is based on dry weight of testing sample

 θ = Single result for each test component/group

Tested components:

- (1) White plastic (zipper box, zipper stopper of light brown horse, zebra, brown horse, unicorn, crocodile).
- (2) White plastic (zipper head of light brown horse, zebra, brown horse, unicorn, crocodile).
- (3) Transparent plastic (zipper teeth of light brown horse, zebra, brown horse, unicorn, crocodile).
- (4) White Velcro hook (fastener of light brown horse, unicorn, crocodile).
- (5) White sponge (lining of light brown horse, unicorn, crocodile, white horse, brown saddle, white saddle).
- (6) White plastic (Velcro hook of zebra).
- (7) Light yellow sponge (lining of zebra).
- (8) Beige sponge (lining of brown horse).
- (9) Black plastic (nose of bear).
- (10) Bright black plastic (eyes of bear).
- (11) Black coating on metal (frame).
- (12) White wet paint (switch).
- (13) Black plastic (socket).
- (14) White paper label with printings (stickers).
- (15) Light grey plastic (handle).
- (16) Black plastic (sleeve of handle).
- (17) Matt black plastic (upper body).
- (18) Black plastic (lower body, fastener of wheel holder, gear box).
- (19) Light grey plastic (foot rest, pedal, pedal holder, feet).
- (20) Bright black plastic (battery door, speaker holder, back of foot rest).
- (21) Semi-transparent glue (fastener).
- (22) Black plastic (front wheel, rear wheel).
- (23) Black soft plastic (tie of rear wheel).
- (24) Black plastic (switch, holder of switch).



Test Report

Number: SZHH02064400S1

Tests Conducted

21 Washington CSPA –Total Lead(Pb) Content

Assessment: Not Applicable.

22 Washington CSPA – Total Cadmium (Cd) Content

Assessment: Not Applicable.

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8:09/2019-(Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results. Full details of our agreed decision rules and the associated risk can be viewed: <https://www.intertek.com.cn/diypage/upload/SZ-AP15-HLS-QA.pdf>.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek.



Page 25 of 25



To: YIWU ZHIHUIXING TOYS CO.,LTD

Date: Aug 01, 2025

Re : Report Revision Notification

Intertek Testing Services Report Number SZHH02064400 Dated Jul 15, 2025

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Report Number, SZHH02064400S1 Dated Aug 01, 2025

Below are revision details:

Report Number	SZHH02064400	SZHH02064400S1
Revise remark	Nil	Amend reference photo

Thank you for your attention.

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.



Rachel L. Guo
Vice President

