

Report No.: 168567253n 002

Page 1 of 9

Client: NINGBO PRINCE TOYS CO.,LTD.

Contact Information: No.777 East Taoyuan Road,Guanhaiwei Town,Cixi City,Zhejiang,China.

**Identification/
Model No(s):** Baby Ride On Car
670/671

Sample obtaining method: Sending by customer

Condition at delivery: Test item complete and undamaged.

Sample Receiving date: 2025-07-18

Testing Period: 2025-08-11 to 2025-08-29

Place of testing: Toys laboratory Shenzhen

Test Specification:

Test result:

- | | |
|--|------|
| 1. ASTM F963-23: Mechanical and physical | PASS |
| 2. Tracking label per CPSA 15 U.S.C. § 2063(a)(5) and ASTM F963-23 Section 5.1.2 | PASS |
| 3. ASTM F963-23: Flammability on solid and soft toys | PASS |
| 4. ASTM F963-23 Section 4.25: Battery-operated Toys | PASS |

Other information:

- (1) The provided age grade of the item(s) : For age of 18-36 months.
The appropriate age grade of the item(s) : For age of 18-36 months.
The item(s) was/ were tested for the age of 18-36 months.
- (2) Packaging provided: Artwork
- (3) Received sample size: 8 styles
- (4) Information provided by customer:
Country of Origin: CHINA
- (5) The report 168567253n 002 supersedes report 168567253n 001 issued on Sep.04, 2025.

For and on behalf of
TÜV Rheinland (Shenzhen) Co., Ltd.



2025-12-03

David Mo / Lab Manager

Date

Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.
This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.
"Decision Rule" document announced in our website (<https://www.tuv.com/landingpage/en/qm-gcn/>) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.

Test Report No.: 168567253n 002

Page 2 of 9

Material List:

Item: Baby Ride On Car
670/671

Material No.	Material	Color	Location
M001	Whole Product	Multi color	Baby ride on car (670)
M002	Whole Product	Multi color	Baby ride on car (671)

Test Report No.: 168567253n 002

Page 3 of 9

1.ASTM F963-23: Mechanical and physical
Test result:

Test No:	T001
Material No:	M001
4. Safety requirements	
4.1 Material Quality (visual check)	Pass
4.5 Sound-producing Toys	Pass
4.6 Small Objects	Pass
4.7 Accessible Edges	Pass
4.8 Projections	Pass
4.9 Accessible Points	Pass
4.11 Nails and Fasteners	Pass
4.12 Plastic Film	Pass
4.15 Stability and Over-load Requirements	Pass
4.17 Wheels, Tires and Axles	Pass
4.18 Holes, Clearance and Accessibility of Mechanisms	Pass
5. Labeling Requirements	
5.2 Age Grading Labeling	Pass
5.3 Safety Labeling Requirements	Pass
5.8 Toys Intended to be Assembled By an Adult	Pass
5.15 Promotional Materials	Pass
6. Instructional Literature	
6.1 Definition and Description	Pass
6.4 Toys Intended to be Assembled By an Adult	Pass
7. Producer's Markings	
7.1 Name and address of the producer or the distributor	Pass

Test No:	T002
Material No:	M002
4. Safety requirements	
4.1 Material Quality (visual check)	Pass
4.5 Sound-producing Toys	Pass
4.6 Small Objects	Pass
4.7 Accessible Edges	Pass
4.8 Projections	Pass
4.9 Accessible Points	Pass
4.11 Nails and Fasteners	Pass
4.12 Plastic Film	Pass
4.15 Stability and Over-load Requirements	Pass
4.17 Wheels, Tires and Axles	Pass
4.18 Holes, Clearance and Accessibility of Mechanisms	Pass
5. Labeling Requirements	
5.2 Age Grading Labeling	Pass
5.3 Safety Labeling Requirements	Pass
5.8 Toys Intended to be Assembled By an Adult	Pass
5.15 Promotional Materials	Pass
6. Instructional Literature	
6.1 Definition and Description	Pass
6.4 Toys Intended to be Assembled By an Adult	Pass
7. Producer's Markings	
7.1 Name and address of the producer or the distributor	Pass

Use and Abuse Tests:

The submitted samples were undergone the use and abuse tests in accordance with FHSA 16 CFR and whichever is applicable the tested age grade.

According to the Laboratory Test Manual from CPSC, 12 submitted samples are equally divided for carrying out the use and abuse testing.

Age Category	Drop Test	Flexure Test	Torque Test	Tension Test	Compression Test
0-18 Months 16 CFR 1500.51	10 x 4.5 ft	120 Arc 30 Cycles 10 lbs	2 in-lbf	10 lbf	20 lbf
19-36 Months 16 CFR 1500.52	4 x 3 ft	120 Arc 30 Cycles 15 lbs	3 in-lbf	15 lbf	25 lbf
37-96 Months 16 CFR 1500.53	4 x 3 ft	120 Arc 30 Cycles 15 lbs	4 in-lbf	15 lbf	30 lbf

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Remark:

^ The manufacturer/trader/applicant has provided the artwork for assessment in this test report.

Test Report No.: 168567253n 002

Page 5 of 9

2.Tracking label per CPSA 15 U.S.C. § 2063(a)(5) and ASTM F963-23 Section 5.1.2
Test Result:

Test No:	T001
Material No:	M001
Present On Packaging	Present
Present On Product	Present
Test No:	T002
Material No:	M002
Present On Packaging	Present
Present On Product	Present

Remark:

- * If there is a tracking label on the product which is visible through disposable packaging, the packaging need not be marked.
- ** The correct adherence to all requirements according to CPSA Tracking label in regards to the marking of:
 - (1) Manufacturer or private labeler name;
 - (2) Location and date of production of the product;
 - (3) Detailed information on the manufacturing process, such as a batch or run number, or other identifying characteristics; and,
 - (4) Any other information to facilitate ascertaining the specific source of the product; can only be confirmed by the manufacturer/trader/applicant. The presence of related information was assessed; however, they cannot be verified in the frame of this test.
- ^ The manufacturer/trader/applicant has provided the artwork for assessment in this test report.

Test Report No.: 168567253n 002

Page 6 of 9

3.ASTM F963-23: Flammability on solid and soft toys**Test result:**

Test No:	T001
Material No:	M001
4.2 Flammability on solids and soft toys	Pass

The burning rate of the most severe part = IBE

Note: Maximum permissible burning rate = 0.1 Inch/sec.

Test No:	T002
Material No:	M002
4.2 Flammability on solids and soft toys	Pass

The burning rate of the most severe part = IBE

Note: Maximum permissible burning rate = 0.1 Inch/sec.

Abbreviation: IBE = Ignite But Self-extinguish

Test Report No.: 168567253n 002

Page 7 of 9

4. ASTM F963-23 Section 4.25: Battery-operated Toys
Test result:

	T002
	M002
4.25 Battery-operated Toys	
4.25.1 Battery information	PASS
4.25.2 Maximum potential	PASS
4.25.4 Battery Accessibility	PASS
4.25.4.1 For toys intended for children less than 3 years old	PASS
4.25.4.3 Fastener for security of the battery compartment	PASS
4.25.5 Batteries types or capacities	PASS
4.25.6 Battery surface temperature	PASS
4.25.7 Temperature Requirements	PASS
6. Instructional Literature	
6.5 Battery-operated toys	PASS

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.

Test Report No.: 168567253n 002

Page 8 of 9

Sample Photos



Test Report No.: 168567253n 002

Page 9 of 9

Sample Photos



- END -

