

EPBU.E200916 - Direct-plug-in and Cord-connected Class 2 Power Units

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Direct-plug-in and Cord-connected Class 2 Power Units

CHANGZHOU JUTAI ELECTRONIC CO LTD

E200916

No.8 longfa Road Xinbei District
CHANGZHOU, JIANGSU 213031 China

Model(s): JT-DC045V2000-F, JT-DC050V2000-F, JT-DC050V2400-F, JT-DC059V2000-F, JT-DC060V2000-F, JT-DC090V1200-F, JT-DC090V1500-F, JT-DC120V0750-F, JT-DC120V0800-F, JT-DC120V0900-F, JT-DC120V1000-F, JT-DC120V1250-F, JT-DC150V0800-F, JT-DC150V1000-F, JT-DC240V0400-F, JT-DC240V0500-F, JT-DC240V0600-F, JT-DC250V0400-F, JT-DC250V0500-F, JT-DC290V0300-F, JT-DC290V0400-F, JT-DC290V0450-F, JT-DC290V0500-F, JT-DC300V0300-F, JT-DC300V0400-F, JT-DC300V0500-F

AC/AC cord connected Class 2 adaptors, Model(s): JT-12V Series, JT-12V1000mA, JT-12V1250mA, JT-12V1700mA, JT-12V2100mA, JT-12V2500mA, JT-12V3000mA, JT-12V3500mA, JT-12V4200mA, JT-12V5000mA, JT-24V Series, JT-24V1000mA, JT-24V1200mA, JT-24V1500mA, JT-24V300mA, JT-24V450mA, JT-24V650mA, JT-24V850mA

AC/AC direct plug-in Class 2 adaptors, Model(s): JT-12V1000, JT-12V1000-IP64, JT-12V1250, JT-12V1700, JT-24V250, JT-24V450, JT-24V450-IP64, JT-24V650, JT-6V1000, JT-6V1200, JT-6V2000

AC/DC direct plug-in Class 2 adaptors, Model(s): JT-DC12V1000, JT-DC12V1200, JT-DC12V1250, JT-DC12V1700, JT-DC12V400, JT-DC12V500, JT-DC12V600, JT-DC12V800, JT-DC15V400, JT-DC15V500, JT-DC18V400, JT-DC20V500, JT-DC24V500, JT-DC6V1000, JT-DC9V500

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC030V2000-E(I), JT-DC045V2000-E(I), JT-DC050V1500-E(I), JT-DC050V2000-E(I), JT-DC060V1500-E(I), JT-DC060V2000-E(I), JT-DC090V0700-E(I), JT-DC090V0800-E(I), JT-DC090V1000-E(I), JT-DC090V1200-E(I), JT-DC090V1300-E(I), JT-DC090V1500-E(I), JT-DC120V0600-E(I), JT-DC120V0750-E(I), JT-DC120V0800-E(I), JT-DC120V0900-E(I), JT-DC120V1000-E(I), JT-DC120V1100-E(I), JT-DC240V0400-E(I), JT-DC240V0500-E(I), JT-DC240V0600-E(I), JT-DC250V0400-E(I), JT-DC250V0500-E(I), JT-DC290V0300-E(I), JT-DC290V0400-E(I), JT-DC290V0450-E(I), JT-DC300V0300-E(I), JT-DC300V0400-E(I)

Class 2 Power Supplies, Outdoor Use, Model(s): JT-DC030V2000-E, JT-DC045V2000-E, JT-DC050V1500-E, JT-DC050V2000-E, JT-DC060V1500-E, JT-DC060V2000-E, JT-DC090V0700-E, JT-DC090V0800-E, JT-DC090V1000-E, JT-DC090V1200-E, JT-DC090V1300-E, JT-DC090V1500-E, JT-DC120V0600-E, JT-DC120V0750-E, JT-DC120V0800-E, JT-DC120V0900-E, JT-DC120V1000-E, JT-DC120V1100-E, JT-DC240V0400-E, JT-DC240V0500-E, JT-DC240V0600-E, JT-DC250V0400-E, JT-DC250V0500-E, JT-DC290V0300-E, JT-DC290V0400-E, JT-DC290V0450-E, JT-DC300V0300-E, JT-DC300V0400-E, JT-DCXXXVYYY-G(^)

Class 2 Battery Charger, Model(s): JT-DC075V0500(I), JT-DC080V0500(I), JT-DC15V0.80A, JT-DC15V0.8A-C, JT-DC15V1.0A-C, JT-DC15V1.2A-C, Models JT-DC8V500 and JT-DC8V800

Class 2 Battery chargers, Model(s): JT-DC8V0.8A-E, JT-DC8V0.5A-E, JT-DC6V0.8A-E, JT-DC7.5V0.5A-E, JT-DC6V0.5A-E

Class 2 Battery chargers, Indoor Use, Model(s): JT-DC12V1.0A-D, JT-DC15V0.8A-D, JT-DC15V1.0A-D, JT-DC15V1.2A-D

Class 2 Cord-connected Power Supply, Model(s): Model JT-DC120V1000

Class 2 direct plug-in power adapters for outdoor use, Model(s): JT-12V1000-OUTDOOR-D, JT-12V1250-OUTDOOR-D, JT-12V1700-OUTDOOR-D, JT-12V2100-OUTDOOR-D, JT-12V2500-OUTDOOR-D, JT-12V500-OUTDOOR-D, JT-12V600-OUTDOOR-D, JT-12V830-OUTDOOR-D, JT-15V200-OUTDOOR-D, JT-15V400-OUTDOOR-D, JT-15V600-OUTDOOR-D, JT-24V1000-OUTDOOR-D,

JT-24V1200-OUTDOOR-D, JT-24V250-OUTDOOR-D, JT-24V300-OUTDOOR-D, JT-24V450-OUTDOOR-D, JT-24V650-OUTDOOR-D, JT-24V850-OUTDOOR-D, JT-4.5V1000-OUTDOOR-D, JT-6V1000-OUTDOOR-D, JT-6V2000-OUTDOOR-D, JT-DC12V200-OUTDOOR-D, JT-DC12V300-OUTDOOR-D, JT-DC12V400-OUTDOOR-D, JT-DC12V500-OUTDOOR-D, JT-DC12V600-OUTDOOR-D, JT-DC24V200-OUTDOOR-D, JT-DC24V300-OUTDOOR-D, JT-DC24V400-OUTDOOR-D, JT-DC24V500-OUTDOOR-D, JT-DC24V600-OUTDOOR-D, JT-DC24V850-OUTDOOR-D, JT-DC3V300-OUTDOOR-D

Class 2 Inherently Limited Power Supplies for outdoor use, Model(s): JT-DC030V0150-B, JT-DC030V0200-B, JT-DC030V0300-B, JT-DC030V0400-B, JT-DC030V0500-B, JT-DC030V0600-B, JT-DC030V0800-B, JT-DC030V1000-B, JT-DC045V0200-B, JT-DC045V0300-B, JT-DC045V0450-B, JT-DC045V0500-B, JT-DC045V0600-B, JT-DC045V0800-B, JT-DC045V1000-B, JT-DC050V0200-B, JT-DC050V0250-B, JT-DC050V0300-B, JT-DC050V0400-B, JT-DC050V0500-B, JT-DC050V0600-B, JT-DC050V0800-B, JT-DC050V1000-B, JT-DC060V0200-B, JT-DC060V0250-B, JT-DC060V0300-B, JT-DC060V0400-B, JT-DC060V0500-B, JT-DC060V0600-B, JT-DC060V0800-B, JT-DC060V1000-B, JT-DC120V0100-B, JT-DC120V0150-B, JT-DC120V0200-B, JT-DC120V0250-B, JT-DC120V0300-B, JT-DC120V0400-B, JT-DC120V0500-B, JT-DC150V0200-B, JT-DC150V0400-B, JT-DC240V0050-B, JT-DC240V0100-B, JT-DC240V0125-B, JT-DC240V0150-B, JT-DC240V0200-B, JT-DC240V0250-B, JT-DC250V0050-B, JT-DC250V0100-B, JT-DC250V0125-B, JT-DC250V0150-B, JT-DC250V0200-B, JT-DC250V0240-B, JT-DC300V0040-B, JT-DC300V0060-B, JT-DC300V0080-B, JT-DC300V0100-B, JT-DC300V0120-B, JT-DC300V0150-B, JT-DC300V0180-B, JT-DC300V0200-B

Class 2 Inherently Limited Power Supply, Model(s): JT-DC8V500, JT-DC8V800, JT-DC8V1000 and JT-DC12V750

Class 2 power supplies, Model(s): JT-DC24V100, JT-DC24V125, JT-DC24V335, JT-DC24V400, JT-DC24V50, JT-DC4.5V100, JT-DC4.5V450, JT-DC4.5V500, JT-DC4.5V600, JT-DC4.5V650, JT-DC4.5V700, JT-DC4.5V715

Class 2 Power Supplies, Model(s): JT-12V100-OUTDOOR-D, JT-12V200-OUTDOOR-D, JT-12V300-OUTDOOR-D, JT-DC06V1.50A, JT-DC08V1.30A, JT-DC12V0.60A-OUTDOOR-D, JT-DC12V0.80A, JT-DC12V0.80A-OUTDOOR-D, JT-DC12V1.00A, JT-DC12V1.00A-OUTDOOR-D, JT-DC12V1.25A-OUTDOOR-D, JT-DC15V0.80A-OUTDOOR-D, JT-DC18V0.60A-OUTDOOR-D, JT-DC24V0.50A-OUTDOOR-D, JT-DC24V0.60A-OUTDOOR-D, JT-DC5V3.00A-OUTDOOR-D, JT-DC6V1.50A-OUTDOOR-D, JT-DC6V2.00A-OUTDOOR-D

Class 2 Power Supplies - Outdoor Use, Model(s): JT-DC030V0300-C, JT-DC030V0400-C, JT-DC030V0500-C, JT-DC030V0600-C, JT-DC030V0800-C, JT-DC030V1000-C, JT-DC045V0200-C, JT-DC045V0300-C, JT-DC045V0450-C, JT-DC045V0500-C, JT-DC045V0600-C, JT-DC045V0800-C, JT-DC045V1000-C, JT-DC050V0200-C, JT-DC050V0250-C, JT-DC050V0300-C, JT-DC050V0400-C, JT-DC050V0500-C, JT-DC050V0600-C, JT-DC050V0800-C, JT-DC050V1000-C, JT-DC060V0200-C, JT-DC060V0300-C, JT-DC060V0400-C, JT-DC060V0500-C, JT-DC060V0600-C, JT-DC060V0800-C, JT-DC060V1000-C, JT-DC120V0100-C, JT-DC120V0200-C, JT-DC120V0250-C, JT-DC120V0300-C, JT-DC120V0400-C, JT-DC120V0500-C, JT-DC240V0050-C, JT-DC240V0100-C, JT-DC240V0125-C, JT-DC240V0150-C, JT-DC240V0200-C, JT-DC240V0250-C, JT-DC250V0050-C, JT-DC250V0100-C, JT-DC250V0125-C, JT-DC250V0150-C, JT-DC250V0200-C, JT-DC250V0240-C, JT-DC290V0100-C, JT-DC290V0120-C, JT-DC290V0150-C, JT-DC290V0180-C, JT-DC290V0200-C, JT-DC300V0040-C, JT-DC300V0060-C, JT-DC300V0080-C, JT-DC300V0100-C, JT-DC300V0120-C, JT-DC300V0150-C, JT-DC300V0180-C, JT-DC300V0200-C

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC075V0500(I), JT-DC080V0500(I), JT-DC150V0200(I), JT-DC150V0400(I)

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC030V0150(I), JT-DC030V0200(I), JT-DC030V0300(I), JT-DC030V0400(I), JT-DC030V0500(I), JT-DC030V0600(I), JT-DC030V0800(I), JT-DC030V1000(I)

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC045V0200(I), JT-DC045V0300(I), JT-DC045V0450(I), JT-DC045V0500(I), JT-DC045V0600(I), JT-DC045V0800(I), JT-DC045V1000(I)

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC050V0200(I), JT-DC050V0250(I), JT-DC050V0300(I), JT-DC050V0400(I), JT-DC050V0500(I), JT-DC050V0600(I), JT-DC050V0800(I), JT-DC050V1000(I),

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC060V0200(I), JT-DC060V0250(I), JT-DC060V0300(I), JT-DC060V0400(I), JT-DC060V0500(I), JT-DC060V0600(I), JT-DC060V0800(I), JT-DC060V1000(I),

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC120V0100(I), JT-DC120V0150(I), JT-DC120V0200(I), JT-DC120V0250(I), JT-DC120V0300(I), JT-DC120V0400(I), JT-DC120V0500(I),

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC240V0050(I), JT-DC240V0100(I), JT-DC240V0125(I), JT-DC240V0150(I), JT-DC240V0200(I), JT-DC240V0250(I)

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC250V0050(I), JT-DC250V0150(I), JT-DC250V0125(I), JT-DC250V0100(I), JT-DC250V0200(I), JT-DC250V0240(I),

Class 2 Power Supplies, Indoor Use, Model(s): JT-DC300V0040(I), JT-DC300V0060(I), JT-DC300V0080(I), JT-DC300V0100(I), JT-DC300V0120(I), JT-DC300V0150(I), JT-DC300V0180(I), JT-DC300V0200(I),

Class 2 Power Supplies, Outdoor Use, Model(s): JT-DC030V0150, JT-DC030V0200, JT-DC030V0200-C, JT-DC030V0300, JT-DC030V0400, JT-DC030V0500, JT-DC030V0500-D, JT-DC030V0600, JT-DC030V0600-D, JT-DC030V0800, JT-DC030V0800-D, JT-DC030V1000, JT-DC030V1000-D, JT-DC030V1200-D, JT-DC030V1500-D, JT-DC045V0200, JT-DC045V0300, JT-DC045V0450, JT-DC045V0500, JT-DC045V0600, JT-DC045V0600-D, JT-DC045V0800, JT-DC045V0800-D, JT-DC045V1000, JT-DC045V1000-D, JT-DC045V1200-D, JT-DC045V1500-D, JT-DC050V0200, JT-DC050V0250, JT-DC050V0300, JT-DC050V0400, JT-DC050V0500, JT-DC050V0600, JT-DC050V0600-D, JT-DC050V0800, JT-DC050V0800-D, JT-DC050V1000, JT-DC050V1000-D, JT-DC050V1200-D, JT-DC050V1500-D, JT-DC060V0200, JT-DC060V0250, JT-DC060V0300, JT-DC060V0400, JT-DC060V0500, JT-DC060V0600, JT-DC060V0600-D, JT-DC060V0800, JT-DC060V0800-D, JT-DC060V1000, JT-DC060V1000-D, JT-DC060V1200-D, JT-DC060V1400-D, JT-DC075V0500, JT-DC080V0500, JT-DC120V0100, JT-DC120V0150, JT-DC120V0200, JT-DC120V0250, JT-DC120V0300, JT-DC120V0400, JT-DC120V0500, JT-DC120V0500-D, JT-DC120V0600-D, JT-DC120V0650-D, JT-DC120V0700-D, JT-DC150V0200, JT-DC240V0050, JT-DC240V0100, JT-DC240V0125, JT-DC240V0150, JT-DC240V0200, JT-DC240V0280-D, JT-DC240V0300-D, JT-DC240V0360-D, JT-DC250V0050, JT-DC250V0100, JT-DC250V0125, JT-DC250V0150, JT-DC250V0200, JT-DC250V0240, JT-DC250V0280-D, JT-DC250V0300-D, JT-DC250V0360-D, JT-DC290V0220-D, JT-DC290V0240-D, JT-DC290V0250-D, JT-DC290V0280-D, JT-DC290V0300-D, JT-DC300V0040, JT-DC300V0060, JT-DC300V0080, JT-DC300V0100, JT-DC300V0120, JT-DC300V0150, JT-DC300V0180, JT-DC300V0200, JT-DC300V0220-D, JT-DC300V0240-D, JT-DC300V0250-D, JT-DC300V0280-D

Class 2 Power Supplies, Outdoor/indoor Use, Model(s): JT-DC030V0300-C, JT-DC030V0500-C, JT-DC030V0600-C, JT-DC030V1000-C, JT-DC030V1500-D, JT-DC030V2000-D, JT-DC035V0200-C, JT-DC035V0300-C, JT-DC035V0450-C, JT-DC035V0800-C, JT-DC035V1000-C, JT-DC045V0200-C, JT-DC045V0300-C, JT-DC045V0600-C, JT-DC045V0800-C, JT-DC045V1000-C, JT-DC045V1200-C, JT-DC045V1200-D, JT-DC045V1400-D, JT-DC045V1500-D, JT-DC045V2000-D, JT-DC050V0500-C, JT-DC050V1000-C, JT-DC050V1200-D, JT-DC050V1500-D, JT-DC050V2000-D, JT-DC055V1000-D, JT-DC055V1200-D, JT-DC059V1000-C, JT-DC059V1200-D, JT-DC059V1400-D, JT-DC059V1500-D, JT-DC060V0300-C, JT-DC060V0500-C, JT-DC060V0600-C, JT-DC060V1000-C, JT-DC060V1200-D, JT-DC060V1400-D, JT-DC060V1500-D, JT-DC070V1200-D, JT-DC075V1000-D, JT-DC090V0600-D, JT-DC090V0700-D, JT-DC090V1000-D, JT-DC120V0300-C, JT-DC120V0500-C, JT-DC120V0600-D, JT-DC120V0700-D, JT-DC150V0300-C, JT-DC150V0400-C, JT-DC150V0600-D, JT-DC180V0500-D, JT-DC240V0150-C, JT-DC240V0250-C, JT-DC240V0300-C, JT-DC240V0350-D, JT-DC240V0360-D, JT-DC240V0375-D, JT-DC250V0300-D, JT-DC250V0360-D, JT-DC290V0120-C, JT-DC290V0200-C, JT-DC290V0240-C, JT-DC290V0280-D, JT-DC290V0300-D, JT-DC300V0120-C, JT-DC300V0200-C, JT-DC300V0240-C, JT-DC300V0280-D, JT-DC300V0300-D

Class 2 Power Supply Indoor/Outdoor Use, Model(s): JT-DC050V2000-F, JT-DC050V1500-F

Class 2 Power Supply Outdoor Use, Model(s): JT-DC030V2000-F (*), JT-DC035V2000-F (*), JT-DC045V2000-F (*), JT-DC050V1500-F (*), JT-DC050V2000-F (*), JT-DC059V1500-F (*), JT-DC059V2000-F (*), JT-DC090V0700-F (*), JT-DC090V0800-F (*), JT-DC090V1000-F (*), JT-DC090V1200-F (*), JT-DC090V1300-F (*), JT-DC090V1500-F (*), JT-DC120V0600-F (*), JT-DC120V0750-F (*), JT-DC120V0800-F (*), JT-DC120V0900-F (*), JT-DC120V1000-F (*), JT-DC120V1100-F (*), JT-DC120V1250-F (*), JT-DC150V0800-F (*), JT-DC150V1000-F (*), JT-DC240V0400-F (*), JT-DC240V0500-F (*), JT-DC240V0600-F (*), JT-DC250V0400-F (*), JT-DC250V0500-F (*), JT-DC290V0300-F (*), JT-DC290V0400-F (*), JT-DC290V0450-F (*), JT-DC300V0300-F (*), JT-DC300V0400-F (*), JT-DC300V0500-F (*), JT-DCxxxVyyyy-F (*)

Class 2 power units, Model(s): JT-24V125, JT-24V210, JT-24V335, JT-24V625, JT-4.5V1000, JT-4.5V450, JT-4.5V715, JT-DC030V0500-A, JT-DC030V0500-A(I), JT-DC030V0600-A, JT-DC030V0600-A(I), JT-DC030V0800-A, JT-DC030V0800-A(I), JT-DC030V1000-A, JT-DC030V1000-A(I), JT-DC030V1200-A, JT-DC030V1200-A(I), JT-DC030V1500-A, JT-DC030V1500-A(I), JT-DC045V0600-A, JT-DC045V0600-A(I), JT-DC045V0800-A, JT-DC045V0800-A(I), JT-DC045V1000-A, JT-DC045V1000-A(I), JT-DC045V1200-A, JT-DC045V1200-A(I), JT-DC045V1500-A, JT-DC045V1500-A(I), JT-DC050V0600-A, JT-DC050V0600-A(I), JT-DC050V0800-A, JT-DC050V0800-A(I), JT-DC050V1000-A, JT-DC050V1000-A(I), JT-DC050V1200-A, JT-DC050V1200-A(I), JT-DC050V1500-A, JT-DC050V1500-A(I), JT-DC060V0600-A, JT-DC060V0600-A(I), JT-DC060V0800-A, JT-DC060V0800-A(I), JT-DC060V1000-A, JT-DC060V1000-A(I), JT-DC060V1200-A, JT-DC060V1200-A(I), JT-DC060V1450-A, JT-DC060V1450-A(I), JT-DC075V0500-A, JT-DC075V0500-A(I), JT-DC075V0800-A, JT-DC075V0800-A(I), JT-DC075V1000-A, JT-DC075V1000-A(I), JT-DC080V0500-A, JT-DC080V0500-A(I), JT-DC080V0800-A, JT-DC080V0800-A(I), JT-DC080V1000-A, JT-DC080V1000-A(I), JT-DC120V0500-A, JT-DC120V0500-A(I), JT-DC120V0600-A, JT-DC120V0600-A(I), JT-DC120V0650-A, JT-DC120V0650-A(I), JT-DC120V0700-A, JT-DC120V0700-A(I), JT-DC120V0750-A, JT-DC120V0750-A(I), JT-DC12V0.5A, JT-DC12V0.8A, JT-DC12V1.5A, JT-DC12V1A, JT-DC12V2.1A, JT-DC12V2.5A, JT-DC150V0500-A, JT-DC150V0500-A(I), JT-DC150V0600-A, JT-DC150V0600-A(I), JT-DC240V0280-A, JT-DC240V0280-A(I), JT-DC240V0300-A, JT-DC240V0300-A(I), JT-DC240V0360-A, JT-DC240V0360-A(I), JT-DC240V0375-A, JT-DC240V0375-A(I), JT-DC24V0.5A, JT-DC24V1.25A, JT-DC24V100-OUTDOOR-D, JT-DC24V210, JT-DC250V0280-A, JT-DC250V0280-A(I), JT-DC250V0300-A, JT-DC250V0300-A(I), JT-DC250V0360-A, JT-DC250V0360-A(I), JT-DC300V0220-A, JT-DC300V0220-A(I), JT-DC300V0240-A, JT-DC300V0240-A(I), JT-DC300V0250-A, JT-DC300V0250-A(I), JT-DC300V0280-A, JT-DC300V0280-A(I), JT-DC300V0300-A, JT-DC300V0300-A(I), JT-DC3V2.5A, JT-DC4.5V350-OUTDOOR-D, JT-DC4.5V1000, JT-DC4.5V2.5A, JT-DC4.5V800-OUTDOOR-D, JT-DC5V2.5A, JT-DC6V1000, JT-DC6V1A, JT-DC6V2.5A, JT-DC6V500, JT-DC9V1.5A, JT-DC9V2.5A, JT-DC9V200

Class 2 Power Units, "AC Models", Model(s): JT-12V2500, JT-12V500, JT-12V600, JT-12V830, JT-24V1000, JT-24V1660, JT-24V2000, JT-24V2500, JT-24V300, JT-24V3000

Class 2 Power Units, "DC Models", Model(s): JT-DC12V200, JT-DC12V300, JT-DC15V200, JT-DC15V600, JT-DC15V800, JT-DC24V150, JT-DC24V200, JT-DC24V300, JT-DC24V850, JT-DC3V150, JT-DC4.5V150, JT-DC4.5V300, JT-DC4.5V400, JT-DC6V150, JT-DC6V500, JT-DC6V800

General use: AC/AC cord connected Class 2 adaptors, Model(s): JT-12V2100, JT-12V2100-IP64, JT-12V3000, JT-12V4200, JT-12V4200-IP64, JT-12V5000, JT-24V1200, JT-24V1500, JT-24V1500-IP64, JT-24V850, JT-24V850-IP64

(*) - where xxx may be 030 to 300, yyyy may be 0300 to 2000

(*) - where xxx may be 030 to 300, yyyy may be 0040 to 1000

(@) - where xxx may be 030 to 300, yyyy may be 0120 to 1330

(@)

(^) - where XXX may be 030 to 300, YYYY may be 0300 to 3500

(^)

Last Updated on 2021-11-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"