



Test Report

No.: 70.452.25.10374.02

Date: 2025-07-15

Applicant: NINGBO ELITE CYCLE CO.,LTD.
Address: NO.36 PUYAN ROAD, XIAPU INDUSTRIAL PARK,BEILUN DISTRICT,NINGBO
Product Name: Children tricycle
Model No: JY-T08F, JY-T15
Receipt Date of Sample: 2025-02-26; 2025-04-25; 2025-05-15; 2025-06-18; 2025-07-09
Date of Testing: 2025-02-26 to 2025-07-15
Date of Further Information: 2025-07-09
Sample Submitted: The sample(s) was (were) submitted by applicant and identified.
Test Result: Refer to the data listed in following pages

Test Item

1. CEN/TS 17876:2024 Child care articles – Tricycles – Safety requirements and test methods

Conclusion
Pass

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
Testing Center

Prepared by:

Jenny Yao
Technical Engineer

Authorized by:

Tang Wei
Technical Manager



Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3. For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) Sample and (or) material information is provided by the client. TÜV SÜD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.
- (3) The testing results are only valid for the sample tested.
- (4) The test report shall not be reproduced except in full, without the written approval of the laboratory.
- (5) **Disclaimer Measurement Uncertainty:**
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.



Description of Tested Subject:

Sample Receiving Info (CEN/TS 17876:2024 mechanical test sample only)	Sample Received on: 2025-02-26, Complete test sample A&B 1 set/model; Sample Received on: 2025-04-25, Revised test sample A&B 1 set/model; Sample Received on: 2025-05-15; Revised test sample A&B 1 set/model; Sample Received on: 2025-06-18, Revised test sample A&B 1 set/model; Sample Received on: 2025-07-09, Revised test sample A&B 1 set/model;	
Sample Description	Overall weight (kg):	A: 9.33; B: 8.89
	Overall size (Length x width x height in mm):	A: 1120 x 580 x 990 B: 1148 x 580 x 995
	Suitable age:	Pushchair function: 12~24 months
	Front wheel:	A: Diameter: 240mm, single wheel; B: Diameter: 238mm, single wheel
	Rear wheel:	A: Diameter: 196mm, single wheel; B: Diameter: 194mm, single wheel
	The angle between backrest and seat:	A: Seat unit forward: 99.0 / 111.3 / 125.7° ; Seat unit backward: 98.1 / 111.8 / 126.0 / 139.9° B: Seat unit forward: 102.3 / 116.1 / 129.2° ; Seat unit backward: 102.5 / 116.1 / 130.6 / 143.8°
	Width of the straps:	25 mm
	Construction:	Parking device: Linkage; Canopy: Adjustable.

Sample Photos

Front view of test sample A	Side view of test sample A
Back view of test sample A	Side view with seat unit backward of test sample A

Test Report

No.: 70.452.25.10374.02
Date: 2025-07-15



	
Front view of test sample B	Side view of test sample B
	
Back view of test sample B	Side view with seat unit backward of test sample B



Test Report

No.: 70.452.25.10374.02

Date: 2025-07-15

Test Result(s):

1. CEN/TS 17876:2024 Child care articles – Tricycles – Safety requirements and test methods

Clause	Test Item	Test Result
6	Mechanical hazards	-
6.1	Protective function	-
6.1.1	Suitability of CTP	-
6.1.1.1	Seat	P
6.1.2	Restraint system and fasteners	P
6.2	Entrapment hazards	-
6.2.1	Holes and openings	P
6.3	Hazards from moving parts	-
6.3.1	General	P
6.3.2	Shearing hazards	P
6.3.3	Crushing hazards, requirement	P
6.3.4	Wheels	P
6.3.5	Locking mechanism(s)	-
6.3.5.1	Folding system for storage or transportation	P
6.3.5.2	Handle detachment	P
6.4	Entanglement and strangulation hazards	P
6.5	Choking and ingestion hazards	P
6.6	Suffocation hazards	-
6.6.1	Internal lining of the seat	P
6.6.2	Plastic packaging	P
6.7	Hazardous edges and protrusions	P
6.8	Parking and braking devices	P
6.9	Stability	P
6.10	Structural integrity	-
6.10.1	Strength and durability of attachment devices for seat and backrest	P
6.10.2	Irregular surface test	P
6.10.3	Handle strength	P
7	Durability of marking	P
8	Product information	P

Abbreviation: P = Pass; N/A = Not Applicable.

-End of Test Report-