

# TEST REPORT


|                                                 |                                                                                  |
|-------------------------------------------------|----------------------------------------------------------------------------------|
| <b><u>Applicant</u></b>                         | : Delta (Fujian) Children's Products Co., Ltd.                                   |
| <b><u>Address</u></b>                           | : JIAN-GANG ROAD, JIANGYIN INDUSTRY<br>CONCENTRATED AREA, FUQING, FUJAIN, CHINA. |
| <b><u>Sample description</u></b>                | : Kids easel                                                                     |
| <b><u>Item no.</u></b>                          | : 3B0-017V80GN 、<br>3B0-017V80PK                                                 |
| <b><u>Manufacturer</u></b>                      | : Delta (Fujian) Children's Products Co., Ltd.                                   |
| <b><u>Age requested on application form</u></b> | : 3+                                                                             |
| <b><u>Labelled age grade</u></b>                | : Age for 3+                                                                     |
| <b><u>Age grade applied in testing</u></b>      | : Over 3 Years                                                                   |
| <b><u>Lab recommended age grade</u></b>         | : Over 3 Years                                                                   |
| <b><u>Sample received date</u></b>              | : 14-Jul-2026                                                                    |
| <b><u>Further information date</u></b>          | : 29-Jul-2026                                                                    |
| <b><u>Turn around time</u></b>                  | : 14-Jul-2026 To 31-Jul-2026                                                     |

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

| TEST REQUESTED                                                    | TEST METHOD/REGULATION                    | RESULT |
|-------------------------------------------------------------------|-------------------------------------------|--------|
| Physical and Mechanical Hazards                                   | ASTM F963-23                              | Pass   |
| Flammability of Toys                                              | ASTM F963-23, Section 4.2                 | Pass   |
| Heavy Metals                                                      | ASTM F963-23, Section 4.3.5               | Pass   |
| Phthalates Content                                                | ASTM F963-23, Section 4.3.8               | Pass   |
| Total Lead Content in Substrate                                   | US CPSIA, Section 101 (15 U.S.C. § 1278a) | Pass   |
| Phthalates Content                                                | US CPSIA, Section 108                     | Pass   |
| Total Lead Content in Paint / Surface Coating                     | US CPSIA, Section 101 (15 U.S.C. § 1278a) | Pass   |
| Phthalates Content                                                | CPSC 16 CFR part 1307                     | Pass   |
| Tracking Label Assessment                                         | US CPSIA, Section 103                     | Pass   |
| Small Parts, Sharp Points, Sharp Edges                            | CPSC Regulations                          | Pass   |
| Physical and Mechanical Hazards                                   | CPSC Regulations                          | Pass   |
| Flammability Test                                                 | CPSC Regulations-1500.3(c)(6)(vi)         | Pass   |
| Total Lead Content in Paint and Similar Surface-coating Materials | US 16 CFR 1303                            | Pass   |

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*


Signed for and on behalf of  
Eurofins MTS Consumer Product Testing (Shanghai)  
Co., Ltd.



Ada Jin  
Toy Division Assistant Manager



## SAMPLE PHOTO(S)



# EFW526072162-CG-01

\*\*\*TO BE CONTINUED\*\*\*

## **REFERENCE SAMPLE PHOTO(S)**



**3B0-017V80PK**

The reference samples have not been tested in current report, but according to customer's request, the pictures have also been included. For sample tested in current report, please refer to "Sample photo".

\*\*\*TO BE CONTINUED\*\*\*

## COMPONENT LIST

| Component No. | Component                                          | Sample No. |
|---------------|----------------------------------------------------|------------|
| 1             | White paper with beige white/black coating (label) | A          |
| 2             | White coating on wood                              | A          |
| 3             | Black coating on wood                              | A          |
| 4             | Green coating on wood                              | A          |
| 5             | Pink coating on wood                               | B          |
| 6             | Green coating on plastic (edge sealing)            | A          |
| 7             | White plastic excluding coating (edge sealing)     | A          |
| 8             | Light yellow non-woven fabric                      | A          |
| 9             | Pink non-woven fabric                              | B          |
| 10            | Multi-color fabric fabric (draw)                   | A          |
| 11            | Multi-color fabric fabric (draw)                   | B          |
| 12            | Natural color wood excluding coating               | A          |
| 13            | Brown MDF wood excluding coating                   | A,B        |
| 14            | Bright silver metal (screw)                        | A          |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Physical and Mechanical Hazards

Test Request: As specified in Consumer Safety Specification ASTM F963-23  
Test Sample: A

| Section | Description                                                                                                                                         | Result |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 4.1     | Material Quality                                                                                                                                    | P      |
| 4.3.7   | Stuffing Materials                                                                                                                                  | N/A    |
| 4.5     | Sound-Producing Toys                                                                                                                                | N/A    |
| 4.6     | Small Objects                                                                                                                                       | N/A    |
| 4.6.1   | Toys that are intended for children under 36 months of age                                                                                          | N/A    |
| 4.6.2   | Mouth-Actuated Toys                                                                                                                                 | N/A    |
| 4.6.3   | Toys that are intended for children over 36 months but less than 72 months                                                                          | N/A    |
| 4.7     | Accessible Edges                                                                                                                                    | P      |
| 4.8     | Projections                                                                                                                                         | N/A    |
| 4.8.1   | Bath Toy Projections                                                                                                                                | N/A    |
| 4.9     | Accessible Points                                                                                                                                   | P      |
| 4.10    | Wires or Rods                                                                                                                                       | N/A    |
| 4.11    | Nails and Fasteners                                                                                                                                 | P      |
| 4.12    | Plastic Film                                                                                                                                        | N/A    |
| 4.13    | Folding Mechanisms and Hinges                                                                                                                       | N/A    |
| 4.14    | Cords, Straps and Elastics                                                                                                                          | N/A    |
| 4.15    | Stability and Over-Load Requirements                                                                                                                | P      |
| 4.16    | Confined Spaces                                                                                                                                     | N/A    |
| 4.17    | Wheels, Tires, and Axles                                                                                                                            | N/A    |
| 4.18    | Holes, Clearances, and Accessibility of Mechanisms                                                                                                  | N/A    |
| 4.19    | Simulated Protective Devices                                                                                                                        | N/A    |
| 4.20    | Pacifiers                                                                                                                                           | N/A    |
| 4.21    | Projectile Toys                                                                                                                                     | N/A    |
| 4.22    | Teethers and Teething Toys                                                                                                                          | N/A    |
| 4.23    | Rattles                                                                                                                                             | N/A    |
| 4.24    | Squeeze Toys                                                                                                                                        | N/A    |
| 4.25    | Battery-Operated Toys (exclude section 4.25.9 Battery-powered ride-on toys and section 4.25.10 Toys contain secondary cells or secondary batteries) | N/A    |
| 4.26    | Toys Intended to be Attached to a Crib or Playpen                                                                                                   | N/A    |
| 4.27    | Stuffed and Beanbag-Type Toys                                                                                                                       | N/A    |
| 4.28    | Stroller and Carriage Toys                                                                                                                          | N/A    |
| 4.29    | Art Material                                                                                                                                        | N/A    |
| 4.30    | Toy Gun Marking                                                                                                                                     | N/A    |
| 4.31    | Balloons                                                                                                                                            | N/A    |
| 4.32    | Certain Toys with Nearly Spherical Ends                                                                                                             | N/A    |
| 4.33    | Marbles                                                                                                                                             | N/A    |
| 4.34    | Balls                                                                                                                                               | N/A    |
| 4.35    | Pompoms                                                                                                                                             | N/A    |
| 4.36    | Hemispheric-Shaped Objects                                                                                                                          | N/A    |
| 4.37    | Yo Yo Elastic Tether Toys                                                                                                                           | N/A    |
| 4.38    | Magnets                                                                                                                                             | N/A    |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

| Section | Description                                                                                                                    | Result |
|---------|--------------------------------------------------------------------------------------------------------------------------------|--------|
| 4.39    | Jaw Entrapment in Handles and Steering Wheels                                                                                  | N/A    |
| 4.40    | Expanding Materials                                                                                                            | N/A    |
| 4.41    | Toy Chests                                                                                                                     | N/A    |
| 5       | Labeling Requirements                                                                                                          |        |
| 5.1.2   | Tracking Label                                                                                                                 | P      |
| 5.2     | Age Grading Labeling                                                                                                           | P      |
| 5.3     | Safety Labeling Requirements                                                                                                   | P      |
| 5.4     | Aquatic Toys                                                                                                                   | N/A    |
| 5.5     | Crib and Playpen Toys                                                                                                          | N/A    |
| 5.6     | Mobiles                                                                                                                        | N/A    |
| 5.7     | Stroller and Carriage Toys                                                                                                     | N/A    |
| 5.8     | Toys Intended to be Assembled by an Adult                                                                                      | P      |
| 5.9     | Simulated Protective Devices                                                                                                   | N/A    |
| 5.10    | Toys with Functional Sharp Edges or Points                                                                                     | N/A    |
| 5.11    | Small Objects, Small Balls, Marbles and Balloons                                                                               | N/A    |
| 5.12    | Art Materials                                                                                                                  | N/A    |
| 5.13    | Electric Toys                                                                                                                  | N/A    |
| 5.14    | Battery-Operated Toys                                                                                                          | N/A    |
| 5.14.1  | Battery-Powered Ride-On Toys                                                                                                   | N/A    |
| 5.14.2  | Button or Coin Cell Batteries                                                                                                  | N/A    |
| 5.15    | Promotional Materials                                                                                                          | P      |
| 5.16    | Magnets                                                                                                                        | N/A    |
| 6       | Instructional Literature                                                                                                       |        |
| 6.1     | Definition and Description                                                                                                     | P      |
| 6.2     | Crib and Playpen Toys                                                                                                          | N/A    |
| 6.3     | Mobiles                                                                                                                        | N/A    |
| 6.4     | Toys Intended to be Assembled by an Adult                                                                                      | P      |
| 6.5     | Battery-Operated Toys                                                                                                          | N/A    |
| 6.6     | Battery Powered Ride-On Toys                                                                                                   | N/A    |
| 6.7     | Toys in Contact with Food                                                                                                      | N/A    |
| 6.8     | Toy Chests                                                                                                                     | N/A    |
| 6.9     | The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery (ies) | N/A    |
| 7       | Producer's Markings                                                                                                            |        |
| 7.1     | Producer's or Distributor's Name and Address                                                                                   | P      |
| 7.2     | Battery-Powered Ride-on Toys                                                                                                   | N/A    |
| 7.3     | Toy Chests                                                                                                                     | N/A    |

**Remark:**

P-Pass, F- Fail, N/A-Not Applicable, N/C-Not conduct as per client's request

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Flammability of Toys

Test Request: As specified in ASTM F963-23, Section 4.2, testing procedure for materials other than textiles (excluding paper) used in toys is contained in Annex A5.

| Sample | Limit           | Result |
|--------|-----------------|--------|
| A      | 0.1 inch/second | P      |

**Remark:**

P-Pass, F- Fail, N/A-Not Applicable

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Heavy Metals

ASTM F963-23- Heavy Elements – Total Lead in Paint and Similar Surface-Coating Material (Clause 4.3.5.1(1))  
Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

| Tested Item(s)      | Unit  | Limit | MDL | Result |    |    |    |    |
|---------------------|-------|-------|-----|--------|----|----|----|----|
|                     |       |       |     | 1      | 2  | 3  | 4  | 5  |
| Total Lead in Paint | mg/kg | 90    | 10  | ND     | ND | ND | ND | ND |

| Tested Item(s)      | Unit  | Limit | MDL | Result |  |  |  |  |
|---------------------|-------|-------|-----|--------|--|--|--|--|
|                     |       |       |     | 6      |  |  |  |  |
| Total Lead in Paint | mg/kg | 90    | 10  | ND     |  |  |  |  |

ASTM F963-23- Heavy Elements – Total Lead in Substrate Material (Clause 4.3.5.2(2) (a))  
Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

| Tested Item(s)          | Unit  | Limit | MDL | Result |    |    |    |    |
|-------------------------|-------|-------|-----|--------|----|----|----|----|
|                         |       |       |     | 7      | 8  | 9  | 10 | 11 |
| Total Lead in Substrate | mg/kg | 100   | 10  | ND     | ND | ND | ND | ND |

| Tested Item(s)          | Unit  | Limit | MDL | Result |    |    |
|-------------------------|-------|-------|-----|--------|----|----|
|                         |       |       |     | 12     | 13 | 14 |
| Total Lead in Substrate | mg/kg | 100   | 10  | ND     | ND | ND |

ASTM F963-23- Heavy Elements – Total Elements Content, Initial Screening for Soluble Migrated Elements  
Content in Surface Coatings and Substrates Other Than Modeling Clay(Clause 4.3.5.1(2) and 4.3.5.2(2)(b))  
Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

| Tested Item(s) | Unit  | Limit | MDL | Result |    |    |    |    |
|----------------|-------|-------|-----|--------|----|----|----|----|
|                |       |       |     | 1      | 2  | 3  | 4  | 5  |
| Total Antimony | mg/kg | 60    | 5   | ND     | ND | ND | ND | ND |
| Total Arsenic  | mg/kg | 25    | 5   | ND     | ND | ND | ND | ND |
| Total Barium   | mg/kg | 1000  | 10  | 124    | ND | ND | ND | ND |
| Total Cadmium  | mg/kg | 75    | 5   | ND     | ND | ND | ND | ND |
| Total Chromium | mg/kg | 60    | 5   | 15     | ND | 25 | ND | 25 |
| Total Lead     | mg/kg | 90    | 10  | ND     | ND | ND | ND | ND |
| Total Mercury  | mg/kg | 60    | 5   | ND     | ND | ND | ND | ND |
| Total Selenium | mg/kg | 500   | 10  | ND     | ND | ND | ND | ND |

| Tested Item(s) | Unit  | Limit | MDL | Result |    |    |    |     |
|----------------|-------|-------|-----|--------|----|----|----|-----|
|                |       |       |     | 6      | 7  | 8  | 9  | 10  |
| Total Antimony | mg/kg | 60    | 5   | 44     | 25 | ND | ND | 84^ |
| Total Arsenic  | mg/kg | 25    | 5   | ND     | ND | ND | ND | ND  |
| Total Barium   | mg/kg | 1000  | 10  | ND     | ND | ND | ND | ND  |
| Total Cadmium  | mg/kg | 75    | 5   | ND     | ND | ND | ND | ND  |
| Total Chromium | mg/kg | 60    | 5   | ND     | ND | ND | ND | ND  |
| Total Lead     | mg/kg | 90    | 10  | ND     | ND | ND | ND | ND  |
| Total Mercury  | mg/kg | 60    | 5   | ND     | ND | ND | ND | ND  |
| Total Selenium | mg/kg | 500   | 10  | ND     | ND | ND | ND | ND  |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

| Tested Item(s) | Unit  | Limit | MDL | Result           |    |    |
|----------------|-------|-------|-----|------------------|----|----|
|                |       |       |     | 11               | 12 | 13 |
| Total Antimony | mg/kg | 60    | 5   | 138 <sup>^</sup> | ND | ND |
| Total Arsenic  | mg/kg | 25    | 5   | ND               | ND | ND |
| Total Barium   | mg/kg | 1000  | 10  | ND               | ND | ND |
| Total Cadmium  | mg/kg | 75    | 5   | ND               | ND | ND |
| Total Chromium | mg/kg | 60    | 5   | ND               | ND | ND |
| Total Lead     | mg/kg | 90    | 10  | ND               | ND | ND |
| Total Mercury  | mg/kg | 60    | 5   | ND               | ND | ND |
| Total Selenium | mg/kg | 500   | 10  | ND               | ND | ND |

ASTM F963-23- Heavy Elements – Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay (Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-23, Section 8.3.2 to 8.3.5 (excluding 8.3.5.5(3))

| Tested Item(s)   | Unit  | Limit | MDL | Result |    |
|------------------|-------|-------|-----|--------|----|
|                  |       |       |     | 10     | 11 |
| Soluble Antimony | mg/kg | 60    | 5   | ND     | ND |
| Soluble Arsenic  | mg/kg | 25    | 2.5 | ND     | ND |
| Soluble Barium   | mg/kg | 1000  | 10  | ND     | ND |
| Soluble Cadmium  | mg/kg | 75    | 5   | ND     | ND |
| Soluble Chromium | mg/kg | 60    | 5   | ND     | ND |
| Soluble Lead     | mg/kg | 90    | 5   | ND     | ND |
| Soluble Mercury  | mg/kg | 60    | 5   | ND     | ND |
| Soluble Selenium | mg/kg | 500   | 10  | ND     | ND |

**Remark:**

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

The analytical results were adjusted by subtracting analytical correction factor.

<sup>^</sup>On the initial analysis for soluble heavy metals content, any tested component of greater than the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis of ASTM F963-23, Sections 8.3.2 to 8.3.5 as specified in Section 8.3.1.3. The result herein is for reference only (show data), please refer to soluble heavy metals content analysis for the corresponding conclusive results.

According to Section 8.3.1.3, if results of total eight elements are below soluble limits for each element as prescribed in the table, the material can be considered to conform to requirements of 4.3.5.1(2) or 4.3.5.2(2)(b), or both, without further testing.

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Phthalates Content

Test Request: Phthalates Content in Toys (including pacifiers, rattles, and teethingers) Material (ASTM F963-23, Section 4.3.8)

Test Method: CPSC-CH-C1001-09.4

| Test Item(s)                  | CAS No.    | Unit | Limit | MDL   | Result |           |     |    |
|-------------------------------|------------|------|-------|-------|--------|-----------|-----|----|
|                               |            |      |       |       | 1      | 2+3+<br>4 | 5+6 | 7  |
| Diisononylphthalate (DINP)    | 28553-12-0 | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Di-pentyl phthalate (DPP)     | 131-18-0   | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Di-n-hexyl phthalate (DHEXP)  | 84-75-3    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Dicyclohexyl phthalate (DCHP) | 84-61-7    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Diisobutyl phthalate (DIBP)   | 84-69-5    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Diethylhexylphthalate (DEHP)  | 117-81-7   | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Dibutylphthalate (DBP)        | 84-74-2    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Benzylbutylphthalate (BBP)    | 85-68-7    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |

### Remarks:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

MDL = method detection limit

ND = Not detected, less than MDL

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Total Lead Content in Substrate

Test Request: Total lead in substrate as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101 (15 U.S.C. § 1278a).

Test Method: CPSC-CH-E1001-08.3 for metal product, CPSC-CH-E1002-08.3 for nonmetal product. The sample was acid digested, and total lead content was determined by ICP-OES.

| Test Item(s)    | Unit  | Limit | MDL | Result |       |    |
|-----------------|-------|-------|-----|--------|-------|----|
|                 |       |       |     | 7      | 12+13 | 14 |
| Total Lead (Pb) | mg/kg | 100   | 10  | ND     | ND    | ND |

**Remark:**

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Phthalates Content

Test Request: Phthalates Content as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 108

Test Method: CPSC-CH-C1001-09.4

| Test Item(s)                 | CAS No.    | Unit | Limit | MDL   | Result |           |     |    |
|------------------------------|------------|------|-------|-------|--------|-----------|-----|----|
|                              |            |      |       |       | 1      | 2+3+<br>4 | 5+6 | 7  |
| Dibutylphthalate (DBP)       | 84-74-2    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Benzylbutylphthalate (BBP)   | 85-68-7    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Diethylhexylphthalate (DEHP) | 117-81-7   | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Di-n-octylphthalate (DNOP)   | 117-84-0   | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Diisononylphthalate (DINP)   | 28553-12-0 | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Diisodecylphthalate (DIDP)   | 26761-40-0 | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |

### Remarks:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

MDL = method detection limit

ND = Not detected, less than MDL

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Total Lead Content in Paint / Surface Coating

Test Request: Total lead in paint/ similar surface coatings as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101 (15 U.S.C. § 1278a).

Test Method: CPSC-CH-E1003-09.1  
The sample was acid digested, and total lead content was determined by ICP-OES.

| Test Item(s)    | Unit  | Limit | MDL | Result |       |     |
|-----------------|-------|-------|-----|--------|-------|-----|
|                 |       |       |     | 1      | 2+3+4 | 5+6 |
| Total Lead (Pb) | mg/kg | 90    | 10  | ND     | ND    | ND  |

**Remark:**

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Phthalates Content

Test Request: Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates as specified in CPSC 16 CFR part 1307.

Test Method: CPSC-CH-C1001-09.4

| Test Item(s)                  | CAS No.    | Unit | Limit | MDL   | Result |           |     |    |
|-------------------------------|------------|------|-------|-------|--------|-----------|-----|----|
|                               |            |      |       |       | 1      | 2+3+<br>4 | 5+6 | 7  |
| Diisononylphthalate (DINP)    | 28553-12-0 | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Di-pentyl phthalate (DPP)     | 131-18-0   | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Di-n-hexyl phthalate (DHEXP)  | 84-75-3    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Dicyclohexyl phthalate (DCHP) | 84-61-7    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Diisobutyl phthalate (DIBP)   | 84-69-5    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Diethylhexylphthalate (DEHP)  | 117-81-7   | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Dibutylphthalate (DBP)        | 84-74-2    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |
| Benzylbutylphthalate (BBP)    | 85-68-7    | %    | 0.1   | 0.005 | ND     | ND        | ND  | ND |

### Remarks:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

MDL = method detection limit

ND = Not detected, less than MDL

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Tracking Label Assessment

Test Request: As per Consumer Product Safety Improvement Act (CPSIA) 2008 section 103 tracking labels for children products  
Test Sample: A

| Labeling Content                                                                          | Observation Result | Location          | Conclusion |
|-------------------------------------------------------------------------------------------|--------------------|-------------------|------------|
| Name of Manufacturer/ Import / Private Labeler in the tracking label                      | Present            | Packaging Product | Pass       |
| Location of production                                                                    | Present            | Packaging Product | Pass       |
| Date of production                                                                        | Present            | Packaging Product | Pass       |
| Cohort information (including the batch, run number, or other identifying characteristic) | Present            | Packaging Product | Pass       |

### **Remark:**

The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Small Parts, Sharp Points, Sharp Edges

Test Request: Small parts, sharp points, sharp edges requirements of 16 CFR 1500, after use and abuse tests.  
Test Sample: A

| Section        | Description  | Result |
|----------------|--------------|--------|
| 16 CFR 1501    | Small Parts  | N/A    |
| 16 CFR 1500.48 | Sharp Points | P      |
| 16 CFR 1500.49 | Sharp Edges  | P      |

**Remark:**

The use and abuse tests conducted are:  
As Received & Normal Use (1500.50)  
Impact Test (1500.53(b))  
Tip over test (1500.53(b))  
Torque Test (1500.53(e))  
Tension Test (1500.53(f))  
P - Pass, N/A - Not Applicable

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Physical and Mechanical Hazards

Test Request: The Mechanical Hazards Requirements of 16 CFR 1500, after Use and Abuse Tests.  
Test Sample: A

| Section        | Description  | Result |
|----------------|--------------|--------|
| 16 CFR 1501    | Small Parts  | N/A    |
| 16 CFR 1500.48 | Sharp Points | P      |
| 16 CFR 1500.49 | Sharp Edges  | P      |
| 16 CFR 1511    | Pacifier     | N/A    |
| 16 CFR 1510    | Rattles      | N/A    |

**Remark:**

The use and abuse tests conducted are:

As Received & Normal Use (1500.50)

Impact Test (1500.53(b))

Tip over test (1500.53(b))

Torque Test (1500.53(e))

Tension Test (1500.53(f))

P - Pass, N/A - Not Applicable

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Flammability Test

Test Request: As per U.S. code of federal regulations title 16 CFR 1500.3(c)(6)(vi) for flammable solid, tested by the method described in 16 CFR 1500.44.

| Sample | Limit           | Result |
|--------|-----------------|--------|
| A      | 0.1 inch/second | P      |

**Remark:**

IBE = Ignite But Self – Extinguished

DNI = Do Not Ignited

P – Pass

F – Fail

NA – Not Applicable

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Total Lead Content in Paint and Similar Surface-coating Materials

Test Request: Total lead content as specified in US 16 CFR 1303

Test Method: CPSC-CH-E1003-09.1

The sample was acid digested, and total lead content was determined by ICP-OES.

| Test Item(s)    | Unit  | Limit | MDL | Result |       |     |
|-----------------|-------|-------|-----|--------|-------|-----|
|                 |       |       |     | 1      | 2+3+4 | 5+6 |
| Total Lead (Pb) | mg/kg | 90    | 10  | ND     | ND    | ND  |

#### Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

This test report is governed by the Terms and Conditions, available on request or accessible at <https://www.eurofins.cn/consumer-product-testing/general-terms/>. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd. ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF's control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report. This document shall not be reproduced except in full unless prior written authorization from ERF has been attained. Unless otherwise stated from the customer, regulation or the standard specification, Eurofins will apply it in accordance with ILAC G8:09/2019 (binary statement for simple acceptance rule) and shared risk decision rule. If you happen to have any complaints, please do it by sending email to [info.shmts@cpt.eurofinscn.com](mailto:info.shmts@cpt.eurofinscn.com) and referring to this report number. As per regulation of China Metrology Accreditation (CMA), a report without CMA accreditation logo will not serve as testimonial to the public for the purpose defined by CMA regulations.

\*\*\*END OF THE REPORT\*\*\*

Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd.

Building 1, No. 105, Guangzhong Road, Zhuanqiao, Minhang

District, Shanghai, China

Tel: (86) 21-2350 9600

No.331, Guangzhong Road, Zhuanqiao, Minhang

District, Shanghai, China

Website: [www.eurofins.cn](http://www.eurofins.cn)

E-mail: [info.shmts@cpt.eurofinscn.com](mailto:info.shmts@cpt.eurofinscn.com)