

# TEST REPORT

**APPLICANT** : Dongguan City Baby Furniture Co., Ltd.

**ADDRESS** : Dangkeng Road, Shangtun No.3 Industrial Area, Liaobu Town, Dongguan City, China

**SAMPLE DESCRIPTION** : Kids sofa

**ITEM NO.** : HY10083GR(SF-1020);  
HY10083PI(SF-1020);  
HY10084GR(SF-1020-1);  
HY10084PI(SF-1020-1);  
HY10085GR(SF-327-L);  
HY10085PI(SF-327-L)

**AGE REQUESTED ON APPLICATION FORM** : 3+

**LABELED AGE GRADE** : Not Present

**AGE GRADE APPLIED IN TESTING** : 3+

**SAMPLE RECEIVED DATE** : 23-Jun-2022

**FURTHER INFORMATION DATE** : 21-Jul-2022

**TURN AROUND TIME** : 23-Jun-2022 to 22-Jul-2022

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

| TEST REQUESTED                                | TEST METHOD/REGULATION | RESULT |
|-----------------------------------------------|------------------------|--------|
| Physical and Mechanical Hazards               | ASTM F963-17           | Pass   |
| Flammability of Toys                          | ASTM F963-17           | Pass   |
| Heavy Metals                                  | ASTM F963-17           | Pass   |
| Total Lead Content in Substrate               | US CPSIA, Section 101  | Pass   |
| Total Lead Content in Paint / Surface Coating | US CPSIA, Section 101  | Pass   |
| Phthalates Content                            | US CPSIA, Section 108  | Pass   |
| Total Lead Content                            | US 16 CFR 1303         | Pass   |
| Phthalates Content                            | CPSC 16 CFR part 1307  | Pass   |
| Tracking Label Assessment                     | US CPSIA, Section 103  | Pass   |


*Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to [info.hz@eurofins.com](mailto:info.hz@eurofins.com) and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to [chinacomplaint@eurofins.com](mailto:chinacomplaint@eurofins.com) and referring to this report number.*

**Eurofins (Hangzhou) contact information****Customer service:** [StaceyZhang@eurofins.com](mailto:StaceyZhang@eurofins.com)/ +86 571 87203730**Sales specialist:** [SophiaMa@eurofins.com](mailto:SophiaMa@eurofins.com)/ +86 216 1819 181

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of

Eurofins Product Testing Service (Shanghai) Co., Ltd. Hangzhou Branch



---

Sara Liu

Lab Manager

## SAMPLE PHOTO(S)



**A:HY10085PI(SF-327-L)**



**B:HY10083GR(SF-1020)**



**C:HY10084PI(SF-1020-1)**



**D**

# EFHZ22063702-CG-01

\*\*\*TO BE CONTINUED\*\*\*

## **REFERENCE SAMPLE PHOTO(S)**



HY10083PI (SF-1020)



HY10085GR (SF-327-L)



HY10084GR (SF-1020-1)

The reference sample has not been tested in current report, but according to customer's request, the picture has also been included. For sample tested in current report, please refer to "sample photo".

\*\*\*TO BE CONTINUED\*\*\*

## **COMPONENT LIST**

| <b>Component No.</b> | <b>Component</b>                      | <b>Sample No.</b> |
|----------------------|---------------------------------------|-------------------|
| 1                    | Transparent coating on wood           | B                 |
| 2                    | Brown gradient plastic (feet)         | A,C               |
| 3                    | White plastic (foot pad)              | A,B               |
| 4                    | Pink short plush fabric (body)        | A                 |
| 5                    | Black non-woven fabric                | A,B,C             |
| 6                    | Beige plush fabric                    | B,C               |
| 7                    | Grey plush fabric                     | B                 |
| 8                    | Dark pink plush fabric (body)         | C                 |
| 9                    | Pink plush fabric                     | C                 |
| 10                   | Black fabric fasteners                | C                 |
| 11                   | Grey short plush fabric               | D                 |
| 12                   | Natural color wood                    | B                 |
| 13                   | Rose golden plated metal screw/gasket | B                 |
| 14                   | Black plated metal staple             | A,B,C             |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Physical and Mechanical Hazards

Test Request: As specified in Consumer Safety Specification ASTM F963-17

| Section | Description                                                                                                                                             | Result     |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
|         |                                                                                                                                                         | Sample A-C |
| 4.1     | Material Quality                                                                                                                                        | P          |
| 4.3.7   | Stuffing Materials                                                                                                                                      | P          |
| 4.5     | Sound-Producing Toys                                                                                                                                    | N/A        |
| 4.6     | Small Objects                                                                                                                                           | N/A        |
| 4.6.1   | Toys that are intended for children under 36 months of age                                                                                              | N/A        |
| 4.6.2   | Mouth-Actuated Toys                                                                                                                                     | N/A        |
| 4.6.3   | Toys that are intended for children over 36 months but less than 72 months                                                                              | N/A        |
| 4.7     | Accessible Edges                                                                                                                                        | P          |
| 4.8     | Projections                                                                                                                                             | N/A        |
| 4.8.1   | Bath Toy Projections                                                                                                                                    | N/A        |
| 4.9     | Accessible Points                                                                                                                                       | P          |
| 4.10    | Wires or Rods                                                                                                                                           | N/A        |
| 4.11    | Nails and Fasteners                                                                                                                                     | P          |
| 4.12    | Plastic Film                                                                                                                                            | N/A        |
| 4.13    | Folding Mechanisms and Hinges                                                                                                                           | N/A        |
| 4.14    | Cords, Straps and Elastics                                                                                                                              | N/A        |
| 4.15    | Stability and Over-Load Requirements                                                                                                                    | P          |
| 4.16    | Confined Spaces                                                                                                                                         | N/A        |
| 4.17    | Wheels, Tires, and Axles                                                                                                                                | N/A        |
| 4.18    | Holes, Clearances, and Accessibility of Mechanisms                                                                                                      | P          |
| 4.19    | Simulated Protective Devices                                                                                                                            | N/A        |
| 4.20    | Pacifiers                                                                                                                                               | N/A        |
| 4.21    | Projectile Toys                                                                                                                                         | N/A        |
| 4.22    | Teethers and Teething Toys                                                                                                                              | N/A        |
| 4.23    | Rattles                                                                                                                                                 | N/A        |
| 4.24    | Squeeze Toys                                                                                                                                            | N/A        |
| 4.25    | Battery-Operated Toys<br>(exclude section 4.25.10 Battery-powered ride-on toys and section 4.25.11 Toys contain secondary cells or secondary batteries) | N/A        |
| 4.26    | Toys Intended to be Attached to a Crib or Playpen                                                                                                       | N/A        |
| 4.27    | Stuffed and Beanbag-Type Toys                                                                                                                           | P          |
| 4.28    | Stroller and Carriage Toys                                                                                                                              | N/A        |
| 4.30    | Toy Gun Marking                                                                                                                                         | N/A        |
| 4.31    | Balloons                                                                                                                                                | N/A        |
| 4.32    | Certain Toys with Nearly Spherical Ends                                                                                                                 | N/A        |
| 4.33    | Marbles                                                                                                                                                 | N/A        |
| 4.34    | Balls                                                                                                                                                   | N/A        |
| 4.35    | Pompoms                                                                                                                                                 | N/A        |
| 4.36    | Hemispheric-Shaped Objects                                                                                                                              | N/A        |
| 4.37    | Yo Yo Elastic Tether Toys                                                                                                                               | N/A        |
| 4.38    | Magnets                                                                                                                                                 | N/A        |
| 4.39    | Jaw Entrapment in Handles and Steering Wheels                                                                                                           | N/A        |
| 4.40    | Expanding material                                                                                                                                      | N/A        |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

| Section | Description                                                       | Result      |
|---------|-------------------------------------------------------------------|-------------|
|         |                                                                   | Sample A-C  |
| 4.41    | Toy Chests                                                        | N/A         |
| 5       | Labeling Requirements                                             |             |
| 5.2     | Age Grading Labeling                                              | See Remark1 |
| 5.3     | Safety Labeling Requirements                                      | N/A         |
| 5.4     | Aquatic Toys                                                      | N/A         |
| 5.5     | Crib and Playpen Toys                                             | N/A         |
| 5.6     | Mobiles                                                           | N/A         |
| 5.7     | Stroller and Carriage Toys                                        | N/A         |
| 5.8     | Toys Intended to be Assembled by an Adult                         | N/A         |
| 5.9     | Simulated Protective Devices                                      | N/A         |
| 5.10    | Toys with Functional Sharp Edges and Sharp Points                 | N/A         |
| 5.11    | Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19) | N/A         |
| 5.12    | Toy Caps (16 CFR 1500.86 for Required Labeling)                   | N/A         |
| 5.13    | Art Materials (16 CFR 1500.14(b)(8))                              | N/A         |
| 5.14    | Electric Toys                                                     | N/A         |
| 5.15    | Battery-Operated Toys                                             | N/A         |
| 5.15.1  | Battery-Powered Ride-On Toys                                      | N/A         |
| 5.15.2  | Button or Coin Cell Batteries                                     | N/A         |
| 5.16    | Promotional Materials                                             | N/A         |
| 5.17    | Magnets                                                           | N/A         |
| 6       | Instructional Literature                                          |             |
| 6.1     | Definition and Description                                        | N/A         |
| 6.2     | Crib and Playpen Toys                                             | N/A         |
| 6.3     | Mobiles                                                           | N/A         |
| 6.4     | Toys Intended to be Assembled by an Adult                         | N/A         |
| 6.5     | Battery-Operated Toys                                             | N/A         |
| 6.6     | Battery-Powered Ride-On Toys                                      | N/A         |
| 6.7     | Toys in Contact with Food                                         | N/A         |
| 6.8     | Toy Chests                                                        | N/A         |
| 7       | Producer's Markings                                               |             |
| 7.1     | Producer's or Distributor's Name and Address                      | P           |
| 7.2     | Battery-Powered Ride-on Toys                                      | N/A         |
| 7.3     | Toy Chests                                                        | N/A         |

**Remark:**

- All toys should be labeled to indicate the minimum age for intended use or have such labeling on any retail packaging.

P - Pass, NA - Not Applicable

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Flammability of Toys

Test Request: As specified in ASTM F963-17, Section 4.2, testing procedure for materials other than textiles (excluding paper) used in toys is contained in Annex A5.

| Sample | Limit          | Result |
|--------|----------------|--------|
| A      | 0.1 (inch/sec) | P      |
| B      | 0.1 (inch/sec) | P      |
| C      | 0.1 (inch/sec) | P      |

**Remark:**

P - Pass

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Heavy Metals

1) ASTM F963-17- Heavy Elements – Total Lead in Paint and Similar Surface-Coating Material (Clause 4.3.5.1(1))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

| Tested Item(s)      | Unit  | Limit | MDL | Result |  |
|---------------------|-------|-------|-----|--------|--|
|                     |       |       |     | 1      |  |
| Total Lead in Paint | mg/kg | 90    | 10  | ND     |  |

2) ASTM F963-17- Heavy Elements – Total Lead in Substrate Material (Clause 4.3.5.2(2) (a))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

| Tested Item(s)          | Unit  | Limit | MDL | Result |    |    |    |    |
|-------------------------|-------|-------|-----|--------|----|----|----|----|
|                         |       |       |     | 2      | 3  | 12 | 13 | 14 |
| Total Lead in Substrate | mg/kg | 100   | 10  | ND     | ND | ND | ND | ND |

3) ASTM F963-17- Heavy Elements – Total Elements Content, Initial Screening for Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay(Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

| Tested Item(s) | Unit  | Limit | MDL | Result |    |    |      |    |
|----------------|-------|-------|-----|--------|----|----|------|----|
|                |       |       |     | 1      | 2  | 3  | 4    | 5  |
| Total Antimony | mg/kg | 60    | 5   | ND     | ND | ND | 260* | ND |
| Total Arsenic  | mg/kg | 25    | 5   | ND     | ND | ND | ND   | ND |
| Total Barium   | mg/kg | 1000  | 10  | ND     | ND | ND | ND   | ND |
| Total Cadmium  | mg/kg | 75    | 5   | ND     | ND | ND | ND   | ND |
| Total Chromium | mg/kg | 60    | 5   | ND     | ND | ND | ND   | ND |
| Total Lead     | mg/kg | 90    | 10  | ND     | ND | ND | ND   | ND |
| Total Mercury  | mg/kg | 60    | 5   | ND     | ND | ND | ND   | ND |
| Total Selenium | mg/kg | 500   | 10  | ND     | ND | ND | ND   | ND |

| Tested Item(s) | Unit  | Limit | MDL | Result |     |    |     |      |
|----------------|-------|-------|-----|--------|-----|----|-----|------|
|                |       |       |     | 6      | 7   | 8  | 9   | 10   |
| Total Antimony | mg/kg | 60    | 5   | 82*    | 90* | 59 | 73* | ND   |
| Total Arsenic  | mg/kg | 25    | 5   | ND     | ND  | ND | ND  | ND   |
| Total Barium   | mg/kg | 1000  | 10  | ND     | ND  | ND | ND  | ND   |
| Total Cadmium  | mg/kg | 75    | 5   | ND     | ND  | ND | ND  | ND   |
| Total Chromium | mg/kg | 60    | 5   | ND     | ND  | ND | ND  | 239* |
| Total Lead     | mg/kg | 90    | 10  | ND     | ND  | ND | ND  | ND   |
| Total Mercury  | mg/kg | 60    | 5   | ND     | ND  | ND | ND  | ND   |
| Total Selenium | mg/kg | 500   | 10  | ND     | ND  | ND | ND  | ND   |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

| Tested Item(s) | Unit  | Limit | MDL | Result |    |    |    |
|----------------|-------|-------|-----|--------|----|----|----|
|                |       |       |     | 11     | 12 | 13 | 14 |
| Total Antimony | mg/kg | 60    | 5   | 199*   | ND | NA | NA |
| Total Arsenic  | mg/kg | 25    | 5   | ND     | ND | NA | NA |
| Total Barium   | mg/kg | 1000  | 10  | ND     | ND | NA | NA |
| Total Cadmium  | mg/kg | 75    | 5   | ND     | ND | NA | NA |
| Total Chromium | mg/kg | 60    | 5   | ND     | ND | NA | NA |
| Total Lead     | mg/kg | 90    | 10  | ND     | ND | ND | ND |
| Total Mercury  | mg/kg | 60    | 5   | ND     | ND | NA | NA |
| Total Selenium | mg/kg | 500   | 10  | ND     | ND | NA | NA |

4) ASTM F963-17- Heavy Elements – Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay (Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.2 to 8.3.5 (excluding 8.3.5.5(3))

| Tested Item(s)   | Unit  | Limit | MDL | Result |    |    |    |    |
|------------------|-------|-------|-----|--------|----|----|----|----|
|                  |       |       |     | 1      | 2  | 3  | 4  | 5  |
| Soluble Antimony | mg/kg | 60    | 5   | NA     | NA | NA | ND | NA |
| Soluble Arsenic  | mg/kg | 25    | 5   | NA     | NA | NA | ND | NA |
| Soluble Barium   | mg/kg | 1000  | 10  | NA     | NA | NA | ND | NA |
| Soluble Cadmium  | mg/kg | 75    | 5   | NA     | NA | NA | ND | NA |
| Soluble Chromium | mg/kg | 60    | 5   | NA     | NA | NA | ND | NA |
| Soluble Lead     | mg/kg | 90    | 10  | NA     | NA | NA | ND | NA |
| Soluble Mercury  | mg/kg | 60    | 5   | NA     | NA | NA | ND | NA |
| Soluble Selenium | mg/kg | 500   | 10  | NA     | NA | NA | ND | NA |

| Tested Item(s)   | Unit  | Limit | MDL | Result |    |    |    |    |
|------------------|-------|-------|-----|--------|----|----|----|----|
|                  |       |       |     | 6      | 7  | 8  | 9  | 10 |
| Soluble Antimony | mg/kg | 60    | 5   | ND     | ND | ND | ND | ND |
| Soluble Arsenic  | mg/kg | 25    | 5   | ND     | ND | ND | ND | ND |
| Soluble Barium   | mg/kg | 1000  | 10  | ND     | ND | ND | ND | ND |
| Soluble Cadmium  | mg/kg | 75    | 5   | ND     | ND | ND | ND | ND |
| Soluble Chromium | mg/kg | 60    | 5   | ND     | ND | ND | ND | ND |
| Soluble Lead     | mg/kg | 90    | 10  | ND     | ND | ND | ND | ND |
| Soluble Mercury  | mg/kg | 60    | 5   | ND     | ND | ND | ND | ND |
| Soluble Selenium | mg/kg | 500   | 10  | ND     | ND | ND | ND | ND |

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

| Tested Item(s)   | Unit  | Limit | MDL | Result |    |    |    |
|------------------|-------|-------|-----|--------|----|----|----|
|                  |       |       |     | 11     | 12 | 13 | 14 |
| Soluble Antimony | mg/kg | 60    | 5   | ND     | NA | NA | NA |
| Soluble Arsenic  | mg/kg | 25    | 5   | ND     | NA | NA | NA |
| Soluble Barium   | mg/kg | 1000  | 10  | ND     | NA | NA | NA |
| Soluble Cadmium  | mg/kg | 75    | 5   | ND     | NA | NA | NA |
| Soluble Chromium | mg/kg | 60    | 5   | ND     | NA | NA | NA |
| Soluble Lead     | mg/kg | 90    | 10  | ND     | NA | NA | NA |
| Soluble Mercury  | mg/kg | 60    | 5   | ND     | NA | NA | NA |
| Soluble Selenium | mg/kg | 500   | 10  | ND     | NA | NA | NA |

**Remark:**

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

NA = Not Applicable

The analytical results were adjusted by subtracting analytical correction factor.

There is only between 10 and 100 mg of the material available, test that quantity and calculate the results as if 100 mg of the sample had been available.

There is less than 10 mg of sample available, the test is not performed.

\* On the initial analysis for soluble heavy metals content, any tested component of greater than the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis of ASTM F963-17, Sections 8.3.2 to 8.3.5 as specified in Section 8.3.1.3. The result herein is for reference only (show data), please refer to soluble heavy metals content analysis for the corresponding conclusive results.

According to Section 8.3.1.3, if results of total eight elements are below soluble limits for each element as prescribed in the table, the material can be considered to conform to requirements of 4.3.5.1(2) or 4.3.5.2(2)(b), or both, without further testing.

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Total Lead Content in Substrate

Test Request: Total lead in substrate as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3  
The sample was acid digested, and total lead content was determined by ICP-OES.

| Test Item(s)   | Unit  | Limit | MDL | Result |    |    |    |
|----------------|-------|-------|-----|--------|----|----|----|
|                |       |       |     | 2      | 3  | 12 | 13 |
| Total Lead(Pb) | mg/kg | 100   | 10  | ND     | ND | ND | ND |

| Test Item(s)   | Unit  | Limit | MDL | Result |  |  |  |
|----------------|-------|-------|-----|--------|--|--|--|
|                |       |       |     | 14     |  |  |  |
| Total Lead(Pb) | mg/kg | 100   | 10  | ND     |  |  |  |

**Remark:**

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Total Lead Content in Paint / Surface Coating

Test Request: Total lead in paint/ similar surface coatings as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1003-09.1  
The sample was acid digested, and total lead content was determined by ICP-OES.

| Test Item(s)    | Unit  | Limit | MDL | Result |
|-----------------|-------|-------|-----|--------|
|                 |       |       |     | 1      |
| Total Lead (Pb) | mg/kg | 90    | 10  | ND     |

#### Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

### Phthalates Content

Test Request: Phthalates Content as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 108

Test Method: CPSC-CH-C1001-09.4

| Test Item(s)                 | CAS No.    | Unit | Limit | MDL   | Result |    |    |
|------------------------------|------------|------|-------|-------|--------|----|----|
|                              |            |      |       |       | 1      | 2  | 3  |
| Dibutylphthalate (DBP)       | 84-74-2    | %    | 0.1   | 0.005 | ND     | ND | ND |
| Benzylbutylphthalate (BBP)   | 85-68-7    | %    | 0.1   | 0.005 | ND     | ND | ND |
| Diethylhexylphthalate (DEHP) | 117-81-7   | %    | 0.1   | 0.005 | ND     | ND | ND |
| Di-n-octylphthalate (DNOP)   | 117-84-0   | %    | 0.1   | 0.005 | ND     | ND | ND |
| Diisononylphthalate (DINP)   | 28553-12-0 | %    | 0.1   | 0.005 | ND     | ND | ND |
| Diisodecylphthalate (DIDP)   | 26761-40-0 | %    | 0.1   | 0.005 | ND     | ND | ND |

#### Remarks:

MDL = method detection limit

ND = Not detected, less than MDL

\*\*\*TO BE CONTINUED\*\*\*

## TEST RESULT

### Total Lead Content

Test Request: Total lead content as specified in US 16 CFR 1303

Test Method: CPSC-CH-E1003-09.1

The sample was acid digested, and total lead content was determined by ICP-OES.

| Test Item(s)    | Unit  | Limit | MDL | Result |
|-----------------|-------|-------|-----|--------|
|                 |       |       |     | 1      |
| Total Lead (Pb) | mg/kg | 90    | 10  | ND     |

### **Remark:**

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

### Phthalates Content

Test Request: Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates as specified in CPSC 16 CFR part 1307.

Test Method: CPSC-CH-C1001-09.4

| Test Item(s)                  | CAS No.    | Unit | Limit | MDL   | Result |    |    |
|-------------------------------|------------|------|-------|-------|--------|----|----|
|                               |            |      |       |       | 1      | 2  | 3  |
| Diisononyl phthalate (DINP)   | 28553-12-0 | %    | 0.1   | 0.005 | ND     | ND | ND |
| Di-n-pentyl phthalate (DPENP) | 131-18-0   | %    | 0.1   | 0.005 | ND     | ND | ND |
| Di-n-hexyl phthalate (DHEXP)  | 84-75-3    | %    | 0.1   | 0.005 | ND     | ND | ND |
| Dicyclohexyl phthalate (DCHP) | 84-61-7    | %    | 0.1   | 0.005 | ND     | ND | ND |
| Diisobutyl phthalate (DIBP)   | 84-69-5    | %    | 0.1   | 0.005 | ND     | ND | ND |
| Diethylhexylphthalate (DEHP)  | 117-81-7   | %    | 0.1   | 0.005 | ND     | ND | ND |
| Dibutylphthalate (DBP)        | 84-74-2    | %    | 0.1   | 0.005 | ND     | ND | ND |
| Benzylbutylphthalate (BBP)    | 85-68-7    | %    | 0.1   | 0.005 | ND     | ND | ND |

### **Remarks:**

MDL = method detection limit

ND = Not detected, less than MDL

\*\*\*TO BE CONTINUED\*\*\*

## **TEST RESULT**

### **Tracking Label Assessment**

Test Request: As per Consumer Product Safety Improvement Act (CPSIA) 2008 section 103 tracking labels for children products

| <b>Labeling Content</b>                                                                   | <b>Observation Result</b>     | <b>Location</b>    | <b>Conclusion</b> |
|-------------------------------------------------------------------------------------------|-------------------------------|--------------------|-------------------|
| Name of Manufacturer/ Import / Private Labeler in the tracking label                      | GOPLUS CORP                   | Packaging& Product | Present           |
| Location of production                                                                    | DONGGUAN,CHINA                | Packaging& Product | Present           |
| Date of production                                                                        | 202207                        | Packaging& Product | Present           |
| Cohort information (including the batch, run number, or other identifying characteristic) | HY10083<br>HY10084<br>HY10085 | Packaging& Product | Present           |

\*\*\*END OF THE REPORT\*\*\*