



Joyful Kids · Joyful Trip

 www.jovikids.com

 [jovikids_global](https://www.instagram.com/jovikids_global)

 service@jovikids.com

 [jovikids_global](https://www.tiktok.com/jovikids_global)

25V1.0

Model WDCS018


All rights reserved ©2025 JOVIKIDS. JOVIKIDS and all associated logos are trademarks.

All product specifications are correct at time of print.
JOVIKIDS reserves the right to change anything at any time without prior notice.
Color representation is as close as processes allow.



USER MANUAL

Leon i-Size



Approx.
3Y-12Y

100-150cm





Recommended for:
Age: From 3 to approx. 12 years
Stature: 100-150cm
Only suitable for vehicle seats with automatic three-point belts approved by UN Regulation No. 16 or a comparable standard.

Tested and Certified According to ECE R129				
Model No.	Stature	Orientation	Installation	Approval Type
WDCS018 Leon	100-150cm	Forward	Vehicle 3 point belt+ ISOFIX attachment	i-Size Booster Seat
			Vehicle 3 point belt	

The child safety seat has been designed, tested, and certified according to the requirements of the European Standard for Child Safety Equipment (ECE R129). The seal of approval "E" (in a circle) and the approval number are located on the approval label (sticker on the child safety seat).

This approval will be invalidated if any modifications are made to the child safety seat. Only the manufacturer is permitted to make modifications to the child safety seat.




- EN Scan for user manual
- DE Scan für Benutzerhandbuch
- FR Scannez pour le manuel d'utilisation
- IT Scansiona per il manuale utente
- ES Escanear para el manual del usuario
- JP Qrコードをスキャンして説明書を表示します
- AR يحاشرلليل ايلخلح لسم
- RU сканируйте для руководства пользователя
- NL
-
-
-



WDCS018
Leon

USE IN THE VEHICLE



**Proper seating
positions for your child
car seat.**



If you need to install the seat in the front passenger seat, please ensure that the airbag is deactivated to avoid serious injury.




WARNING!


Never use this child restraint system in seating positions where an active airbag is installed.




Quick Installation Guide




3-Point Seat Belt + ISOFIX Installation



3-Point Seat Belt Installation



Quick Installation Guide



1. Notice.....	06
2. Warning.....	06-07
3. Product Description.....	08
4. Instruction for Stature 100-150cm.....	09-12
5. Important Safety Precautions.....	13
6. Care and Cleaning.....	14
7. Warranty.....	15
8. Safety Checklist.....	16

**READ USER MANUAL PRIOR TO INSTALLING
AND USING THIS BABY CAR SEAT.
KEEP THIS MANUAL FOR FUTURE USE.**

Notice

This is a i-Size booster seat Enhanced Child Restraint System.

It is approved according to UN Regulation No.129, for using primarily in “i-Size seating positions” as indicated by vehicle manufacturers in the vehicle user’s manual.

If in doubt, consult either the Enhanced Child Restraint System manufacturer or the retailer.


Warning

- Read this instruction manual carefully.
- The correct fitting of the ISOFIX attachment is of vital importance for the safety of your child.
- For the future use of the seat, it is important that you keep the instruction manual carefully.
- Never leave your child unattended in the car.
- Do not use a child safety seat if the vehicle seat is equipped with a front airbag. This can be dangerous. This does not apply to side airbags.
- Before use our product, please read the instruction manual carefully, the product is a safety product and is only safe when used in accordance with the instruction manual.
- The product may be used on either the front or the back seat. However, we recommend that it is fitted on the back seat.
- The product has been approved according to the strictest European safety standards(R129/04) and is for stature 100-150cm, ISOFIX attachment + Vehicle 3 point belt and is for 100-150cm Vehicle 3 point belt.
- After an accident the seat may become unsafe due to damage that is not be noticeable immediately. It should therefore be replaced.
- The safety of the seat can only be guaranteed by the manufacturer if it is issued by the original owner.

2.Warning

- We advise you strongly that not to use a second-hand product, because you are not sure if it is in good condition.
- Ensure that all luggage and objects likely to cause injury in the event of an accident are properly secured.
- Do not use this child seat in passenger seats are equipped with airbags.
- It is recommended that the car seats should not be used more than 5 years from the date of production. The properties of the products may deteriorate due to, for example, ageing of the plastic and this may not be visible.
- The baby car seat must not be used without the cover. Please use an original cover as the cover contributes to the safety of the seat.
- The seat must be secured with a seat belt , even when it not on use. An unsecured seat may injure other passengers in the care in an urgent stop.
- The rigid items and plastic parts of a child restraint must be located and installed that they are not liable, during everyday use of vehicle, to become trapped by a movable seat or in door of the vehicle.
- Ensure that the seat is not damaged by heavy luggage, adjustable seats or slamming the car door etc.
- No alterations or additions to the device without the approval of the Type Approval Authority, as this could affect part or the overall safety of the seat.
- In hot weather the plastic and metal parts of the product will be hot, You should cover the seat when the car parked under the sun.
- In order to prevent damage to the cover, do not remove the product's logo.
- Before the purchase, please check that the seat is properly secured in your car.
- Take a short break in long journey. So that your child has some time for the relaxation.
- Set a good example yourself and always wear your seat belts.
- Any straps holing the restraint to the vehicle should be tight, that any straps restraining the child should be adjusted to the child's body, and that straps should not be twisted.
- Ensuring that any lap strap is worn low down, so the pelvis is firmly engaged.
- This product can not be used any more when it has been subject to violent stresses in an accident.
- Children can not be left in the product unattended.

3. Product Description




1. Headrest Adjusting Lever
2. Headrest
3. Shoulder Belt Guide
4. Lap Belt Guide
5. ISOFIX Connect Locking Arms
6. ISOFIX Release Button
7. User Manual Storage


The user manual can be stored inside the seat cover

4. Instruction for Stature 100-150cm

3-Point Seat Belt + ISOFIX Installation



3-Point Seat Belt Installation



4. Instruction for Stature 100-150cm


3-Point Seat Belt + ISOFIX Installation

- 1 Pull the ISOFIX release button (6) to extend ISOFIX connect locking arms (5) to the maximum length automatically. Insert the ISOFIX connect locking arms (5) into the ISOFIX fixture points in the vehicle seat. Ensure that there is a "click" sound and a green indication on both ISOFIX connect locking arms (5).

3-Point Seat Belt Installation

- 1 Ensure the car seat is properly placed in the car without using ISOFIX.

4. Instruction for Stature 100-150cm



4. Instruction for Stature 100-150cm

- 2 Adjust the headrest (2) to the appropriate height according to the child's height.

Notice! Ensure the shoulder belt guide (3) is positioned slightly above the child's shoulders.

- 3 Pull out the 3-point seat belt and insert the metal latch into the buckle until you hear a 'click' to confirm it is locked.

- 4 Adjust the 3-point seat belt to thread through the shoulder belt guide (3) and lap belt guide (4) of the car seat, then tighten the seat belt to ensure it lies flat and is free of twists.

CAUTION! DO NOT twist the seat belt.

8. Important Safety Precautions



Never leave your child unattended in the child safety seat, especially when not in the vehicle.



**For the protection of all vehicle occupants
In the event of an emergency stop or accident,
unsecured persons or objects may cause injury to
other vehicle occupants.**

Always ensure the following:

- The backrests of the vehicle seats are locked (e.g., the foldable rear seat bench latch is engaged).
- All heavy or sharp-edged objects in the vehicle (e.g., on the parcel shelf) are secured.
- All passengers in the vehicle have their seat belts fastened. The child safety seat is always secured when in the vehicle, even if no child is being transported.

To Maintain Optimal Protection

- In the event of a collision at a speed exceeding 10 km/h, the child safety seat may incur damage that is not immediately visible.
- It is important to replace the child seat after such incidents to ensure continued safety. Proper disposal of the damaged seat is required.

9. Care and Cleaning

- Regularly inspect all components for any signs of damage. Verify the proper functioning of all mechanical parts regularly.
- To avoid damage or breakage, ensure the child seat does not become trapped in car doors, seat tracks, or other vehicle mechanisms.
- If the child seat sustains damage (e.g., from being dropped), it must be inspected by the manufacturer for safety assurance.

Notes for Cleaning the Car Seat

- To maintain the proper functionality of the car seat, please ensure that only original replacement seat covers are used. Replacement seat covers are essential for the correct performance of the car seat and are available from your retailer or authorized branches.



The child seat must not be used without the seat cover.

- The cover can be removed and washed with a mild detergent delicate cycle (30°C). Follow the instructions on the washing label of the cover. The cover's colors may fade if washed at temperatures higher than 30°C. Do not spin dry, and never use an electric dryer as the fabric may separate from the padding.
- Clean plastic parts with soapy water. Do not use harsh cleaning agents such as solvents.

10. Warranty

We provide a 3-year warranty for this child car seat against manufacturing or material defects. The warranty period begins on the date of purchase. To validate the warranty, please keep the invoice and register your product on jovikids.com.

The Warranty Does Not Cover:

- Natural signs of wear and damage resulting from excessive stress.
- Damage resulting from inappropriate or improper use.
- Color fastness may diminish when exposed to UV radiation. However, all fabrics fade when exposed to UV radiation. This is not a material defect but a normal sign of wear that is not covered by the warranty.

For warranty claims, please contact your retailer directly. They will provide the necessary advice and support. When processing claims, product-specific depreciation rates will be applied. Please refer to our General Terms and Conditions, which are available from your retailer.

11. Safety Checklist

- ☒ Did you read and understand the vehicle owner's manual, this user's manual, and all labels found on this Child Restraint?
- ☒ Is the child's height between 100-150cm?
- ☒ Is the child restraint installed in an approved vehicle seat location?
- ☒ Do you regularly check the installation and condition of the Child ?
- ☒ Restraint to ensure it remains in good working order?

If you answered YES to all these questions, you are good to go, and please DRIVE SAFELY!